



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District 8 GULF

Week: 10/16

8TH DISTRICT LOCAL NOTICE TO MARINERS
GULF OF MEXICO
Econfina River, FL to the Rio Grande, TX
LIGHT LIST VOLUME IV
NOTICE NUMBER 10/16
March 9, 2016

References: COMDTPUB P16502.4, Vol. IV, 2016 Edition and Coast Pilot V. Coast Pilots, along with corrections, are available at:
<http://www.nauticalcharts.noaa.gov/ncd/download.htm>.

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)

NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY

INTERNET ADDRESS [HTTP://www.navcen.uscg.gov](http://www.navcen.uscg.gov)

COMMENTS REGARDING SECTION VI - PROPOSED CHANGES MAY ALSO BE EMAILED TO: LocalNoticeFeedback@uscg.mil

2013 SPECIAL NOTICE TO MARINERS <http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>

GULF OF MEXICO LNM VIA INTERNET <http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNIT	BEGINNING BNMS	ENDING BNMS
CCGD8	BNM 0035 - 16 (D8)	BNM 0035 - 16 (D8)
CCGD8 (DPB)	BNM 0000 - 16 (DPB)	BNM 0000 - 16 (DPB)
CCGD8 (DPB)	BNM 0000 - 16 (DPB)	BNM 0000 - 16 (DPB)
SECTOR MOBILE (MO)	BNM 0182 - 16 (MO)	BNM 0214 - 16 (MO)
SECTOR NEW ORLEANS (NO)	BNM 0204 - 16 (NO)	BNM 0237 - 16 (NO)
SECTOR HOUSTON-GALVESTON (GA)	BNM 0165 - 16 (GA)	BNM 0173 - 16 (GA)
SECTOR CORPUS CHRISTI (CC)	BNM 0072 - 16 (CC)	BNM 0081 - 16 (CC)

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal

EVAL - Evaluation	MSLD - Misleading	STA - Station
EXT - Extinguished	N/C - Not Charted	STRUCT - Structure
F - Fixed	NGA - National Geospatial-Intelligence Agency	St M - Statute Mile
fl - flash	NO/NUM - Number	TEMP - Temporary Aid Change
Fl - Flashing	NOS - National Ocean Service	TMK - Topmark
G - Green	NW - Notice Writer	TRLB - Temporarily Replaced by Lighted Buoy
GIWW - Gulf Intracoastal Waterway	OBSCU - Obscured	TRLT - Temporarily Replaced by Light
HAZ - Hazard to Navigation	OBST - Obstruction	TRUB - Temporarily Replaced by Unlighted Buoy
HBR - Harbor	OBSTR - Obstruction	USACE - Army Corps of Engineers
HOR - Horizontal Clearance	Oc - Occulting	W - White
HT - Height	ODAS - Anchored Oceanographic Data Buoy	Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AHOP	Above Head of Passes
BHOP	Below Head of Passes
HSC	Houston Ship Channel
MRGO	Mississippi River - Gulf Outlet
HWY	Highway
IHNC	Inner Harbor Navigation Canal
F/V	Fishing Vessel
AP	Assigned Position

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

DEPARTMENT OF HOMELAND SECURITY SUSPICIOUS ACTIVITY

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the local Federal Bureau of Investigation Joint Terrorism Task Force (JTTF) Office, http://www.fbi.gov/about-us/investigate/terrorism/terrorism_jttfs, or to other appropriate authorities. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the www.AmericasWaterwayWatch.org, the National Response Center (NRC) 1-800-424-8802 or 1-877-24WATCH.

LNM: DPW

NOTICE OF PLATFORMS, DRILL RIGS AND ATTENDANT VESSELS

The drill rigs and vessels that have been temporarily established will display lights and sound signals, according to size or class, during periods of darkness and reduced visibility. Numerous large anchor buoys which may be lighted displaying a white 4-seconds characteristic light and unlighted buoy may be established up to 2,000 or more yards from the vessel or rig site. Mariners should avoid passing close aboard the rigs or vessels. Offshore structures that have been established will display lights and a fog signal sounding 1 blast (2-sec. blast) every 20-seconds. Mooring buoys (white with blue band) may be located within 500 yards of the structure for mooring attendant vessels and/or barges. Mariners should avoid passing close aboard structures.

LNM: DPW/PRIV AIDS

DGPS SITE OFF-AIR TIME

Off-air time has been approved for the English Turn, Louisiana, DGPS Site from 1330Z until 1730Z, March 16, 2016.

LNM: 09-16

GPS TESTING

Commencing March 14-17, 2016, March 21-24, 2016, and again on March 28-31, 2016, from 1300Z until 1900Z, each day, GPS testing will be conducted centered in approximate position 30-34-45.1N 086-40-45.3W, Eglin Air Force Base, Florida. The impact radius is approximately 214 nautical miles. This testing should NOT affect civilian GPS users. During these periods, GPS users are encouraged to report any GPS service outages that they may experience during the testing, via the Navigation Information Service (NIS) by calling (703) 313-5900 or by using the NAVCEN Website's GPS report a problem worksheet at www.navcen.uscg.gov.

LNM: 08-16

GULF OF MEXICO - Operation Phoenix - Marine Event

Attached as an enclosure to this LNM is information and scheduling concerning a paddle board event starting at Corpus Christi TX, on March 5, 2016 and ending at New York City Harbor, NY., on July 23, 2016. The event will consist of 2 paddleboards approximately 14 feet in length, 1 Sea Doo and 1 safety boat approximately 24 feet in length. The safety boat will monitor VHF-FM Channel 16. For additional information, mariners can contact Tonia Collins at (910) 633-9578.

LNM: 09-16

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
730	Ship Shoal Obstruction Lights	LT EXT	11356		41/11	
1025	Eighteen Ft Shoal Lighted Buoy 3	SINKING/TRLB	11341		42/15	
1485	St Marks River Range Front Light	STRUCT DMGD	11406		52/11	
2485	Dog Island Light 5	TRLB/STRUCT DEST	11404	0320-15 MO	19/15	
2565	Carrabelle Channel Inner Range Rear Light	STRUCT DEST	11404	0068-16 MO	04/16	
2605	Carrabelle River Daybeacon 3	STRUCT DEST/TRUB	11404	0065-16 MO	04/16	
2830	St George Island Range Front Light	STRUCT DEST	11404	0952-14 MO	46/14	
2835	St George Island Range Rear Light	LT EXT/DAYMK MISSING	11404	0951-14 MO	46/14	
3025	St Joseph Bay Entrance A Range Front Light	TRLB/LT EXT	11393	0931-13 MO	47/13	
4550	Choctawhatchee Bay Entrance Light 3	REDUCED INT	11385	0814-14 MO	39/14	
4560	Choctawhatchee Bay Entrance Daybeacon 5A	MISSING/TRUB	11385	0213-16 MO	08/12	
4580	Choctawhatchee Bay Entrance Daybeacon 10	TRUB/STRUCT DEST	11385	0371-15 MO	10/15	
4595	Old East Pass Harbor Channel Daybeacon 3	STRUCT DEST	11385	0102-16 MO	06/16	
4735	Pensacola Bay Entrance Lighted Buoy 5	OFF STA	11384	0166-16 MO	09/16	
4855	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	0991-13 MO	50/13	
5230	Pensacola Bay Bridge Approach Lighted Buoy 7	TRLB	11383		17/15	
5300	Bayou Chico Daybeacon 4	STRUCT DEST/TRUB	11383	0187-16 MO	10/16	
5550	Blackwater Channel Daybeacon 28	DAYMK MISSING	11385	0164-16 MO	09/16	
5680	Escambia Bay Light 7	DAYMK MISSING	11378	0165-16 MO	09/16	
5700	Escambia Bay Buoy 12	OFF STA	11378	0110-16 MO	07/16	
5785	Escambia Bay Daybeacon 13	DAYMK MISSING	11378	0163-16 MO	09/16	
5845	Escambia River Buoy 25	MISSING	11378	1038-14 MO	52/14	
5890	Perdido Pass Light 1	LT EXT	11378		04/16	
5900	Perdido Pass Buoy 4	OFF STA	11378	0897-15 MO	46/15	
6155	Mobile Bar Lighted Buoy 12	OFF STA	11378	0149-16 MO	08/16	
6300	Mobile Channel Light 30	TRLB/STRUCT DEST	11378		38/15	
6310	Mobile Channel Light 32	STRUCT DEST/TRLB	11380	0910-15 MO	47/15	
6335	Mobile Channel Light 38	TRLB/STRUCT DEST	11377	0101-15 MO	33/14	
6430	Mobile Channel Light 40	TRLB/STRUCT DEST	11376	0105-15 MO	21/14	
6440	Mobile Channel Light 42	TRLB/STRUCT DEST	11376	0102-15 MO	06/15	
6475	Mobile Channel Light 45	TRLB/STRUCT DEST	11380	0372-15 MO	10/14	
6480	Mobile Channel Light 46	TRLB/STRUCT DEST	11376	0535-14 MO	28/14	
6485	Mobile Channel Light 47	TRLB/STRUCT DEST	11376	0673-15 MO	34/15	
6515	Mobile Channel Light 50	DAYMK DMGD	11377	0206-16 MO	10/16	
6520	Mobile Channel Light 51	TRLB/STRUCT DEST	11380	0123-14 MO	46/13	
6525	Mobile Channel Light 52	TRLB/STRUCT DEST	11380	0706-14 MO	34/14	
6540	Theodore Ship Channel Buoy 1A	MISSING	11376	0147-16 MO	08/16	
6550	Mobile Channel Light 55	STRUCT DEST/TRLB	11380		50/15	
6565	Mobile Channel Light 59	STRUCT DEST/TRLB	11376	0878-15 MO	25/15	
6570	Mobile Channel Light 60	REDUCED INT	11376	0917-14 MO	44/14	
6590	Mobile Channel Light 66	REDUCED INT	11376	0918-14 MO	44/14	
6635	Mobile Channel Light 74	STRUCT DEST/TRLB	11376	0978-15 MO	28/14	
7060	Fly Creek Daybeacon 5	TRUB/STRUCT DEST	11376	0050-14 MO	30/13	
7070	Fly Creek Daybeacon 7	TRUB/STRUCT DEST	11376	0465-14 MO	24/14	
7185	Dauphin Island Channel Daybeacon 7	STRUCT DEST/TRUB	11378	0088-16 MO	06/16	

7195	Dauphin Island Channel Daybeacon 9	STRUCT DEST/TRUB	11378	0089-16 MO	06/16
7450	Dog River Channel Daybeacon 1	STRUCT DEST	11380	0205-16 MO	10/16
7665	Bayou La Batre Light 5	REDUCED INT	11374	0753-15 MO	38/15
7715	Bayou La Batre Light 16	STRUCT DEST/TRLB	11374	0138-16 MO	08/16
7740	Bayou La Batre Daybeacon 21	STRUCT DEST/TRUB	11374	0108-16 MO	07/16
8050	Pascagoula Channel Lighted Buoy 33	OFF STA	11375	0927-15 MO	46/15
8205	Pascagoula Channel Light 49	STRUCT DEST/TRLB	11375	0104-16 MO	06/16
8715	Biloxi East Channel Daybeacon 5	STRUCT DEST	11372	0212-16 MO	10/16
8725	Biloxi East Channel Daybeacon 7	STRUCT DEST	11372	0211-16 MO	10/16
9380	Big Lake Junction Daybeacon	STRUCT DEST/TRUB	11372	0128-16 MO	07/16
10770	Bayou Yscloskey Daybeacon 4	STRUCT DEST/TRUB	11364	0203-16 NO	08/16
11785	Mississippi River - Gulf Outlet Light 111	TRLB/STRUCT DEST	11364	0479-15 NO	25/15
12475	Baptiste Collette Bayou Daybeacon 19	STRUCT DEST/TRUB	11353	0177-16 NO	04/16
12480	Baptiste Collette Bayou Daybeacon 20	STRUCT DEST/TRUB	11353	0139-16 NO	02/16
12830	Southwest Pass Light 17	DAYMK DMGD	11361	0116-16 NO	06/16
12940	Southwest Pass Head West Range Rear Light	DAYMK MISSING	11361	0354-15 NO	18/15
12970	Pilottown A East Range Front Light	REDUCED INT DAYTIME	11353		02/16
13075	Jump Shoal Lighted Buoy 10	OFF STA	11361		08/16
13225	Point Pleasant Lower Light 30	LT EXT	11364	0173-16 NO	08/16
13270	Home Place Light 37	STRUCT DEST	11364	0941-15 NO	46/15
13315	Bohemia Light 46	REDUCED INT DAYTIME	11364	0095-16 NO	05/16
13545	Wills Point Light 68	STRUCT DEST	11353	0126-16 NO	06/16
13690	Saxonholm Light 86	STRUCT DEST	11364	0121-16 NO	06/16
13715	Algiers Alternate Route Junction Light A	TRLT	11367	0033-16 NO	02/16
14240	Hale Boggs Luling Bridge Approach Buoy A	AIS INOP	11370		10/16
14245	Hale Boggs Luling Bridge Approach Buoy B	AIS INOP	11370	0229-16 NO	10/16
14250	Hale Boggs Luling Bridge Approach Buoy C	AIS INOP	11370	0227-16 NO	10/16
14250	Hale Boggs Luling Bridge Approach Buoy C	MISSING	11370	0207-16 NO	10/16
14555	Gramercy Bridge Approach Buoy 1	AIS INOP	11370	0226-16 NO	10/16
14560	Gramercy Bridge Approach Buoy 3	AIS INOP	11370	0225-16 NO	10/16
14560	Gramercy Bridge Approach Buoy 3	OFF STA	11370	0208-16 NO	10/16
14565	Gramercy Bridge Approach Buoy 5	AIS INOP	11370	0224-16 NO	10/16
14565	Gramercy Bridge Approach Buoy 5	MISSING	11370	0209-16 NO	10/16
14675	College Point Light 156	STRUCT DEST	11370	0770-15 NO	23/15
14840	Sunshine Bridge Approach Buoy A	AIS INOP	11370	0223-16 NO	10/16
14845	Sunshine Bridge Approach Buoy B	AIS INOP	11370	0221-16 NO	10/16
14850	Sunshine Bridge Approach Buoy C	AIS INOP	11370		10/16
14990	Philadelphia Point C Range Rear Light	LT IMCH	11370	0018-15 NO	01/15
15300	Arlington Range Front Light	LT IMCH/REDUCED INT/STRUCT DMGD/TRLT	11370	0079-16 NO	32/15
15305	Arlington Range Rear Light	LT IMCH/REDUCED INT/STRUCT DMGD/TRLT	11370		42/15
15355	I-10 Bridge Approach Buoy E	AIS INOP	11370	0220-16 NO	10/16
15360	I-10 Bridge Approach Buoy F	AIS INOP	11370	0219-16 NO	10/16
15360	I-10 Bridge Approach Buoy F	MISSING	11370	0035-16 D8	09/16
15365	I-10 Bridge Approach Buoy G	AIS INOP	11370	0218-16 NO	10/16
15455	Tiger Pass Light 6	TRLB/STRUCT DEST	11361	0154-14 NO	08/14
15490	Tiger Pass Light 13	TRLB/STRUCT DEST	11361	0516-14 NO	25/14
15505	Tiger Pass Light 17	TRUB/STRUCT DEST	11361	0515-14 NO	25/14
16405	Barataria Waterway Daybeacon 46	STRUCT DEST/TRUB	11365		46/15
17155	Timbalier - Terrebonne Bay LIGHT 1	STRUCT DEST/TRLB	11357	0197-16 NO	09/16
17222	Timbalier - Terrebonne Bay Light 40A	STRUCT DEST/TRLB	11346	0092-16 NO	04/16
17227.01	Timbalier - Terrebonne Bay Light 43	STRUCT DEST/TRLB	11346	0917-15 NO	44/15

17870	Houma Navigation Canal Light 19	STRUCT DEST/TRLB	11355	1114-15 NO	52/15
17910	Houma Navigation Canal Light WR28	STRUCT DEST/TRLB	11355	0204-16 NO	09/16
18010	Bayou Grand Caillou Daybeacon 12	STRUCT DEST/TRUB	11356		47/15
18075	Bayou Grand Caillou Buoy 25	MISSING	11356	0238-16 NO	10/16
18895	Atchafalaya River Light 7	STRUCT DEST/TRLB	11351	0211-16 NO	10/16
18963	Atchafalaya River Junction Light C	STRUCT DEST/TRLB	11351	0212-16 NO	10/16
19090.01	Atchafalaya River Daybeacon 23	MISSING/STRUCT DEST/TRUB	11351	0231-16 NO	03/16
20135	Southwest Pass - Vermillion Bay Channel Light 10	STRUCT DEST/TRLB	11349	0896-15 NO	43/15
20160	Southwest Pass - Vermillion Bay Channel Light 16	STRUCT DEST/TRLB	11349	0897-15 NO	36/15
20185	Southwest Pass - Vermillion Bay Channel Light 21	STRUCT DEST/TRLB	11349	0898-15 NO	36/15
20580	FRESHWATER BAYOU LIGHT 4	TRLB/STRUCT DEST/REDUCED INT	11350	1169-14 NO	48/14
21405	Calcasieu Channel East Jetty Light 42	OFF STA/STRUCT DEST/HAZ NAV/TRLB	11347	0420-15 GA	29/14
21600	Calcasieu Channel Light 66	STRUCT DEST/TRLB	11347		43/15
21765	Calcasieu Channel Light 89	STRUCT DEST/TRLB	11348	0727-15 GA	46/15
21895	Calcasieu River Light 102	STRUCT DEST	11347		07/16
21915	Calcasieu River Light 104	STRUCT DEST/TRLB	11347	0029-16 GA	52/15
21925	Calcasieu River Light 106	STRUCT DEST/TRLB	11347	0669-15 GA	40/15
21950	Calcasieu River Light 110	TRLB/STRUCT DMGD	11347	0663-15 GA	40/15
22070	Coon Island Channel Light 8	STRUCT DEST/TRLB	11347		07/16
22575	Sabine Pass Anchorage Basin Light A	STRUCT DEST	11342		08/16
22915	Sabine-Neches Canal Light 52A	DAYMK DMGD	11331	0126-16 GA	07/16
23535	Neches River Light 54	STRUCT DEST	11343	0394-15 GA	23/15
23540	Neches River Light 56	STRUCT DEST	11343		23/15
23575	Neches River Light 66	TRLB/STRUCT DEST	11343		33/15
23740	Galveston Bay Entrance Channel B Range Front Light	DAYMK MISSING	11324	0144-16 GA	08/16
23960	Houston Ship Channel Lighted Buoy 26	REDUCED INT	11324	0787-15 GA	48/15
24110	Houston Ship Channel Light 47	STRUCT DEST/TRLB	11327		09/16
24145.01	Trinity River Channel Buoy 4	MISSING	11326	0110-16 GA	07/16
24150.01	Trinity River Channel Buoy 5	MISSING	11326	0111-16 GA	07/16
24170	Houston Ship Channel Light 51	STRUCT DEST/TRLB	11327	0154-16 GA	09/16
24210	Upper Galveston Bay Outer Range Rear Light	DAYMK MISSING	11327	0027-16 GA	50/15
24230	Houston Ship Channel Light 56	STRUCT DEST/TRLB	11327	0146-16 GA	08/16
24295	Houston Ship Channel Light 63	STRUCT DEST	11327	0168-16 GA	10/16
24370	Houston Ship Channel Light 72	STRUCT DEST/TRLB	11327	0160-16 GA	09/16
24380	Houston Ship Channel Light 74	STRUCT DEST/TRLB	11327	0161-16 GA	09/16
24455	Bayport Ship Channel Junction Light B	STRUCT DEST/TRLB	11327	0143-16 GA	08/16
24565	Houston Ship Channel Light 89	STRUCT DEST/TRLB	11328	0152-16 GA	09/16
24635	Cedar Bayou Channel Daybeacon 10	STRUCT DEST	11328	0158-16 GA	09/16
25100	Houston Ship Channel Light 103	STRUCT DEST/TRLB	11328		06/16
25365	Houston Ship Channel Light 114A	STRUCT DEST/TRLB	11329	0113-16 GA	07/16
25380	Houston Ship Channel Light 114B	STRUCT DEST/TRLB	11329		07/16
25420	Houston Ship Channel Light 117	STRUCT DEST/TRLB	11329	0139-16 GA	08/16
25450	Houston Ship Channel Light 121A	STRUCT DEST/TRLB	11329	0089-16 GA	04/16
25455	Houston Ship Channel Light 122	STRUCT DEST/TRLB	11329	0145-16 GA	08/16
25520	Houston Ship Channel Light 126A	STRUCT DEST/TRLB	11329		07/16
25695	Houston Ship Channel Light 127	LT IMCH	11329	0081-16 GA	04/16
25820	Houston Ship Channel Light 162	STRUCT DEST/TRLB	11325	0090-16 GA	06/16
26065	Texas City Channel Lighted Buoy 3	OFF STA	11324	0706-15 GA	44/15
26120	Texas City Channel Light 12	STRUCT DEST/TRLB	11324	0153-16 GA	09/16
26925	Freeport Entrance Lighted Buoy 4	LT EXT	11322	0052-16 GA	03/16
27145	Matagorda Ship Channel Lighted Buoy 3	OFF STA	11319	0628-15 CC	50/15
27730	Port Lavaca Channel Light 9	TRLB/STRUCT DEST	11317	0729-14 CC	01/15

27795	Port Lavaca Harbor of Refuge Daybeacon 2	TRUB/STRUCT DEST	11317	0430-15 CC	31/15
27810	Port Lavaca Harbor of Refuge Daybeacon 8	TRUB/STRUCT DEST	11317	0530-15 CC	11/14
27815	Port Lavaca Harbor of Refuge Daybeacon 10	DAYMK IMCH/STRUCT DMGD	11317	0432-15 CC	11/14
27850	Lavaca Bay Channel Daybeacon 6	STRUCT DEST/TRUB	11317	0595-15 CC	48/15
27875	Lavaca Bay Channel Daybeacon 14	DAYMK IMCH	11317	0202-14 CC	11/14
27880	Lavaca Bay Channel Daybeacon 16	DAYMK MISSING	11317	0203-14 CC	11/14
27885	Lavaca Bay Channel Daybeacon 18	DAYMK IMCH	11317	0204-14 CC	11/14
27900	Lavaca Bay Channel Daybeacon 22	DAYMK IMCH	11317	0205-14 CC	11/14
27910	Lavaca River Daybeacon 3	DAYMK IMCH	11317	0206-14 CC	11/14
28695	Corpus Christi Channel Light 44	STRUCT DEST	11308	0082-16 CC	10/16
28755	Corpus Christi Channel Light 62	STRUCT DEST	11309	0079-16 CC	10/16
28765	Corpus Christi Channel Light 68	MISSING/STRUCT DEST/TRLB	11309	0080-16 CC	10/16
29355	Port Mansfield Channel Daybeacon 17	TRUB/STRUCT DEST	11306	0304-14 CC	17/14
29365	Port Mansfield Channel Daybeacon 19	DAYMK MISSING	11306		05/16
29375	Port Mansfield Channel Daybeacon 21	TRUB/STRUCT DEST	11306	0529-15 CC	40/15
29420	Port Mansfield Channel Range Rear Light	DAYMK MISSING	11306	0026-16 CC	04/16
29560	Laguna Madre Channel Range Rear Light	DAYMK DMGD	11302	0626-15 CC	51/15
29570	Laguna Madre Channel Daybeacon 10	STRUCT DEST/TRUB	11302	0625-15 CC	51/15
29585	Laguna Madre Channel Daybeacon 21	STRUCT DEST	11302	0065-16 CC	09/16
29595	Laguna Madre Channel Daybeacon 26	STRUCT DEST/TRUB	11302	0064-16 CC	51/15
29830	Harlingen-Port Isabel Light 90	STRUCT DEST/TRLB	11302	0623-15 CC	51/15
29845	Port Isabel Channel Light 7	STRUCT DEST/TRLB	11302	0565-15 CC	44/15
30235	Apalachicola Bay Daybeacon 59	STRUCT DEST/TRUB	11404	0086-16 MO	05/16
30245	Apalachicola Bay Light 64	STRUCT DEST/TRLB	11404	0073-16 MO	04/16
30275	Apalachicola Bay Light 76	STRUCT DEST	11402	0203-16 MO	08/16
30295	Apalachicola River Entrance Buoy 3	MISSING	11404	0191-16 MO	10/16
30300	Apalachicola River Entrance Light 4	STRUCT DEST	11404	0192-16 MO	10/16
30305	Apalachicola River Entrance Buoy 4A	OFF STA	11402	0193-16 MO	10/16
30310	Apalachicola River Entrance Buoy 5	MISSING	11402	0115-16 MO	07/16
30315	Apalachicola River Entrance Buoy 6	MISSING	11402		10/16
30325	Apalachicola River Entrance Buoy 9	MISSING	11402	0116-16 MO	07/16
30330	Apalachicola River Entrance Buoy 10	MISSING	11402		10/16
30335	Apalachicola River Entrance Buoy 11	MISSING	11402		10/16
30340	Apalachicola River Entrance Buoy 13	MISSING	11402		10/16
30345	Apalachicola River Entrance Buoy 14	OFF STA	11402	0117-16 MO	07/16
30350	Apalachicola River Entrance Buoy 15	OFF STA	11402	0118-16 MO	07/16
30355	Apalachicola River Entrance Buoy 16	MISSING	11402	0119-16 MO	07/16
30360	Apalachicola River Entrance Buoy 17	OFF STA	11402		10/16
30365	Apalachicola River Entrance Buoy 18	MISSING	11402		10/16
30375	Apalachicola River Entrance Buoy 20	MISSING	11402	0120-16 MO	07/16
30385	Apalachicola River Entrance Buoy 22	MISSING	11402	0121-16 MO	07/16
30390	Apalachicola River Entrance Buoy 24	MISSING	11402	0122-16 MO	07/16
30405	Apalachicola River Entrance Range Rear Light	LT EXT/DAYMK DMGD	11401	0737-14 MO	36/14
30410	Apalachicola River Light 2	DAYMK MISSING	11402	0188-16 MO	10/16
30415	Apalachicola River Daybeacon 4	STRUCT DEST	11402	0189-16 MO	10/16
30430	Apalachicola River Daybeacon 6	STRUCT DEST	11402	0190-16 MO	10/16
30885	East Bay Light 25	STRUCT DEST/TRLB	11393	0181-16 MO	09/16
31410	Choctawhatchee Bay Buoy 2	MISSING	11385	0093-16 MO	45/15
31440	Choctawhatchee Bay Light 9	LT EXT	11385	0214-16 MO	10/16
31490	Choctawhatchee Bay Buoy 21	MISSING	11385	0094-16 MO	06/16
31570	Choctawhatchee Bay Light 46	STRUCT DEST	11385	0156-16 MO	06/16

31620	La Grange Bayou Daybeacon 15	DAYMK MISSING	11385	0096-16 MO	06/16
31625	La Grange Bayou Daybeacon 16	STRUCT DMGD	11385	0248-15 MO	16/15
31635	La Grange Bayou Light 19	LT EXT	11385	0898-15 MO	46/15
31715	Choctawhatchee Bay Light 49	REDUCED INT	11385	0815-14 MO	39/14
32025	Rocky Bayou Entrance Light 1	LT EXT	11385	0732-15 MO	36/15
32100	Choctawhatchee Bay Light 59	STRUCT DEST	11385	0930-15 MO	35/15
32115	Choctawhatchee Bay Light 61	STRUCT DEST	11385	0975-15 MO	47/15
32185	Santa Rosa Sound Entrance Buoy 10	OFF STA	11385	0021-16 MO	02/16
32425	Santa Rosa Sound Lighted Buoy 56	REDUCED INT	11385	0817-14 MO	39/14
32510	Santa Rosa Sound Buoy 69A	BUOY DMGD	11385	0765-15 MO	38/15
32575	Santa Rosa Sound Daybeacon 79	DAYMK MISSING	11385	0955-15 MO	49/15
32675	Santa Rosa Sound Daybeacon 96	STRUCT DEST/TRUB	11385	0083-16 MO	05/16
33065	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	0991-13 MO	50/13
33420	Pensacola-Mobile Buoy 39A	OFF STA	11378	0329-15 MO	19/15
33510	Pensacola-Mobile Light 58	STRUCT DEST/TRLB	11378	0996-15 MO	52/15
33685	Pensacola-Mobile Daybeacon 89	DAYMK MISSING	11378	0912-15 MO	47/15
33735	Pensacola-Mobile Daybeacon 99	STRUCT DEST/TRUB	11378	0079-16 MO	05/16
33935	Pensacola-Mobile Light 151	STRUCT DEST/TRLB	11377	0087-16 MO	05/16
33985	Pass Aux Herons Daybeacon 3	STRUCT DEST/TRUB	11378	0150-16 MO	08/16
34315	Bayou La Batre Light 5	REDUCED INT	11374	0753-15 MO	38/15
34340	Round Island South Channel Light 2	LT EXT	11375	0808-15 MO	40/15
34350	Round Island South Channel Light 5	STRUCT DEST/TRLB	11375	0981-15 MO	51/15
34455	Marianne Channel Buoy 17	TRUB	11372	0134-15 MO	07/15
34935	Algiers Alternate Route Junction Light A	TRLT	11367	0033-16 NO	02/16
35130	Morgan City-Port Allen Alternate Route Daybeacon 14	STRUCT DEST/TRUB	11355	1106-15 NO	52/15
35200	Little Wax Bayou Light 2	STRUCT DEST/TRLB	11355	0066-16 NO	03/16
35210	Wax Outlet East Approach Daybeacon E	STRUCT DEST/TRUB	11355	0989-15 NO	47/15
35274	VERMILLION RIVER ENTRANCE LIGHT 1	STRUCT DEST/TRLB	11350	1085-15 NO	51/15
35278	VERMILLION RIVER LIGHT 2	STRUCT DEST/TRLB	11350	0118-16 NO	05/16
35705	Sabine-Neches Canal Light 52A	DAYMK DMGD	11331	0126-16 GA	07/16
35810	Rollover Bay Buoy 2	OFF STA	11331	0173-16 GA	10/16
35855.01	ROLLOVER BAY LIGHT 9	STRUCT DEST/TRLB	11331	0107-16 GA	06/16
35860.01	ROLLOVER BAY LIGHT 10	STRUCT DEST/TRLB	11331	0068-16 GA	04/16
35875	Rollover Bay Light 14	STRUCT DEST/TRLB	11331	0098-16 GA	06/16
35880	Bolivar Peninsula Daybeacon 2	STRUCT DEST/TRUB	11324	0123-16 GA	07/16
35885	Bolivar Peninsula Buoy 2A	MISSING	11331	0124-16 GA	07/16
35890	Bolivar Peninsula Buoy 3	OFF STA	11324	0125-16 GA	07/16
35915	Bolivar Peninsula Light 14	REDUCED INT	11324		51/14
35915	Bolivar Peninsula Light 14	STRUCT DEST	11324	0172-16 GA	10/16
35970	Galveston-Freeport Cutoff Channel Light 9	STRUCT DEST/TRLB	11324		08/16
36005	Galveston-Freeport Cutoff Channel Light 14	STRUCT DEST/TRLB	11324		08/16
36320	Galveston-Freeport Buoy 26	OFF STA	11324	0670-15 GA	40/15
36322	Galveston-Freeport Lighted Buoy 26B	OFF STA	11324	0671-15 GA	40/15
36445	Offatts Bayou Daybeacon 1	STRUCT DMGD	11324	0690-15 GA	43/15
36565.01	Galveston-Freeport Light 39	STRUCT DEST/TRLB	11324		09/16
37650	Matagorda Bay - Alternate Route Buoy 17	MISSING	11319	0052-16 CC	07/16
37810	Palacios Channel Light 48	STRUCT DEST/TRLB	11317	0592-15 CC	47/15
38300	Seadrift Channel Daybeacon 4	STRUCT DMGD	11315	0027-16 CC	04/16
38545.01	San Antonio Bay Daybeacon 30	STRUCT DMGD	11315	0609-15 CC	50/15
39830	Corpus Christi Baffin Bay Light 33	STRUCT DEST/TRLB	11308	0620-15 CC	51/15
40115	Corpus Christi Baffin Bay Light 43	STRUCT DEST/TRLB	11308		47/15
42450.01	Harlingen-Port Isabel Daybeacon 17	STRUCT DEST/TRUB	11303	0586-15 CC	47/15
42595	Harlingen-Port Isabel Light 41	STRUCT DEST/TRLB	11303	0585-15 CC	47/15

42775	Harlingen-Port Isabel Daybeacon 70	STRUCT DEST/TRUB	11302	0061-16 CC	08/16
42820	Port Isabel Small Boat Harbor Channel Daybeacon 5	TRUB/STRUCT DEST	11302	0705-14 CC	50/14
42830	Port Isabel Small Boat Harbor Channel Light 10	STRUCT DEST/TRLB	11302	0578-15 CC	46/15
42840	Port Isabel Small Boat Harbor Channel Daybeacon 14	STRUCT DEST/TRUB	11302	0577-15 CC	46/15
42845.01	Port Isabel Small Boat Harbor Channel Buoy 15	MISSING	11302	0077-16 CC	10/16
42940	Harlingen-Port Isabel Light 90	STRUCT DEST/TRLB	11302	0623-15 CC	51/15
42950	Port Isabel Channel Light 7	STRUCT DEST/TRLB	11302	0565-15 CC	44/15
	Sim'S Bayou Security Zone Marker	MISSING			02/16

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4925	Pensacola Bay Channel Range Rear Light	RELIGHTED	11378		46/15	10/16
4980	Pensacola Bay East Channel Outer Range Front Light	RELIGHTED	11378		10/16	10/16
6535	Theodore Ship Channel Light 1	REBUILT/REMAINS	11376		04/16	10/16
6600	Mobile Channel Light 68	REBUILT/REMAINS	11376		07/16	10/16
6605	Mobile Channel Light 69	REBUILT/REMAINS	11376		04/16	10/16
6715	Chickasaw Creek Junction Buoy C	WATCHING PROPERLY	11376		10/16	10/16
7350	Theodore Ship Channel Light 1	REBUILT/REMAINS	11376		04/16	10/16
7360	Theodore Ship Channel Light 3	REBUILT/REMAINS	11376		09/16	10/16
7390	Theodore Ship Channel Light 10	REBUILT/REMAINS	11376		07/16	10/16
7395	Theodore Ship Channel Light 11	REBUILT/REMAINS	11380		10/16	10/16
7400	Theodore Ship Channel Light 12	REBUILT/REMAINS	11380		07/16	10/16
7415	Theodore Ship Channel Light 14	REBUILT/REMAINS	11380		06/16	10/16
7700	Bayou La Batre Light 13	WATCHING PROPERLY	11374		10/16	10/16
8540	Bayou Casotte Channel C Range Front Light	RELIGHTED	11373		09/16	10/16
10285	Jourdan River Channel Light 5	RELIGHTED	11372		09/16	10/16
10485	Little Lake Light 7	WATCHING PROPERLY	11367		10/16	10/16
14160	Mississippi River Wreck Lighted Buoy WR4	RELIGHTED	11370		10/16	10/16
14840	Sunshine Bridge Approach Buoy A	WATCHING PROPERLY	11370		03/16	10/16
14850	Sunshine Bridge Approach Buoy C	WATCHING PROPERLY	11370		10/16	10/16
21255	Calcasieu Channel Lighted Buoy 9	WATCHING PROPERLY	11339		50/15	10/16
21530	Calcasieu Channel B Range Front Light	WATCHING PROPERLY	11347		09/16	10/16
24040	Houston Ship Channel Light 36	REBUILT/REMAINS	11324		07/16	10/16
24095	Houston Ship Channel Light 44	REBUILT/REMAINS	11327		08/16	10/16
27230	Matagorda Ship Channel Light 26	REBUILT/REMAINS	11319		07/16	10/16
27235	Matagorda Ship Channel Light 27	REBUILT/REMAINS	11319		03/16	10/16
27395	Matagorda Ship Channel Light 53	REBUILT/REMAINS	11317		05/16	10/16
27480	Matagorda Ship Channel Light 66	REBUILT/RECOVERED	11317		02/16	10/16
28710	Corpus Christi Cut B East Range Rear Light	WATCHING PROPERLY	11312		10/16	10/16
29925	Brownsville Channel B Range Front Light	WATCHING PROPERLY	11302		09/16	10/16
30290	Apalachicola River Entrance Light 2	WATCHING PROPERLY	11404		08/16	10/16
32295	Santa Rosa Sound Daybeacon 26	REBUILT/REMAINS	11385		10/15	10/16
32345	Santa Rosa Sound Daybeacon 39	WATCHING PROPERLY	11385		09/16	10/16
32370	Santa Rosa Sound Daybeacon 45	REBUILT/REMAINS	11385		06/15	10/16
32455	Santa Rosa Sound Light 60	WATCHING PROPERLY	11385		09/16	10/16
32495	Santa Rosa Sound Light 67	WATCHING PROPERLY	11385		09/16	10/16
32550	Santa Rosa Sound Light 75	WATCHING PROPERLY	11385		09/16	10/16
32585	Santa Rosa Sound Light 81	REBUILT/REMAINS	11385		20/15	10/16
32610	Santa Rosa Sound Daybeacon 85	REBUILT/REMAINS	11385		45/14	10/16

32615	Santa Rosa Sound Light 87	REBUILT/REMAINS	11385	45/14	10/16
32645	Santa Rosa Sound Daybeacon 91	WATCHING PROPERLY	11385	09/16	10/16
32670	Santa Rosa Sound Buoy 95	RESET ON STATION	11385	10/16	10/16
32705	Santa Rosa Sound Daybeacon 104	REBUILT/REMAINS	11385	39/14	10/16
32715	Santa Rosa Sound Daybeacon 106	REBUILT/REMAINS	11385	39/14	10/16
32765	Santa Rosa Sound Light 121	REBUILT/REMAINS	11385	45/14	10/16
32785	Santa Rosa Sound Light 125	REBUILT/REMAINS	11385	25/15	10/16
34255	Pass Aux Herons Daybeacon 33	WATCHING PROPERLY	11374	10/16	10/16
35120	Morgan City-Port Allen Alternate Route Daybeacon 12	WATCHING PROPERLY	11355	09/16	10/16
36280	Galveston-Freeport Buoy 19	RESET ON STATION	11324	08/16	10/16
36380	Offatts Bayou Entrance Channel Daybeacon 10	WATCHING PROPERLY	11324	09/16	10/16
37415	Matagorda Bay Buoy 5	RESET ON STATION	11319	10/16	10/16
37445	Matagorda Bay Light 11	REBUILT/REMAINS	11319	09/16	10/16
37500	Matagorda Bay Buoy 21	WATCHING PROPERLY	11319	10/16	10/16
37585	Matagorda Bay - Alternate Route Daybeacon 6A	REBUILT/REMAINS	11319	07/16	10/16
37625	MATAGORDA BAY - ALTERNATE ROUTE LIGHT 13	REBUILT/REMAINS	11319	09/16	10/16
37665	Matagorda Bay Light 30	REBUILT/REMAINS	11319	07/16	10/16
38010	Port O' Connor Landcut Daybeacon 4	REBUILT/REMAINS	11315	50/15	10/16
38375.01	San Antonio Bay Daybeacon 4	REBUILT/REMAINS	11315	04/16	10/16
38385	San Antonio Bay Light 5	REBUILT/RECOVERED	11315	09/16	10/16
38400.01	San Antonio Bay Daybeacon 9	REBUILT/REMAINS	11315	09/16	10/16
38440	San Antonio Bay Daybeacon 16	REBUILT/RECOVERED	11315	09/16	10/16
38560.01	San Antonio Bay Daybeacon 33	REBUILT/REMAINS	11315	10/16	10/16
38575.01	San Antonio Bay Daybeacon 36	REBUILT/RECOVERED	11315	10/16	10/16
38580.01	San Antonio Bay Daybeacon 37	REBUILT/RECOVERED	11315	10/16	10/16
38705.01	Aransas Bay Daybeacon 10	REBUILT/RECOVERED	11314	10/16	10/16
38710.01	Aransas Bay Daybeacon 11	REBUILT/RECOVERED	11314	09/16	10/16
38890.01	Aransas Bay Daybeacon 26	REBUILT/REMAINS	11314	10/16	10/16
38920	Aransas Bay Light 29	REBUILT/REMAINS	11314	10/16	10/16
43045	Brownsville Channel B Range Front Light	WATCHING PROPERLY	11302	09/16	10/16

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
370	Energy XXI-102-10 (Lighted Horn Buoy)	LT EXT/SS INOP	11361		25/15	
370	Energy XXI-102-10 (Lighted Horn Buoy)	SS INOP	11361		19/15	
500	Fr-La-27 Lighted Tension Buoy E	OFF STA	11358	0167-15 NO	09/15	
520	Loop Fairway Lighted Buoy 2	MISSING	11359		02/11	
655	Fugro Metocean Lighted Buoy	OFF STA	11006	1032-14 NO	43/14	
785	Texaco-GC-6-A RACON	LT EXT/SS INOP	1116		04/08	
986	McMoran-999-10 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
988	McMoran-999-11 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
1432	Texas Fishing Reef FR-TX-52 Lighted Buoy	OFF STA	11307		31/14	
3170	Port St Joe Marina Entrance Light 2	DAYMK DMGD	11393	0392-15 MO	22/15	
3175	Port St Joe Marina Entrance Light 1	DAYMK DMGD	11393	0391-15 MO	22/15	
3215	Windmark Beach East Channel Daybeacon 1	DAYMK MISSING	11393	0408-15 MO	22/15	
3220	Windmark Beach East Channel Daybeacon 2	DAYMK MISSING	11393	0409-15 MO	22/15	
3225	Windmark Beach East Channel Daybeacon 3	DAYMK MISSING	11393	0410-15 MO	22/15	
3230	Windmark Beach East Channel Daybeacon 4	DAYMK MISSING		0411-15 MO	22/15	
3235	Windmark Beach Middle Channel Daybeacon 1	DAYMK MISSING	11393	0412-15 MO	22/15	

3240	Windmark Beach Middle Channel Daybeacon 2	DAYMK MISSING	11393	0413-15 MO	22/15
3245	Windmark Beach Middle Channel Daybeacon 3	DAYMK MISSING	11393	0414-15 MO	22/15
3250	Windmark Beach Middle Channel Daybeacon 4	DAYMK MISSING	11393	0415-15 CC	22/15
3255	Windmark Beach West Channel Daybeacon 1	DAYMK MISSING	11393	0416-15 MO	22/15
3260	Windmark Beach West Channel Daybeacon 2	DAYMK MISSING	11393	0417-15 MO	22/15
3265	Mexico Beach Canal Entrance Light 1	LT EXT/DAYMK MISSING	11393	0394-15 MO	29/08
3270	Mexico Beach Canal Entrance Light 2	MISSING	11393	0395-15 MO	29/08
3275	Mexico Beach Canal Entrance Light 3	LT EXT/DAYMK MISSING	11393	0396-15 MO	29/08
3280	Mexico Beach Canal Entrance Light 4	LT EXT/DAYMK MISSING	11393	0397-15 MO	29/08
3285	Mexico Beach Canal Entrance Light 5	STRUCT DEST	11393	0398-15 MO	29/08
3290	Mexico Beach Canal Entrance Light 6	STRUCT DEST	11393	0399-15 MO	29/08
3295	Mexico Beach Canal Entrance Daybeacon 7	STRUCT DEST	11393	0400-15 MO	29/08
3300	Mexico Beach Canal Entrance Daybeacon 8	STRUCT DEST	11393	0401-15 MO	29/08
3305	Mexico Beach Canal Entrance Light 9	STRUCT DEST	11393	0402-15 MO	29/08
3310	Mexico Beach Canal Entrance Light 10	STRUCT DEST	11393	0403-15 MO	29/08
3315	Mexico Beach Canal Entrance Daybeacon 11	STRUCT DEST	11393	0404-15 MO	29/08
3320	Mexico Beach Canal Entrance Daybeacon 12	STRUCT DEST	11393	0405-15 MO	29/08
3325	Mexico Beach Canal Entrance Light 13	STRUCT DEST	11393	0406-15 MO	29/08
3330	Mexico Beach Canal Entrance Light 14	STRUCT DEST	11393	0407-15 MO	29/08
3730	Woodlawn Bayou Channel Daybeacon 1	DAYMK MISSING	11391	0356-15 MO	20/15
3735	Woodlawn Bayou Channel Daybeacon 2	DAYMK MISSING	11391	0357-15 MO	20/15
3740	Woodlawn Bayou Channel Daybeacon 3	DAYMK MISSING	11391	0358-15 MO	20/15
3745	Woodlawn Bayou Channel Daybeacon 4	DAYMK DMGD	11391	0359-15 MO	20/15
3750	Woodlawn Bayou Channel Daybeacon 5	DAYMK MISSING	11391	0360-15 MO	20/15
3755	Woodlawn Bayou Channel Daybeacon 6	DAYMK DMGD	11391	0361-15 MO	20/15
3760	Woodlawn Bayou Channel Daybeacon 7	DAYMK DMGD	11391	0362-15 MO	20/15
3765	Woodlawn Bayou Channel Daybeacon 8	DAYMK DMGD	11391	0363-15 MO	20/15
3770	Woodlawn Bayou Channel Daybeacon 9	DAYMK DMGD		0364-15 MO	20/15
3775	Woodlawn Bayou Channel Daybeacon 10	DAYMK DMGD		0365-15 MO	20/15
3965	North Bay Channel Daybeacon 2	MISSING	11389		21/15
3970	North Bay Channel Daybeacon 4	MISSING	11389		21/15
3975	North Bay Channel Daybeacon 6	MISSING	11389		21/15
3980	North Bay Channel Daybeacon 8	MISSING	11389		21/15
3985	North Bay Channel Daybeacon 10	MISSING	11390		21/15
3990	Robinson Bayou Daybeacon 1	MISSING			21/15
3995	Robinson Bayou Daybeacon 2	MISSING	11390		21/15
4000	Robinson Bayou Daybeacon 3	MISSING			21/15
4005	Robinson Bayou Daybeacon 4	MISSING	11390		21/15
4010	Robinson Bayou Daybeacon 5	MISSING			21/15
4015	Robinson Bayou Daybeacon 6	MISSING			21/15
4020	Robinson Bayou Daybeacon 7	MISSING			21/15
4025	Robinson Bayou Daybeacon 8	MISSING			21/15
4205	Fannin Bayou Channel A Daybeacon 2	MISSING	11390		38/15
4210	Fannin Bayou Channel A Daybeacon 4	DAYMK DMGD	11390	180-15 MO	11/15
4385	West Grand Lagoon Channel Daybeacon 3A	DAYMK MISSING	11391		16/15
4405	West Grand Lagoon Channel Daybeacon 6	DAYMK MISSING	11391		16/15
4410	West Grand Lagoon Channel Daybeacon 7	DAYMK MISSING	11391		16/15

4420	West Grand Lagoon Channel Daybeacon 9	STRUCT DEST	11391		52/15
5460	Bayou Grande Daybeacon 9	DAYMK MISSING	11383	0620-12 NO	33/12
6625	Mobile Airport Approach Lights(4)	LT EXT	11376		06/08
6723	Genesis Pipeline Lighted Danger Buoy	MISSING/LT EXT	11376		04/16
7030	Grand Hotel Yacht Basin Light 2	LT EXT			47/11
7115	Blakeley River Daybeacon 10	MISSING	11376	0596-05 MO	25/05
8560	Mississippi Gulf Fish Reef Light B	MISSING	11374		33/14
8580	Round Island Breakwater Obstruction Lights (6)	LT EXT	11375	1019-09 MO	49/09
8830.01	Davis Bayou Channel Light 2	LT EXT/STRUCT DMGD	11372	0131-16 MO	07/16
8830.02	Davis Bayou Channel Daybeacon 4	STRUCT DMGD	11372	0132-16 MO	07/16
8830.03	Davis Bayou Channel Daybeacon 6	LT EXT/STRUCT DMGD	11372		08/16
8830.19	Davis Bayou Channel Daybeacon 24	OFF STA	11372	225-15 NO	14/15
9485	Mississippi Gulf Fishing Reef Light C	MISSING	11372		33/14
10105	Long Beach Harbor Daybeacon 7	DAYMK MISSING	11372	0374-15 MO	21/15
10110	Long Beach Harbor Daybeacon 8	STRUCT DEST	11372	0375-15 MO	21/15
10905	Lakeshore Estates East Channel Daybeacon 1	DAYMK MISSING	11367		43/14
10910	Lakeshore Estates East Channel Daybeacon 3	DAYMK MISSING	11367		43/14
10915	Lakeshore Estates East Channel Daybeacon 5	DAYMK MISSING	11367		24/11
10920	Lakeshore Estates East Channel Junction Daybeacon B	DAYMK MISSING	11367		43/14
10925	Lakeshore Estates Southeast Channel Daybeacon 1	DAYMK MISSING	11367		43/14
10930	Lakeshore Estates Southeast Channel Daybeacon 3	DAYMK MISSING	11367		43/14
11180	New Canal Light	LT EXT	11369		41/11
12230	Exxon West Black Bay Channel Daybeacon 33	TMK MISSING	11364	1420-11	36/11
13505	Entergy Louisiana Submerged Cable Lights (2)	LT EXT	11364	1376-13 NO	49/13
13680	Shell Intake Dolphin Lights (3)	LT IMCH	11364		02/14
14105	Lasalle Landing Barge Dock Lights (2)	STRUCT DMGD	11370		12/14
14360	Entergy Waterford Lights (3)	HAZ NAV/LT EXT/STRUCT DMGD	11370		44/14
14950	Bayou Lafourche Intake Lights (3)	STRUCT DEST	11370	0165-16 NO	10/14
15730	Meyers Canal Light 1	STRUCT DEST	11364		03/15
16060	Lake Five Channel Daybeacon 4	MISSING		1058-10	34/10
18240	Lake De Cade Light 2	LT EXT	11352		50/15
18390	East Atchafalaya Bay Channel Daybeacon 16	MISSING	11351		35/14
18410	East Atchafalaya Bay Channel Daybeacon 24	MISSING	11351	0055-15 NO	03/15
18415	East Atchafalaya Bay Channel Daybeacon 26	MISSING	11351	0056-15 NO	35/14
18420	East Atchafalaya Bay Channel Daybeacon 28	MISSING	11351		35/14
18475	East Atchafalaya Bay Channel Daybeacon 52	MISSING	11351		35/14
18480	East Atchafalaya Bay Channel Daybeacon 54	MISSING	11351		35/14
18505	East Atchafalaya Bay Channel Daybeacon 66	MISSING//STRUCT DMGD	11351		35/14
20065	Mound Point Light 1	OFF STA	11349	0460-14 NO	22/14
20465	U.S. GEOLOGICAL SURVEY SCIENTIFIC MONITORING PLATFORM LIGHT (SMP)	LT EXT	11349	1529-10 NO	47/10
20730	Roundlake Canal Barracade Light 1	MISSING	11348		18/13
20735	Roundlake Canal Barracade Light 2	MISSING	11348		18/13
21710	Cameron LNG Daybeacon B	STRUCT DMGD	11339	0203-14 GA	11/14

22770	Texas Water Board Research Light Tower A	LT EXT	11342		49/12
22800	Golden Pass LNG Berthing Lighted Entrance Buoy B	MISSING	11342	0174-13 GA	09/13
23280	Orange County Pier Light 6	LT EXT	11331		18/13
23590	Mobil Chemical Dock Light 2	LT EXT	11343	0805-14 GA	42/14
24905	Baytown Goose Creek Channel Daybeacon 6	STRUCT DMGD	11328	0766-15 GA	48/15
25120	San Jacinto Bay Barge Channel Daybeacon 5	STRUCT DEST		0043-16 GA	52/15
25168	San Jacinto Bay Barge Channel Daybeacon 21	STRUCT DEST	11329	0044-16 GA	03/16
25170	San Jacinto Bay Barge Channel Daybeacon 22	STRUCT DEST/DAYMK IMCH	11309	0326-15 GA	19/15
25310	Baytown Bend Tower Obstruction Light C	LT EXT	11328	0168-15	11/15
25772	Clean Harbors Outfall Lighted Buoy	LT EXT	11325	0075-16 GA	04/16
26005	Red Bayou Channel Daybeacon 2	DAYMK MISSING	11326		40/08
26010	Red Bayou Channel Daybeacon 4	DAYMK MISSING	11326		40/08
26015	Red Bayou Channel Daybeacon 6	DAYMK MISSING	11326		40/08
26020	Red Bayou Channel Daybeacon 8	DAYMK MISSING	11326		40/08
26025	Red Bayou Channel Daybeacon 10	DAYMK MISSING	11326		40/08
26530	Watergate Marina Channel Light 2	LT IMCH	11326	0465-12 GA	23/12
26550	Watergate Marina Channel Daybeacon 6	DAYMK MISSING	11326	0267-15 GA	16/15
26580	Watergate Marina Channel Light 11	DAYMK IMCH	11326	0467-12 GA	23/12
26585	Watergate Marina Channel Light 13	STRUCT DEST	11326	0468-12 GA	23/12
26590	Watergate Marina Channel Range Front Light	STRUCT DEST		0469-12 GA	23/12
26595	Watergate Marina Channel Range Rear Light	STRUCT DEST		0470-12 GA	23/12
26620	Waterford Harbor Channel Junction Light B	LT EXT	11326		40/15
26640	Waterford Harbor Channel Daybeacon 4	STRUCT DMGD	11326		40/15
26645	Waterford Harbor Channel Daybeacon 5	DAYMK DMGD	11326		44/08
26655	Waterford Harbor Channel Daybeacon 7	MISSING	11326		44/08
26665	Marina Del Sol Channel Lighted Buoy 1	MISSING	11326		40/15
26670	Marina Del Sol Channel Buoy 2	MISSING	11326		40/15
26680	Marina Del Sol Channel Daybeacon 4	MISSING	11326		40/15
26685	Marina Del Sol Channel Daybeacon 5	MISSING	11326		40/15
26715	Marina Del Sol Channel Light 11	MISSING	11326		40/15
26720	Marina Del Sol Channel Light 12	MISSING	11326		40/15
26790	Ideal Channel Daybeacon 1	LT EXT	11326		40/15
26795	Ideal Channel Light 2	MISSING	11326		40/15
26810	Ideal Channel Light 5	MISSING	11326		40/15
26815	Ideal Channel Daybeacon 6	MISSING	11326		40/15
26820	Ideal Channel Daybeacon 7	MISSING	11326		40/15
26825	Ideal Channel Daybeacon 8	MISSING	11326		40/15
26830	Ideal Channel Daybeacon 10	MISSING	11326		40/15
26855	Clear Lake Wharf Light #2	LT EXT	11326		29/14
27415	Onyx Pipeline Light B	STRUCT DEST	11316	0619-13 CC	43/13
27420	Onyx Pipeline Light A	LT EXT	11317	0617-13 CC	43/13
27425	Onyx Pipeline East Light	LT EXT	11317	0620-13 CC	43/13
27430	Onyx Pipeline West Light	LT EXT	11317	0618-13 CC	43/13
27665	Point Comfort Inner Channel Light 4	LT EXT	11317		31/10
27820	Chocolate Bay Channel Buoy 1	MISSING	11317	0193-14 CC	11/14
27825	Chocolate Bay Channel Buoy 3	MISSING	11317	0194-14CC	11/14
27830	Chocolate Bay Channel Buoy 5	MISSING	11317		37/10
27835	Chocolate Bay Channel Buoy 7	MISSING	11317	0195-14 CC	11/14
28335	Port Aransas Rock Groin Danger Light	MISSING	11312		10/10

28460	Mustang Beach Channel Daybeacon 11	STRUCT DMGD	11308		45/11
28495	Mustang Beach Channel Daybeacon 19	OFF STA	11308	0302-13CC	18/13
28500	Mustang Beach Channel Daybeacon 20	STRUCT DEST	11308	0368-15 CC	27/15
29480	Sea Ranch Marina Channel Daybeacon 1	STRUCT DEST	11302		49/10
29495	Sea Ranch Marina Channel Daybeacon 4	DAYMK DMGD	11302		49/10
29635	South Padre Island Channel Daybeacon 9	MISSING	11302		01/13
29655	South Padre Island Channel Daybeacon 15	STRUCT DEST	11302		45/10
29695	South Padre Island Channel Daybeacon 23	MISSING	11302		01/13
30963.06	Callaway Bayou Daybeacon 12	DAYMK MISSING	11390		20/15
30963.07	Callaway Bayou Daybeacon 14	DAYMK MISSING	11390		20/15
31685	Hogtown Bayou Daybeacon 1	STRUCT DEST	11388	0204-15 MO	31/14
31690	Hogtown Bayou Daybeacon 2	STRUCT DEST	11388	0205-15 MO	13/15
31695	Hogtown Bayou Daybeacon 3	STRUCT DEST	11388	0206-15 MO	13/15
31700	Hogtown Bayou Daybeacon 4	STRUCT DEST	11388	0207-15 MO	13/15
31705	Hogtown Bayou Daybeacon 5	DAYMK MISSING	11388		51/13
31745	Sandestin Beach Channel Daybeacon 6	DAYMK MISSING	11385		51/13
31775	Sandestin Beach Channel Light 12	LT EXT/DAYMK MISSING	11385		51/13
31800	Sandestin Beach Channel Daybeacon 17	MISSING	11385		51/13
31805	Sandestin Beach Channel Daybeacon 18	MISSING	11385		51/13
31810	Sandestin Beach Channel Daybeacon 19	MISSING	11385		51/13
31815	Sandestin Beach Channel Daybeacon 20	MISSING	11385		51/13
31820	Sandestin Beach Channel Light 21	MISSING	11385		51/13
31825	Sandestin Beach Channel Light 22	MISSING	11385		51/13
31830	Sandestin Beach Channel Daybeacon 23	DAYMK MISSING	11385		51/13
31835	Sandestin Beach Channel Light 24	DAYMK MISSING	11385		51/13
31855	Sandestin Beach Channel Daybeacon 30	MISSING	11385		51/13
31970	Indian Bayou Daybeacon 6	DAYMK DMGD	11385		14/12
33160	Sherman Cove Marina Daybeacon 6	DAYMK MISSING/STRUCT DMGD	11383	1002-12	02/13
33610	Bay La Launch Channel Daybeacon 5	STRUCT DEST	11378	0539-11 NO	16/11
36215	Pier 77 Channel Buoy 3	MISSING	11324		38/14
36220	Pier 77 Channel Buoy 4	MISSING	11324		38/14
36225	Pier 77 Channel Buoy 7	MISSING	11324		38/14
36230	Pier 77 Channel Buoy 9	MISSING	11324		38/14
36235	Pier 77 Channel Buoy 10	MISSING	11324		38/14
36240	Pier 77 Channel Buoy 12	MISSING	11324		38/14
36245	Pier 77 Channel Buoy 13	MISSING	11324		38/14
36250	Pier 77 Channel Buoy 14	OFF STA	11324	0860-13 GA	46/13
36715	Harborwalk Entrance East Buoy 4	OFF STA	11322		34/13
37375	Brazoria Wildlife Refuge Wave Barrier Light	LT EXT	11322	0321-13 GA	17/13
37480	Texas Meridian Mat/Bay Reef A	MISSING	11319		37/10
37485	Texas Maridian Mat/Bay Reef B	MISSING	11319		37/10
37490	Texas Meridian Mat/Bay Reef C	MISSING	11319		37/10
39855	Packery Channel Daybeacon 1	MISSING	11308		42/14
39860	Packery Channel Daybeacon 2	DAYMK IMCH	11308		41/14
39865	Packery Channel Daybeacon 3	MISSING	11308	0403-15 CC	31/15
39870	Packery Channel Daybeacon 4	DAYMK IMCH	11308	0404-15 CC	31/15
39875	Packery Channel Daybeacon 5	DAYMK MISSING	11308	0405-15 CC	31/15
39885	Packery Channel Daybeacon 7	DAYMK IMCH	11308	0407-15 CC	31/15
39890	Packery Channel Daybeacon 8	DAYMK IMCH	11308	0408-15 CC	31/15
39915	Packery Channel Daybeacon 13	STRUCT DEST	11308	0416-15 CC	31/15
39920	Packery Channel Daybeacon 14	DAYMK MISSING	11308	0414-15 CC	31/15
39930	Packery Channel Daybeacon 16	DAYMK MISSING		0416-15 CC	31/15
39935	Packery Channel Daybeacon 17	STRUCT DEST	11308	0417-15 CC	31/15

39940	Packery Channel Daybeacon 18	STRUCT DEST	11308	0418-15 CC	31/15
39945	Packery Channel Daybeacon 19	DAYMK IMCH	11308	0419-15 CC	31/15
39950	Packery Channel Daybeacon 20	DAYMK DMGD	11308	0420-15 CC	31/15
39955	Packery Channel Daybeacon 21	DAYMK IMCH	11308		31/15
39960	Packery Channel Daybeacon 22	DAYMK IMCH	11308		31/15
39975	Packery Channel Daybeacon 25	DAYMK DMGD	11308		34/15
40065	Padre Isles North Channel Daybeacon 18	DAYMK DMGD	11308		27/10
40335	Pita Island Channel Daybeacon 39	STRUCT DEST			39/14
	FR-MS-13	MISSING	11373		33/14
	Mississippi Gulf Fishing Bank Buoy FH-6	MISSING			33/14
	Ms Gulf Fishing Bank Buoy Fh-1	MISSING	11373		33/14
	Ms Gulf Fishing Bank Buoy Fh-3	MISSING	11373		33/14

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
75	St. George Lighthouse	WATCHING PROPERLY	11404		05/16	10/16

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
New field-116-1	SS INOP	29-19-55.500N 087-52-40.300W	0382-14 MO	19/14	
Fieldw ood-107-3	SS INOP	29-19-32.660N 088-01-12.440W		01/15	
Mobil-228-5	LT EXT	30-12-20.864N 088-03-41.846W	0894-11 MO	39/11	
Merit-105-12	SS INOP	29-20-50.775N 088-06-47.910W	085-15	05/15	
EnVen-106-1	SS INOP	29-18-22.802N 088-20-06.619W		37/14	
Hilcorp-124-1	SS INOP	29-54-10.000N 088-29-03.000W	301-15MO	18/15	
Noble Energy-102-2	LT EXT	29-13-31.496N 088-34-33.853W		31/10	
Noble Energy-102-3	LT EXT	29-13-00.337N 088-34-58.977W		31/10	
Maritech-115-1	SS INOP	29-46-06.900N 088-42-31.600W	0132-09 MO	09/09	
Mobil-194-4	SS INOP	29-35-17.000N 088-42-39.000W	0774-11 NO	23/11	
Gom Shelf-300-4	LT EXT/SS INOP	29-09-51.000N 088-44-46.000W	0182-15	09/15	
Chevron-139-6	SS INOP	29-15-38.000N 088-44-50.000W	1105-15 no	52/15	
Bt Operating-101-2	LT EXT/SS INOP	29-49-22.000N 088-45-48.000W	0415-08	06/08	
Walter-105-10	LT EXT	29-06-55.000N 088-46-05.000W		39/08	
Energy Xxi-102-5 (Racon)	RAC INOP	29-19-33.840N 088-52-37.390W		09/09	
Chevron-108-5	SS INOP	29-21-16.000N 088-56-04.000W	1053-15 NO	50/15	
Ncx-102-1	LT EXT	29-28-40.010N 088-59-23.740W	0930-13 NO	33/13	
Walter-107-7	LT EXT/SS INOP	29-25-04.110N 089-00-48.242W		38/08	
Chevron-101-36	LT EXT	29-24-44.000N 089-00-59.000W	1094-15 no	52/15	
W & T Offshore-114-6	LT EXT/SS INOP	29-16-59.203N 089-01-24.325W	0297-14 NO	14/14	
Medco Energi-103-03	SS INOP	29-18-15.442N 089-02-42.290W	0374-15 NO	19/15	
Medco Energi-103-05	SS INOP	29-18-24.470N 089-03-24.761W	0932-12 NO	23/12	
Medco Energi-103-15	LT EXT	29-17-54.374N 089-03-32.051W	0108-15 NO	05/15	
Medco Energi-103-18	SS INOP	29-19-03.659N 089-03-36.883W	1821-09 NO	51/09	
Eb04-17812-1(Pxp)	LT EXT	30-00-23.000N 089-05-10.000W		07/11	
Eb04-17388-1(Pxp)	LT EXT	30-02-04.981N 089-06-39.903W		07/11	
Ocean Energy-102-335	SS INOP	28-58-42.410N 089-07-42.480W	0578-11 NO	17/11	
Kerr Mc Gee-127-4	LT EXT/SS INOP	29-34-00.480N 089-09-37.580W		38/08	
Century-109-4	SS INOP	29-24-56.888N 089-09-58.327W	0291-14NO	14/14	
Eb04-17387-1(Pxp)	LT EXT	30-03-36.865N 089-10-15.441W		07/11	
Amerada Hess-114-10	LT EXT	29-24-38.000N 089-11-58.000W	0098-09 NO	04/09	
Devon-111-3	LT EXT	29-23-50.000N 089-13-39.000W	0724-04 NO	25/04	
Energy Partners-102-123	LT EXT/SS INOP	28-59-44.000N 089-14-14.000W		44/08	

Energy Partners-102-182	LT EXT/SS INOP	28-58-28.000N	089-14-31.000W		44/08
Amerada Hess-103-1	LT EXT	29-28-00.000N	089-14-57.000W	1545-10 NO	48/10
Energy Partners-102-35	LT EXT/SS INOP	28-59-45.000N	089-15-13.000W		44/08
Energy Partners-102-34	LT EXT/SS INOP	29-00-12.000N	089-15-28.000W		44/08
Energy Partners-102-191	LT EXT/SS INOP	28-58-29.000N	089-15-30.000W		44/08
Energy Partners-102-130	LT EXT/SS INOP	28-59-10.000N	089-15-41.000W		44/08
Energy Partners-102-63	LT EXT/SS INOP	28-59-20.000N	089-15-44.000W		44/08
Energy Partners-102-202	LT EXT/SS INOP	28-59-17.000N	089-15-53.000W		44/08
Energy Partners-102-276	LT EXT/SS INOP	28-59-12.000N	089-15-54.000W		44/08
Energy Partners-102-20	LT EXT/SS INOP	28-59-46.000N	089-15-58.000W		44/08
Energy Partners-102-89	LT EXT/SS INOP	28-59-20.000N	089-15-59.000W		44/08
Energy Partners-102-129	LT EXT/SS INOP	28-58-55.000N	089-16-03.000W		44/08
Energy Partners-102-19	LT EXT/SS INOP	28-59-45.000N	089-16-13.000W		44/08
Energy Partners-102-96	LT EXT/SS INOP	29-00-17.000N	089-16-18.000W		44/08
Energy Partners-102-77	LT EXT	29-01-39.000N	089-17-11.000W	0867005 NO	29/05
Energy Partners-102-121	LT EXT/SS INOP	28-59-35.000N	089-17-43.000W		44/08
Gom Shelf- 600-2	LT EXT	28-48-06.000N	089-18-00.000W		37/08
Panaco-101-39	LT EXT	29-04-19.200N	089-19-57.000W	0343-13 NO	14/13
Panaco-101-41	LT EXT	29-04-02.890N	089-20-57.160W		39/04
Llog-114-1 Lighted Buoy	LT EXT	28-53-57.549N	089-22-05.219W	0639-15 NO	33/15
Energy Xxi-108-4	SS INOP	28-40-11.000N	089-23-37.000W	1913-09 NO	01/10
En Dev Corp-103-4	LT EXT	28-54-39.000N	089-24-02.000W		50/12
XTO Offshore-100-1	SS INOP	28-53-31.200N	089-25-16.700W	0158-11 NO	06/11
Ed19-Bld-183	LT EXT	29-14-09.000N	089-25-36.000W	1305-02 NO	38/02
S. Parish-102-9	STRUCT DEST/HAZ NAV/LT EXT	28-54-54.000N	089-26-43.000W		08/15
S. Parish-102-7	STRUCT DEST/HAZ NAV/LT EXT	28-54-23.000N	089-27-02.000W	0200-01 NO	07/01
S. Parish-102-12	LT EXT	28-54-58.000N	089-27-08.000W		08/15
Signal-100-0	LT EXT	29-07-26.000N	089-27-10.000W	0719-98 NO	31/98
S. Parish-102-11	LT EXT	28-55-05.000N	089-27-11.000W		08/15
IG Petroleum-100-1	LT EXT/SS INOP	28-54-32.660N	089-27-26.200W		31/11
Davis Fuels-101-2	LT EXT	29-08-58.000N	089-29-02.000W	0853-97 NO	35/97
Noble Energy-109-1	SS INOP	28-59-57.700N	089-29-21.100W		37/08
Eb01-195qq-96	LT EXT	29-34-39.800N	089-29-44.700W		37/08
MCMORAN-136-2	LT EXT	29-11-15.434N	089-30-33.004W		38/08
Eb26-195qq-49	LT EXT	29-34-04.200N	089-30-37.500W		37/08
Eb21-195 Qq-312 (Merit Energy)	LT EXT/STRUCT DMGD	29-25-41.000N	089-30-49.000W	0245-12 NO	09/12
Energy Partners-112-13	LT EXT/SS INOP	29-08-20.200N	089-31-18.180W	1511-12 NO	37/12
Denbury-200-17	LT EXT/SS INOP	29-11-02.000N	089-31-22.000W		38/08
Fieldw ood-115-11	SS INOP	28-54-16.786N	089-31-53.994W	1428-12	34/12
Chevron-121-56	SS INOP	29-11-48.000N	089-31-58.000W	0149-16 no	07/16
Denbury-200-12	LT EXT/SS INOP	29-10-53.100N	089-32-02.200W		38/08
Ea06-5710108-39-Riser	LT EXT	29-18-30.000N	089-32-30.000W		37/08
Energy Partners-112-2	LT EXT/SS INOP	29-07-17.220N	089-32-50.400W	1511-12 NO	37/12
Mcmoran-136-3	SS INOP	29-10-30.300N	089-33-06.200W		05/16
Energy Partners-112-9	LT EXT/SS INOP	29-08-10.620N	089-33-16.270W	1474-08 NO	37/08
Energy Partners-112-4	LT EXT/SS INOP	29-07-52.170N	089-34-44.430W	1511-12 NO	37/12
Energy Partners-112-8	LT EXT/SS INOP	29-08-23.570N	089-34-44.890W	1474-08 NO	37/08
Energy Partners-112-16	LT EXT/SS INOP	29-07-10.290N	089-36-07.120W	1474-08 NO	37/08
Energy Partners-112-5	LT EXT/SS INOP	29-07-46.850N	089-36-18.550W	1511-12 NO	37/12
Energy Partners-112-11	LT EXT/SS INOP	29-08-49.880N	089-36-25.570W	1474-08 NO	37/08
Tana-106-5	LT EXT	29-00-44.700N	089-36-35.200W		24/08
Energy Xxi-107-3	LT EXT	29-10-37.619N	089-37-34.194W		39/08

Nexen-103-3	LT EXT	29-06-25.000N	089-37-54.000W		04/16
Capco-100-1	LT EXT	29-00-26.060N	089-38-08.436W		17/15
Fieldw ood-115-2	SS INOP	28-57-35.130N	089-39-47.640W	0602-15 NO	30/15
Eb12-17656-2 (Pxp)	LT EXT	30-05-38.766N	089-39-50.070W		07/11
Maritech-107-10	LT EXT	29-08-48.000N	089-41-25.000W	1021-01 NO	32/01
Black Elk-116-2	LT EXT/SS INOP	29-07-06.466N	089-41-37.867W	1829-08 NOLA	44/08
Ec6-3327-Prod Plfm	LT EXT	30-06-42.000N	089-44-11.000W	1468-01 NO	50/01
Apache-125-14	LT EXT/SS INOP	29-05-35.000N	089-45-30.000W		41/14
BP Exploration-112-24	LT EXT	28-57-51.000N	089-47-02.000W	0553-04 NO	19/04
Anglo Suisse-100-1	LT EXT/SS INOP	28-49-01.949N	089-47-54.534W		51/15
Gom Shelf-110-1	SS INOP	28-57-00.924N	089-48-16.039W	1010-15 no	48/15
Gom Shelf-110-5	LT EXT	28-57-07.714N	089-49-22.886W	0420-15 NO	22/15
BP Exploration-112-17	LT EXT	28-57-52.000N	089-50-08.000W	0791-07	24/07
Northstar-121-1	LT EXT/SS INOP	29-07-39.218N	089-50-08.079W	1464-11	37/11
Ocean Energy-112-1	LT EXT/SS INOP	28-45-46.749N	089-51-57.565W		11/06
El Paso-180-5	LT EXT/SS INOP	29-10-45.800N	089-53-16.500W		47/08
El Paso-180-4	LT EXT/SS INOP	29-10-48.342N	089-53-43.381W		47/08
Fieldw ood-104-1	LT EXT	29-02-41.602N	089-56-05.385W	0142-16 no	07/16
Gom Shelf-800-8	LT EXT	28-59-55.525N	089-56-15.899W	0142-15 NO	08/15
Ec5-6750-2	LT EXT	30-13-34.000N	089-57-23.000W	0377-03 D8	33/03
Ec5-6750-2 Plfm	LT EXT	30-13-35.000N	089-57-23.000W	0377-03 D8	33/03
Rooster-107-1	SS INOP	28-46-11.659N	089-58-19.931W	0273-14 NO	13/14
Beryl-100-1	LT EXT	28-43-24.891N	090-00-41.555W	0304-10 NO	11/10
Beryl-100-1	SS INOP	28-43-24.891N	090-00-41.555W	0492-15 NO	25/15
BP Exploration-102-16	LT EXT/SS INOP	28-59-29.000N	090-00-45.000W	0732-14 NO	33/14
Agip-300-1(Tlp-Seastar)	LT EXT	28-02-05.310N	090-01-21.980W	1488-12	37/12
Fieldw ood-104-3	LT EXT	28-44-17.833N	090-01-34.189W		39/15
BP Exploration-110-3 (Atlantis)	RAC INOP	27-11-43.641N	090-01-37.150W	1109-15 NO	52/15
BP Exploration-102-26	SS INOP	28-56-42.000N	090-01-51.000W	0141-16 no	07/16
Ea44-5310175-Riser Plfm	LT EXT	29-43-06.000N	090-03-06.000W	0221-02 D8	22/02
Chevron-104-90	LT EXT	29-02-26.000N	090-07-31.000W	0107-16 no	06/16
Energy Xxi-100-87	SS INOP	28-55-47.213N	090-09-33.457W	0351-14 NO	18/14
Ec5-11982-Production Plfm	LT EXT	30-04-06.000N	090-09-53.000W	0307-01 D8	42/01
Energy Xxi-100-82	SS INOP	28-56-10.129N	090-09-55.214W	0275-11 NO	10/11
Chevron-104-178	LT EXT	29-04-22.000N	090-10-00.000W	0106-16 no	06/16
Chevron-104-20	LT EXT	29-01-35.000N	090-10-11.000W	0049-16	03/16
Chevron-104-109	LT EXT	29-01-14.000N	090-10-14.000W	1042-15 no	49/15
Energy Xxi-100-84	SS INOP	28-56-14.553N	090-10-52.193W	0351-14 NO	18/14
Chevron-104-97	LT EXT	29-01-12.000N	090-10-57.000W	0049-16	03/16
W & T Offshore-117-7	LT EXT	28-29-43.808N	090-12-11.146W	0377-00 NO	16/00
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W		07/11
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W	1201-00 NO	47/00
Ec5-7325-1 & 1D	LT EXT	30-04-31.000N	090-13-48.000W	0307-01 D8	42/01
Trunkline-103-4	LT EXT	28-47-43.000N	090-13-49.000W	1499-12 NO	37/12
Energy Xxi-100-1	LT EXT	29-00-03.000N	090-14-31.000W	0124-11	33/11
Energy Xxi-100-56	LT EXT	28-59-35.600N	090-14-41.630W	1750-09 NO	30/75
Energy Xxi-100-64	OFF STA/HAZ NAV/LT EXT/SS IN	28-59-30.750N	090-15-00.660W	0245Z-08	39/09
Energy Xxi-100-30	LT EXT	28-59-11.650N	090-15-01.410W		42/12
Energy Xxi-100-63	LT EXT	28-59-58.840N	090-15-29.440W	1776-09	49/09
Energy Xxi-100-38	LT EXT	29-00-59.540N	090-16-41.900W		37/08
Transco-101-6	LT EXT	28-30-24.000N	090-17-07.000W	0404-15 NO	21/15
Chevron-115-136	SS INOP	28-56-12.000N	090-18-49.000W		34/14

Walter-116-10	LT EXT	28-41-21.105N	090-19-55.900W	D8-0106-15	33/15
Century Offshore-102-1	LT EXT	28-42-10.427N	090-22-28.852W	1380-00 NO	50/00
Fieldwood-101-12	LT EXT	28-27-13.407N	090-23-00.289W	1108-15 NO	52/15
Remington-400-1	LT EXT	28-37-50.842N	090-25-04.048W	1797-07	50/07
Trunkline-103-2	SS INOP	28-32-26.000N	090-26-08.000W	1499-12	37/12
Ee27-188-76 Walkway Lt (Texaco)	LT EXT	29-06-45.000N	090-26-54.000W	0472-02 D8	46/02
Fieldwood-101-6	SS INOP	28-51-28.303N	090-27-34.045W	1517-12	37/12
Black Elk-100-8	SS INOP	28-26-45.000N	090-27-53.000W		14/15
Kerr Mc Gee-126-3	LT EXT/FS INOP	28-54-29.000N	090-27-57.000W	0846-03 NO	27/03
Kerr Mc Gee-126-2	LT EXT/SS INOP	28-52-21.000N	090-28-14.000W	0330-11 NO	11/11
Kerr Mc Gee-126-9	LT EXT/FS INOP	28-55-10.000N	090-28-26.000W	0846-03 NO	27/03
Bois-103-6	LT EXT	28-55-57.240N	090-28-55.000W	1258-01 NO	39/01
Trunkline-103-3	LT EXT/SS INOP	28-50-00.000N	090-29-58.000W	0440-14 NO	22/14
Ee21-1247-13	LT EXT	29-07-42.000N	090-30-52.000W	0502-02 D8	46/02
Walter-102-1	LT EXT	28-56-27.600N	090-31-59.800W	0750-14 NOLA	33/14
Texaco-208-1	SS INOP	28-27-26.000N	090-34-58.000W		07/15
Millennium-104-2	LT EXT	28-46-39.000N	090-36-45.000W	0536-15 NO	27/15
Energy Partners-109-2	LT EXT/SS INOP	28-53-30.810N	090-37-05.733W		41/08
Talos-101-16	SS INOP	28-49-32.030N	090-37-14.710W		44/15
EnVen-103-1	LT EXT/SS INOP	28-55-39.109N	090-39-04.304W		37/08
Noble Energy-106-6	OFF STA/HAZ NAV/LT EXT/SS INOP	28-30-24.800N	090-40-46.360W		39/08
Probe-102-2	SS INOP	28-26-57.399N	090-41-06.836W	0265-14 NO	13/14
NOBLE ENERGY-106-4	LT EXT	28-29-29.500N	090-41-49.100W	0585-08	16/08
Rooster-102-3	LT EXT/SS INOP	28-40-06.880N	090-42-38.200W		22/15
Fieldwood-102-13	LT EXT	28-55-50.4156	090-44-55.2834	0060-15	21/15
New field-103-13	LT EXT	28-58-53.000N	090-50-11.000W		52/15
New field-103-27	SS INOP	28-58-33.671N	090-50-15.489W	1029-15 NO	49/15
Comstock Offshore-100-56	LT EXT/FS INOP	28-50-13.000N	090-50-31.000W	0862-03 NO	28/03
Comstock Offshore-100-62	LT EXT/FS INOP	28-50-10.000N	090-50-51.000W	0862-03 NO	28/03
Union-141-14	SS INOP	28-31-17.000N	090-52-02.000W		10/16
Energy xxi-109-4	LT EXT	28-31-45.257N	090-52-35.506W	0497-15 NO	26/15
Odeco-166-15	LT EXT/SS INOP	28-40-11.000N	090-52-37.000W		38/08
Energy xxi-109-8	SS INOP	28-32-08.000N	090-53-24.000W	0412-15 NO	21/15
Energy xxi-109-7	LT EXT	28-29-30.000N	090-54-06.000W	0497- NO	26/15
Comstock Offshore-100-36	SS INOP	28-49-41.000N	090-54-07.000W		37/12
Comstock Offshore-100-6	LT EXT	28-48-36.000N	090-55-02.000W	0982-12 NO	24/12
Petroquest-101-15	LT EXT	28-58-19.000N	090-57-49.000W	0754-09 NO	23/09
Tana-103-5	SS INOP	28-42-36.176N	090-58-54.622W	0081-16 no	04/16
Capco-102-1	LT EXT	28-43-35.540N	091-01-17.605W	1627-11 NO	39/11
Bennu-100-2	LT EXT	28-02-03.083N	091-01-46.881W	0960-04 NO	33/04
Fieldwood-117-24	LT EXT/SS INOP	28-22-16.233N	091-03-49.586W		38/08
Fieldwood-117-25	SS INOP	28-22-32.3436	091-04-25.010W	1111-10 NO	35/10
Sandridge-101-2	LT EXT/SS INOP	28-22-10.8408	091-05-13.664W		38/08
Monforte-101-1	SS INOP	28-17-57.534N	091-05-15.278W	0131-16 NO	07/16
Monforte-101-2	SS INOP	28-16-28.876N	091-05-33.791W		23/08
Chevron-113-10	LT EXT	28-51-14.000N	091-06-34.000W	0122-15	37/15
Hilcorp-130-2	LT EXT	28-51-36.000N	091-07-19.000W		32/15
Chevron-113-5	LT EXT	28-51-24.000N	091-07-20.000W		02/15
EnVen-101-1	LT EXT	28-28-21.962N	091-08-45.025W	0154-11	39/11
Devon-103-1	LT EXT	28-14-13.978N	091-09-02.654W	0792-09 NO	23/09
New field-103-39	FS INOP	28-59-24.178N	091-11-20.838W	0158-04 D8	14/04
W & T Offshore-113-9	LT EXT/SS INOP	28-44-49.100N	091-12-05.300W		38/08

Maritech-105-2	HAZ NAV	28-19-53.000N	091-12-18.000W		30/06
Century-106-7	MISSING/HAZ NAV	28-41-08.000N	091-12-23.000W	0246-08	39/08
Northstar-122-1	LT EXT/SS INOP	28-32-39.426N	091-14-01.151W		04/15
Fieldw ood-117-19	SS INOP	28-45-02.450N	091-14-21.795W	0484-13 NO	19/13
Kerr Mc Gee-101-98	SS INOP	29-05-18.000N	091-17-09.000W		09/16
Fieldw ood-117-31	SS INOP	28-37-42.596N	091-18-44.273W	0136-15	07/15
EnVen-101-2	LT EXT/SS INOP	28-43-09.129N	091-19-31.935W	0135-14 NO	08/14
Apache-102-29	LT EXT	28-45-38.373N	091-20-51.000W	0235-15 NO	12/15
Fieldw ood-103-59	SS INOP	28-46-09.083N	091-21-22.593W		51/15
Nexen-100-5	LT EXT/SS INOP	28-27-54.000N	091-23-25.000W		40/08
Arena Offshore-105-60	SS INOP	28-15-19.040N	091-26-01.295W	0096-09 NO	03/09
Ridgelake-104-1	SS INOP	28-18-30.294N	091-26-37.902W	0718-14 NO	32/14
Gryphon-103-1	LT EXT	29-07-23.661N	091-27-13.574W	0753-09 NO	23/09
Fieldw ood-103-39	LT EXT	29-10-05.516N	091-30-09.590W		12/14
Devon-112-16	SS INOP	28-18-14.000N	091-31-59.000W		52/08
Houston-103-1	LT EXT	28-28-50.969N	091-33-27.130W	0405-15 NO	21/15
Chevron-209-14	LT EXT	28-30-11.000N	091-33-50.000W		05/16
Nexen-100-15	LT EXT/SS INOP	28-20-40.400N	091-34-26.300W		40/08
Devon-112-22	SS INOP	29-03-49.581N	091-35-03.874W	1380-10 NO	42/10
Mobil-134-1	HAZ NAV/LT EXT/SS INOP	28-57-58.000N	091-36-47.000W		40/08
Mariner-111-7	SS INOP	28-24-54.576N	091-36-47.275W	1492-08 NO	37/08
Fieldw ood-103-85	SS INOP	28-18-07.437N	091-37-30.244W	0459-10 NO	16/10
Bt Operating-102-1	LT EXT	28-22-00.000N	091-37-48.000W	0022-09 NO	01/09
Walter-114-3	MISSING/HAZ NAV	27-59-34.916N	091-39-38.476W	0245-08	39/08
Noble Energy-112-3	LT EXT/SS INOP	28-18-00.000N	091-40-40.000W		49/08
Devon-112-5	OFF STA/HAZ NAV	28-13-34.891N	091-41-04.682W	0242-08	39/08
Fieldw ood-103-31	SS INOP	28-13-22.922N	091-41-38.162W	0704-14	31/14
Devon-112-3	MISSING/HAZ NAV	28-14-18.403N	091-41-47.199W		39/08
Energy Xxi-101-7	LT EXT	29-02-34.846N	091-41-57.715W		38/15
W & T Offshore-116-20	SS INOP	29-04-30.000N	091-42-10.000W	0202-16 no	09/16
Mariner-111-10	MISSING/HAZ NAV	28-19-58.000N	091-42-28.000W		39/08
Fieldw ood-103-30	SS INOP	28-48-07.113N	091-43-03.151W		37/14
Fieldw ood-103-70	SS INOP	28-47-45.580N	091-43-27.450W		37/14
Rooster-106-3	SS INOP	29-17-51.271N	091-43-43.650W	0124-16 NO	07/16
Arena Offshore-105-36	SS INOP	28-16-11.500N	091-43-50.600W	1680-08 NO	40/08
Arena Offshore-105-37	LT EXT	28-15-22.000N	091-44-24.000W	1681-08 NO	40/08
Arena Offshore-105-35 (B-DRL)	LT EXT/SS INOP	28-15-12.000N	091-45-06.000W	1349-08 NO	34/08
Merit-102-1	HAZ NAV/LT EXT/SS INOP	28-22-42.664N	091-45-59.424W		38/08
Energy Partners-108-2	SS INOP	29-18-58.430N	091-46-58.908W	0083-11 NO	04/11
Sterling-102-1	HAZ NAV/LT EXT/SS INOP	28-25-21.418N	091-49-44.818W		39/08
Black Elk-109-1	SS INOP	28-51-55.000N	091-51-46.000W		23/15
Fieldw ood-105-19	LT EXT	29-05-08.743N	091-52-25.234W		09/15
Hilcorp-126-4	SS INOP	29-19-28.000N	091-52-36.000W		40/14
Devon-115-5	SS INOP	28-51-38.000N	091-52-46.000W	0650-12 NO	17/12
Merit-110-2	HAZ NAV/LT EXT/SS INOP	29-14-19.197N	091-52-52.665W	1699-11 NO	41/11
Devon-115-9	OFF STA/HAZ NAV/LT EXT/SS INOP	28-44-31.000N	091-53-25.000W		39/08
Brooklyn Union-101-1	LT EXT/SS INOP	29-14-36.000N	091-53-48.000W	1771-08 NO	42/08
Devon-115-3	LT EXT/SS INOP	28-52-01.000N	091-53-52.000W	0377-15 NO	19/15
Nippon-103-10	SS INOP	28-51-05.035N	091-54-45.168W	0046-15	03/16
Devon-115-1	SS INOP	28-52-39.000N	091-54-55.000W	0046-15	03/16
WA28-334-Tank Batt 1 (Hilcorp Energy)	LT EXT	29-40-25.000N	091-54-59.000W	0726-03 NO	25/03
Wa28-334-B28 (Hilcorp Energy)	LT EXT	29-40-15.000N	091-55-20.000W	1941-12	47/12

WA28-334-B109 (Hilcorp Energy)	LT EXT	29-40-11.000N	091-56-12.000W	1110-12 NO	28/12
WA28-334-B93 (Hilcorp Energy)	LT EXT	29-40-30.000N	091-56-17.000W	0011-12 NO	02/12
Mariner-115-9	SS INOP	28-57-32.000N	091-58-47.000W	1933-12 NO	47/12
Energy Xxi-108-11	LT EXT/SS INOP	29-23-37.620N	091-59-34.780W		06/09
Fieldw ood-105-31	SS INOP	28-13-39.9462	092-00-59.802W	0238-14 GA	13/14
Northstar-123-1	LT EXT/SS INOP	28-48-16.772N	092-04-18.491W	0238-15 GA	15/15
Fieldw ood-105-6	LT EXT/SS INOP	28-16-25.9962	092-06-14.727W	0244-15 NO	12/15
Taylor Energy-103-8	LT EXT	28-50-49.000N	092-10-02.000W	0335-03 D8	30/03
Energy Partners-110-6	SS INOP	29-26-17.000N	092-10-09.000W		08/16
Fieldw ood-108-14	SS INOP	28-28-17.994N	092-11-43.493W		44/12
ENI-110-1	LT EXT	28-17-33.801N	092-12-20.877W		06/16
Coastal-105-3	SS INOP	28-34-28.467N	092-13-07.891W	0227-15 NO	12/15
Conquest-104-1	LT EXT	29-05-38.000N	092-18-40.000W	1254-12 NO	31/12
Stone Energy 101-5	MISSING/HAZ NAV	28-30-18.000N	092-20-44.000W	0243-08	39/08
Stone Energy-101-10	MISSING/HAZ NAV	28-14-29.418N	092-21-06.282W	0245-08	39/08
Basin-107-3	SS INOP	28-30-37.326N	092-21-28.998W	0436-15 NO	23/15
Maritech-101-13	LT EXT/SS INOP	28-58-19.000N	092-24-08.000W		41/08
Nexen-102-11	LT EXT	29-19-52.385N	092-24-24.675W	1115-14 NO	06/14
Samson Contour-101-1	HAZ NAV/LT EXT/SS INOP	28-41-28.000N	092-24-40.000W		40/08
Samson Contour-101-4	HAZ NAV/LT EXT/SS INOP	28-41-24.430N	092-24-51.050W		38/08
Samson Contour-101-3	HAZ NAV/LT EXT/SS INOP	28-42-05.327N	092-25-46.581W		38/08
Maritech-101-4	LT EXT	29-31-34.802N	092-25-50.812W	0794-15 NO	40/15
Nexen-102-12	LT EXT/SS INOP	29-19-43.036N	092-25-55.319W		40/08
Nexen-102-2	LT EXT/SS INOP	28-13-04.000N	092-25-56.000W		42/08
Millennium-103-1	HAZ NAV/LT EXT/DAYMK IMCH/	28-18-15.000N	092-26-28.000W		39/08
W & T Offshore-112-5	SS INOP	28-40-08.000N	092-26-34.000W	0025-16 no	02/16
Nexen-102-33	LT EXT/SS INOP	28-13-05.724N	092-26-49.700W		40/08
Beryl-107-1	SS INOP	28-07-40.133N	092-28-01.263W	1301-13 NO	46/13
Merit-112-1	STRUCT DEST	28-02-25.750N	092-29-22.548W		50/09
Palm Energy-104-1	SS INOP	28-29-24.234N	092-29-46.616W		22/09
Hilcorp-123-8	SS INOP	29-25-33.000N	092-30-08.000W		23/15
Union Chevron-100-2	SS INOP	29-27-00.000N	092-30-40.000W	0245-11 NO	09/11
W & T Offshore-112-30	LT EXT/SS INOP	28-27-40.000N	092-30-40.000W		06/09
Black Elk-101-4	LT EXT/SS INOP	29-05-42.445N	092-31-01.789W	0366-15 NO	19/15
W & T Offshore-112-2	LT EXT	29-27-59.000N	092-31-08.000W		28/08
Hunt-108-6	LT EXT	28-54-34.934N	092-31-17.800W		04/15
Black Elk-101-1	LT EXT/SS INOP	29-05-02.626N	092-31-33.072W	0143-16 no	07/16
Black Elk-101-3	SS INOP	29-04-46.547N	092-31-43.585W	0170-16	10/16
Marathon-114-1	HAZ NAV/LT EXT/SS INOP	28-04-22.000N	092-32-47.000W		38/08
Probe-103-1	LT EXT	29-28-11.914N	092-32-59.921W	0429-15	22/15
Fieldw ood-108-7	LT EXT/SS INOP	29-20-24.511N	092-33-49.943W	0797-10 GA	35/10
Nexen-102-1	LT EXT/SS INOP	28-17-55.000N	092-34-45.000W		40/08
Energy Resource-103-4	LT EXT	28-48-49.100N	092-35-06.000W		39/00
New field-105-15	MISSING/HAZ NAV	28-45-47.925N	092-35-07.532W		39/08
King Ranch-103-2	MISSING/HAZ NAV	28-27-01.314N	092-35-26.776W	3908	39/08
Aquila-108-1	MISSING/HAZ NAV	29-02-52.791N	092-36-55.710W	0243-08	39/08
Gomex-100-1	LT EXT/SS INOP	28-24-38.937N	092-36-56.185W		43/10
PROBE-100-1	SS INOP	29-29-36.656N	092-38-23.287W	0441-15 GA	26/15
Coastal-104-1	SS INOP	28-40-11.000N	092-40-30.000W	0351-13 GA	18/13
Maritech-111-3	MISSING/HAZ NAV	28-10-44.741N	092-41-45.558W	0246-08	39/08
East Cameron Partners-100-2	LT EXT	29-20-48.464N	092-42-56.802W	0855-13GA	46/13
Houston-102-2	LT EXT/SS INOP	28-55-37.000N	092-44-16.000W	1128-09 GA	51/09

Merit-108-1	SS INOP	29-31-54.000N	092-45-42.000W	0192-13 GA	10/13
Louisiana Orphan Wellsite A #156996	LT EXT	29-35-17.534N	092-46-56.031W	0019-11 LA	07/11
Houston-102-6	SS INOP	29-30-29.380N	092-48-12.590W	0198-13 GA	11/13
Denbury-120-1	SS INOP	29-30-01.930N	092-48-13.820W	0197-13 GA	11/13
W & T Offshore-200-5	SS INOP	28-07-03.000N	092-49-24.819W		40/08
Remington-101-8	LT EXT	28-43-33.341N	092-50-30.140W		17/15
Merit-110-1	LT EXT/SS INOP	29-15-22.380N	092-51-17.230W	1656-10 NO	52/10
Virgin-100-5	SS INOP	29-10-54.442N	092-51-53.410W	0256-14 NO	13/14
Con Energy-101-1	HAZ NAV/LT EXT/SS INOP/STRU	28-37-31.000N	092-53-30.000W	0050-14 GA	03/14
Apache-111-20	SS INOP	29-24-30.404N	092-57-58.744W	0392-15	23/15
Helis-121-3	LT EXT	29-26-26.906N	092-58-46.060W	0723-12	34/12
Hec-101-2	LT EXT	28-18-14.928N	092-59-29.425W		49/08
Hec-102-7	SS INOP	29-16-47.200N	092-59-44.600W	0052-14 GA	03/14
Millennium-101-1	LT EXT	28-16-04.000N	093-00-09.000W	0346-15 GA	20/15
Virgin-100-2	SS INOP	29-39-34.035N	093-00-13.395W		38/15
Diamond Shamroc-104-3	SS INOP	29-19-04.000N	093-02-05.000W	0354-13 GA	18/13
Black Elk-102-16	LT EXT	29-20-17.000N	093-04-23.000W	0367-15 GA	21/15
Atp-100-10	SS INOP	29-06-27.751N	093-05-06.410W	0135-15	09/15
Noble Energy-108-3	HAZ NAV/SS INOP	28-08-25.390N	093-09-07.050W	1082-08	31/08
Tarpon-100-10	SS INOP	28-30-32.600N	093-09-32.700W	0266-14 GA	15/14
Houston-110-3	SS INOP	29-24-12.540N	093-10-09.797W	0240-09	11/09
Houston-110-4	SS INOP	29-23-58.460N	093-10-40.780W	0362-10	16/10
Petsec-101-2	SS INOP	28-35-48.000N	093-10-43.000W	0296-14 GA	16/14
ATP-100-18	SS INOP	28-32-56.780N	093-11-36.390W	0297-14 GA	16/14
Pisces-106-2	SS INOP	28-28-39.658N	093-12-26.095W		22/09
Chevron-165-10	SS INOP	29-25-55.861N	093-14-40.335W		51/14
Energy Resource-102-11	LT EXT/SS INOP	29-23-26.939N	093-18-09.653W		40/08
Mariner-104-7	LT EXT/SS INOP	29-29-50.967N	093-20-37.108W		16/15
Monforte-100-2	SS INOP	28-41-18.727N	093-22-07.173W	0549-15 GA	33/15
Energy Xxi-112-2	SS INOP	29-25-07.069N	093-24-28.650W	0186-14 GA	11/14
El Paso-103-16	SS INOP	29-26-39.274N	093-24-55.075W	0304-13	16/13
ATP-100-13	LT EXT/SS INOP	27-51-35.495N	093-25-05.305W	0016-14 D8	04/14
Mobil-225-39	SS INOP	29-25-56.000N	093-25-58.000W	1122-09 GA	50/09
El Paso-103-28	SS INOP	29-25-54.972N	093-26-09.843W	0645-13 GA	34/13
Beryl-108-2	LT EXT	28-26-12.091N	093-26-45.035W	0767-11 GA	34/11
Devon-102-36	SS INOP	28-29-34.897N	093-28-35.692W		14/15
Energy Resource-102-3	HAZ NAV/LT EXT/SS INOP	28-33-14.933N	093-29-56.846W		40/08
Devon-102-3	LT EXT	29-21-20.000N	093-32-51.000W		07/16
Mariner-104-17	LT EXT	29-11-41.249N	093-33-44.686W	0450-10 GA	20/10
Northstar-107-5	LT EXT	29-39-39.366N	093-34-00.582W	0912-09	40/09
Fieldw ood-109-40	LT EXT	29-19-47.514N	093-35-45.626W	0745-15 ga	47/15
Fieldw ood-109-41	SS INOP	29-20-41.669N	093-38-03.577W		29/15
Fieldw ood-111-9	LT EXT	27-57-43.0842	093-40-15.203W	0587-15 GA	35/15
Atp-106-4	SS INOP	29-24-18.963N	093-51-00.752W	0059-14	04/14
Union-198-3	SS INOP	28-13-42.000N	093-56-13.000W		26/14
Northstar-108-3	SS INOP	28-24-17.472N	093-56-28.961W	0460-15 GA	28/15
Walter-112-9 Lighted Buoy	MISSING	28-15-08.900N	093-57-53.794W		46/15
W & T Offshore-105-10	LT EXT/SS INOP	29-30-53.325N	094-01-48.809W	0201-11 NO	08/11
Energy Xxi-106-3	SS INOP	28-17-27.391N	094-05-22.309W		51/13
Energy xxi-106-11	SS INOP	29-31-20.680N	094-05-34.445W	0055-16	04/16
Mariner-105-28	SS INOP	29-09-06.697N	094-07-09.275W	0046-16	03/16
Stone Energy-125-1	LT EXT/SS INOP	27-58-35.000N	094-08-38.000W	0538-11 GA	23/11

Energy Xxi-106-7	LT EXT/SS INOP	29-16-21.826N	094-14-56.227W	0201-15 NO	10/15
Virgin-100-1	LT EXT/SS INOP	29-09-34.403N	094-15-24.738W	1078-11 GA	47/11
Union-196-1	HAZ NAV/LT EXT/SS INOP	29-26-09.000N	094-18-15.000W	0058-12 GA	04/12
Devon-200-4	LT EXT	29-16-03.000N	094-20-24.000W	0019-15	02/15
New field-109-2	SS INOP	28-02-56.550N	094-26-18.070W	0880-09 GA	38/09
Hilcorp-122-1	LT EXT	29-13-18.236N	094-27-12.806W		04/15
Blue Dolphin-101-10	LT EXT	28-53-36.975N	094-42-15.296W	1162-04 GA	30/04
Fieldw ood-123-4	LT EXT	29-00-49.907N	094-45-05.551W	0522-12	39/12
Black Elk-104-1	SS INOP	28-43-10.338N	094-50-13.235W	0785-15 GA	49/15
Hec-125-3	SS INOP	28-57-52.900N	094-54-31.400W	0514-15	31/15
W & T Offshore-120-3	LT IMCH	28-52-48.967N	095-02-14.841W	0265-14 GA	15/14
Seagull-101-3	SS INOP	28-35-32.000N	095-11-09.000W	0650-12 NO	31/12
Kirby-104-3	LT EXT	28-44-47.000N	095-25-13.000W	0065-15	05/15
ATP-102-3	LT EXT	28-15-22.872N	095-33-54.313W	0059-15 GA	04/15
Black Elk-105-5	LT EXT	28-24-50.796N	096-02-48.082W		21/09
Fieldw ood-120-11	LT EXT/SS INOP	28-23-09.000N	096-05-12.000W	0773-15	49/15
American Coastal-102-5	LT EXT	28-22-45.000N	096-09-54.000W		21/09
Apache-110-7	LT EXT	27-38-17.880N	096-14-05.170W		46/15
Anadarko-117-3	LT EXT	27-36-27.000N	096-15-13.000W	0632-15cc	51/15
Buttes-101-2	LT EXT/SS INOP	28-13-53.000N	096-23-24.000W		35/12
Fieldw ood-120-3	LT EXT	28-06-23.705N	096-25-47.686W		51/15
Transco-137-5	LT EXT	27-36-10.000N	097-04-40.000W	0356-13	21/13
Reynolds-102-3	LT EXT	27-39-18.000N	097-07-39.000W	0221-10CC	19/10
Reynolds-102-4	LT EXT	27-38-57.000N	097-07-42.000W	0221-10CC	19/10

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
Fieldw ood-115-10	WATCHING PROPERLY	28-54-43.585N	089-30-41.029W	08/16	10/16
Fieldw ood-102-9	WATCHING PROPERLY	28-56-34.5042	090-42-39.9702	10/16	10/16
Apache-111-12	WATCHING PROPERLY	28-26-00.500N	092-40-00.100W	04/16	10/16
Fieldw ood-109-15	WATCHING PROPERLY	29-22-03.889N	093-31-40.029W	03/16	10/16
Devon-102-4	WATCHING PROPERLY	29-20-36.722N	093-32-02.9852	37/11	10/16
Fieldw ood-109-13	WATCHING PROPERLY	29-22-23.515N	093-38-00.383W	48/15	10/16

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
95	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
3025	St Joseph Bay Entrance A Range Front Light	DISCONTINUED	11393		24/08	
3030	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
3060	St Joseph Bay Entrance Range B & D Front Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	TRLT	11393	0870-15 MO	44/15	

4315	Grand Lagoon Channel Light 4	TRLT	11391		26/15
8090	Bayou Casotte Channel Junction Lighted Buoy BC	RELOCATED FOR DREDGING	11375		25/14
15300	Arlington Range Front Light	TRLT	11370	0862-15 NO	43/15
15305	Arlington Range Rear Light	TRLT	11370	0862-15 NO	43/15
21430	Calcasieu Channel Light 50	DISCONTINUED	11339	0650-15 GA	39/15
21895	Calcasieu River Light 102	DISCONTINUED FOR DREDGING	11347		07/16
21915	Calcasieu River Light 104	DISCONTINUED FOR DREDGING	11347		07/16
21925	Calcasieu River Light 106	DISCONTINUED FOR DREDGING	11347	0775-15 GA	49/15
23535	Neches River Light 54	DISCONTINUED FOR DREDGING	11343		23/15
23540	Neches River Light 56	DISCONTINUED FOR DREDGING	11343		23/15
23730	Galveston Bay Entrance Channel Lighted Buoy 7	RELOCATED FOR DREDGING			27/15
23770	Galveston Bay Entrance Channel Lighted Buoy 9	RELOCATED FOR DREDGING	11324		27/15
25435	Houston Ship Channel Light 119	DISCONTINUED FOR DREDGING	11329		50/15
25440	Houston Ship Channel Light 120	DISCONTINUED FOR DREDGING	11329		50/15
25450	Houston Ship Channel Light 121A	DISCONTINUED FOR DREDGING	11329		52/15
25505	Houston Ship Channel Light 125	DISCONTINUED FOR DREDGING	11329	0035-16 GA	02/16
25715	Houston Ship Channel Light 129	DISCONTINUED FOR DREDGING	11329	0036-16 GA	02/16
29100	La Quinta Channel Light A	DISCONTINUED FOR DREDGING	11309	0044-16 CC	06/16
29101.01	LA QUINTA CHANNEL LIGHT 22	DISCONTINUED FOR DREDGING	11309	0637-15 CC	52/15
30275	Apalachicola Bay Light 76	DISCONTINUED FOR DREDGING	11402		08/16
30290	Apalachicola River Entrance Light 2	DISCONTINUED FOR DREDGING	11404		08/16
30310	Apalachicola River Entrance Buoy 5	DISCONTINUED FOR DREDGING	11402		07/16
30325	Apalachicola River Entrance Buoy 9	DISCONTINUED FOR DREDGING	11402		07/16
30345	Apalachicola River Entrance Buoy 14	DISCONTINUED FOR DREDGING	11402		07/16
30350	Apalachicola River Entrance Buoy 15	DISCONTINUED FOR DREDGING	11402		07/16
30355	Apalachicola River Entrance Buoy 16	DISCONTINUED FOR DREDGING	11402		07/16
30375	Apalachicola River Entrance Buoy 20	DISCONTINUED FOR DREDGING	11402		07/16
30385	Apalachicola River Entrance Buoy 22	DISCONTINUED FOR DREDGING	11402		07/16
30390	Apalachicola River Entrance Buoy 24	DISCONTINUED FOR DREDGING	11402		07/16
35800	East Bay Bayou Light 8	DISCONTINUED FOR DREDGING	11331	0792-15 GA	50/15
35805	Rollover Bay Buoy 1	DISCONTINUED FOR DREDGING	11331		07/16

35840	Rollover Bay Buoy 6	DISCONTINUED FOR DREDGING	11331		07/16
35915	Bolivar Peninsula Light 14	DISCONTINUED FOR DREDGING	11324	0172-16 GA	10/16

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
24480	Bayport Ship Channel Light 4	LWP	11327		02/15	10/16
30245	Apalachicola Bay Light 64	Reestablished	11404	0073-16 MO	04/16	10/16

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

1115	A	44th Ed.	01-OCT-10	Last LNM: 07/16	NAD 83	10/16
<i>Chart Title: Cape St. George to Mississippi Passes (Oil and Gas Leasing Areas)</i>						
Main Panel 2995 LEASE BLOCK FOR CAPE ST. GEORGE TO MISSISSIPPI PASSES. Page/Side: N/A						
	ADD	Platform: (Upstream-100-04)			CGD08 29-27-33.541N	089-10-54.017W
1116	A	79th Ed.	01-FEB-16	Last LNM: 07/16	NAD 83	10/16
<i>Chart Title: Mississippi River to Galveston (Oil and Gas Leasing Areas)</i>						
Main Panel 2996 LEASE BLOCK FOR MISSISSIPPI RIVER TO GALVESTON. Page/Side: A						
	DELETE	Platform (Texaco-204-10)			CGD08 29-26-11.000N	093-09-22.000W
11006		34th Ed.	01-AUG-13	Last LNM: 04/16	NAD 83	10/16
<i>Chart Title: Gulf Coast - Key West to Mississippi River</i>						
Main Panel 44 KEY WEST TO THE MISSISSIPPI RIVER. Page/Side: N/A						
	ADD	Platform: (Upstream-100-04)			CGD08 29-27-33.541N	089-10-54.017W

ChartTitle: Intracoastal Waterway Galveston Bay to Cedar Lakes

Extension 97 CHOCOLATE BAYOU EXTENSION. Page/Side: A

RELOCATE	Chocolate Bayou Channel Buoy 25	CGD08 from 29-11-50.224N to 29-11-50.340N	095-09-32.023W 095-09-32.305W
RELOCATE	Chocolate Bayou Channel Buoy 27	CGD08 from 29-11-52.940N to 29-11-53.115N	095-09-48.537W 095-09-49.138W

Main Panel 96 DRUM BAY TO GALVESTON BAY. Page/Side: A

DELETE	Chocolate Bayou Channel Buoy 10	CGD08 29-10-39.986N	095-08-18.482W
DELETE	Chocolate Bayou Channel Buoy 12	CGD08 29-10-49.664N	095-08-24.803W
DELETE	Chocolate Bayou Channel Buoy 13	CGD08 29-10-47.337N	095-08-26.310W
DELETE	Chocolate Bayou Channel Buoy 15	CGD08 29-11-03.342N	095-08-39.365W
DELETE	Chocolate Bayou Channel Buoy 16	CGD08 29-11-04.290N	095-08-37.221W
DELETE	Chocolate Bayou Channel Buoy 17	CGD08 29-11-19.086N	095-08-53.075W
DELETE	Chocolate Bayou Channel Buoy 18	CGD08 29-11-20.559N	095-08-51.298W
DELETE	Chocolate Bayou Channel Buoy 5	CGD08 29-10-09.717N	095-08-12.392W
DELETE	Chocolate Bayou Channel Buoy 6	CGD08 29-10-09.150N	095-08-09.092W
DELETE	Chocolate Bayou Channel Buoy 9	CGD08 29-10-38.240N	095-08-20.775W
RELOCATE	Chocolate Bay A Range Front Light	CGD08 from 29-10-25.745N to 29-10-25.726N	095-06-44.454W 095-06-44.466W
RELOCATE	Chocolate Bay A Range Front Light Passing Light	CGD08 from 29-10-26.280N to 29-10-25.726N	095-06-43.560W 095-06-44.466W
RELOCATE	Chocolate Bayou Channel Buoy 25	CGD08 from 29-11-50.224N to 29-11-50.340N	095-09-32.023W 095-09-32.305W
RELOCATE	Chocolate Bayou Channel Buoy 27	CGD08 from 29-11-52.940N to 29-11-53.115N	095-09-48.537W 095-09-49.138W
RELOCATE	West Bay (Texas) Light 15	CGD08 from 29-10-32.705N to 29-10-32.766N	095-05-49.910W 095-05-49.915W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 10, Q R, 17ft, 3nm, Ra ref.	CGD08 29-10-39.981N	095-08-18.460W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 12, FI R 4s, 17ft, 3nm, Ra ref.	CGD08 29-10-49.649N	095-08-24.797W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 13, FI G 4s, 17ft, 3nm, Ra ref.	CGD08 29-10-47.348N	095-08-26.300W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 15, FI G 2.5s, 17ft, 3nm, Ra ref.	CGD08 29-11-03.351N	095-08-39.339W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 16, FI R 2.5s, 17ft, 3nm, Ra ref.	CGD08 29-11-04.350N	095-08-37.216W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 17, FI G 6s, 17ft, 3nm, Ra ref.	CGD08 29-11-19.078N	095-08-53.074W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 18, FI R 6s, 17ft, 3nm, Ra ref.	CGD08 29-11-20.572N	095-08-51.277W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 5, FI G 2.5s, 17ft, 3nm, Ra ref.	CGD08 29-10-09.694N	095-08-12.381W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 6, FI R 2.5s, 17ft, 3nm, Ra ref.	CGD08 29-10-09.156N	095-08-09.090W
ADD	CHOCOLATE BAYOU CHANNEL LIGHT 9, Q G, 17ft, 3nm, Ra ref.	CGD08 29-10-38.256N	095-08-20.764W

ChartTitle: Galveston Bay

CHART TX - FOLIO SMALL - CRAFT CHART GALVESTON BAY. Page/Side: N/A

CGD08

ADD	Symbol: "Visible Pile (PA)" (CGD8 013-16)	29-33-17.300N CGD08	095-04-17.700W
ADD	Symbol: "Visible Pile (PA)" (CGD8 014-16)	29-33-12.800N CGD08	095-04-14.800W
ADD	Symbol: "Visible Pipe (PA)" (CGD8 015-16)	29-33-13.600N	095-04-13.900W
11330	22nd Ed. 01-APR-13 Last LNM: 04/16 NAD 83		10/16
<i>ChartTitle: Mermentau River to Freeport</i>			
Main Panel 195 MERMENTAU RIV TO FREEPORT LA-TX. Page/Side: N/A			
DELETE	Platform (Texaco-204-10)	CGD08 29-26-11.000N	093-09-22.000W
11331	22nd Ed. 01-FEB-14 Last LNM: 50/15 NAD 83		10/16
<i>ChartTitle: Intracoastal Waterway Ellender to Galveston Bay</i>			
Main Panel 704 ELLENDER TO GALVESTON - SABINE LAKE. Page/Side: A			
RELOCATE	Sabine-Neches Canal M Upper Range Front Light	CGD08 from 29-58-15.967N to 29-58-15.912N	093-51-10.176W 093-51-10.204W
11340	79th Ed. 01-FEB-16 Last LNM: 07/16 NAD 83		10/16
<i>ChartTitle: Mississippi River to Galveston</i>			
Main Panel 49 MISSISSIPPI RIVER TO GALVESTON. Page/Side: A			
DELETE	Platform (Texaco-204-10)	CGD08 29-26-11.000N	093-09-22.000W
11342	55th Ed. 01-OCT-12 Last LNM: 05/16 NAD 83		10/16
<i>ChartTitle: Sabine Pass and Lake</i>			
Main Panel 76 SABINE PASS AND LAKE. Page/Side: N/A			
RELOCATE	Sabine-Neches Canal M Upper Range Front Light	CGD08 from 29-58-15.967N to 29-58-15.912N	093-51-10.176W 093-51-10.204W
11343	39th Ed. 01-DEC-13 Last LNM: 46/15 NAD 83		10/16
<i>ChartTitle: Sabine and Neches Rivers</i>			
Main Panel 77 SABINE AND NECHES RIVERS. Page/Side: N/A			
RELOCATE	Sabine-Neches Canal M Upper Range Front Light	CGD08 from 29-58-15.967N to 29-58-15.912N	093-51-10.176W 093-51-10.204W
ADD	Enterprise Products Mooring Dolphin Light, FLG2.5s, 10ft on dolphin (Priv Maint)	CGD08 30-02-10.410N	094-02-03.758W
11344	40th Ed. 01-AUG-14 Last LNM: 46/15 NAD 83		10/16
<i>ChartTitle: Rollover Bayou to Calcasieu Pass</i>			
Main Panel 123 ROLLOVER BAYOU TO CALCASIEU PASS. Page/Side: A			
DELETE	Platform (Texaco-204-10)	CGD08 29-26-11.000N	093-09-22.000W
11352	42nd Ed. 01-JUL-12 Last LNM: 52/15 NAD 83		10/16
<i>ChartTitle: Intracoastal Waterway New Orleans to Calcasieu River East Section</i>			
Main Panel 46 NEW ORLEANS TO CALCASIEU RIVER EAST SECTION. Page/Side: N/A			
RELOCATE	Bayou Villars Daybeacon 2	CGD08 from 29-44-20.517N to 29-44-20.548N	090-08-34.276W 090-08-33.706W
CHANGE	Depth Note - NOTE D HOUMA NAVIGATION CANAL to:; The controlling depth was 13 feet through Cat Island Pass; thence 10 feet from the entrance of the improved channel in Terrebonne Bay (29°06'00"N 90°34'30"W), to Bayou Petit Caillou; thence 12 feet to Bayou Grand Caillou; thence 10 feet for a mid-width of 75 feet with 7 feet in the outside quarters to Bayou Pelton; thence 12 feet for a mid-width of 75 feet with 6 feet in the outside quarters to the junction with the Intracoastal Waterway. This waterway is subject to shoaling,	NOS 29-21-11.000N	090-49-44.000W

particularly at the edges. May - Sep 2015 (NOS NW-25542)

11353	7th Ed.	01-MAR-14	Last LNM: 04/16	NAD 83	10/16
<i>ChartTitle: Baptiste Collette Bayou to Mississippi River Gulf Outlet;Baptiste Collette Bayou Extension</i>					
CHART LA - BAPTISTE COLLETTE BAYOU TO MISSISSIPPI RIVER GULF OUTLET. Page/Side: N/A					
ADD	Platform: (Upstream-100-04)			CGD08 29-27-33.541N	089-10-54.017W
11355	30th Ed.	01-AUG-13	Last LNM: 07/16	NAD 83	10/16
<i>ChartTitle: Intracoastal Waterway Catahoula Bay to Wax Lake Outlet including the Houma Navigation canal</i>					
Main Panel 28 CATAHOULA BAY TO WAX LAKE OUTLET. Page/Side: A					
CHANGE	Depth Note - NOTE C HOUMA NAVIGATION CANAL to;; The controlling depth was 13 feet through Cat Island Pass; thence 10 feet from the entrance of the improved channel in Terrebonne Bay (29°06'00"N 90°34'30"W), to Bayou Petit Caillou; thence 12 feet to Bayou Grand Caillou; thence 10 feet for a mid-width of 75 feet with 7 feet in the outside quarters to Bayou Pelton; thence 12 feet for a mid-width of 75 feet with 6 feet in the outside quarters to the junction with the Intracoastal Waterway. This waterway is subject to shoaling, particularly at the edges. May - Sep 2015 (NOS NW-25542)			NOS 29-37-18.000N	090-46-00.000W
11357	43rd Ed.	01-MAY-14	Last LNM: 07/16	NAD 83	10/16
<i>ChartTitle: Timbalier and Terrebonne Bays</i>					
Main Panel 61 TIMBALIER AND TERREBONNE BAYS. Page/Side: N/A					
CHANGE	Depth Note - NOTE C HOUMA NAVIGATION CANAL to;; The controlling depth was 13 feet through Cat Island Pass; thence 10 feet from the entrance of the improved channel in Terrebonne Bay (29°06'00"N 90°34'30"W), to Bayou Petit Caillou; thence 12 feet to Bayou Grand Caillou; thence 10 feet for a mid-width of 75 feet with 7 feet in the outside quarters to Bayou Pelton; thence 12 feet for a mid-width of 75 feet with 6 feet in the outside quarters to the junction with the Intracoastal Waterway. This waterway is subject to shoaling, particularly at the edges. May - Sep 2015 (NOS NW-25542)			NOS 29-19-10.000N	090-47-40.000W
11360	44th Ed.	01-OCT-10	Last LNM: 07/16	NAD 83	10/16
<i>ChartTitle: Cape St. George to Mississippi Passes</i>					
Main Panel 48 CAPE ST. GEORGE TO MISSISSIPPI PASSES. Page/Side: N/A					
ADD	Platform: (Upstream-100-04)			CGD08 29-27-33.541N	089-10-54.017W
11363	44th Ed.	01-FEB-13	Last LNM: 04/16	NAD 83	10/16
<i>ChartTitle: Chandeleur and Breton Sounds</i>					
Main Panel 55 CHANDELEUR AND BRETON SOUNDS. Page/Side: N/A					
ADD	Platform: (Upstream-100-04)			CGD08 29-27-33.541N	089-10-54.017W
11364	45th Ed.	01-MAY-14	Last LNM: 09/16	NAD 83	10/16
<i>ChartTitle: Mississippi River-Venice to New Orleans</i>					
Main Panel 56 MISSISSIPPI RIVER VENICE TO NEW ORLEANS. Page/Side: N/A					
DELETE	CPRA Eloi Point Danger Breakwater Lights, FL2.5s, NW on pile, 13ft (Priv Maint)			CGD08 29-49-42.570N	089-22-04.280W
ADD	CPRA Eloi Point Danger Breakwater Lights, FL2.5s, NW on pile, 13ft (Priv Maint)			CGD08 29-46-42.570N	089-22-04.280W
(Temp) ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)			CGD08 29-45-27.480N	089-24-53.440W
(Temp) ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)			CGD08 29-45-30.310N	089-24-51.750W
				CGD08	

(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	29-45-30.960N	089-24-48.740W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-31.130N	089-24-45.970W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-31.860N	089-24-43.280W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-34.550N	089-24-41.470W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-38.290N	089-24-42.800W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-42.180N	089-24-42.080W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-46.470N	089-24-42.690W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-50.950N	089-24-42.470W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-54.800N	089-24-40.450W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-45-59.270N	089-24-38.430W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-02.500N	089-24-35.990W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-04.910N	089-24-32.590W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-07.190N	089-24-27.880W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-08.850N	089-24-23.530W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-09.320N	089-24-14.880W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-09.390N	089-24-19.000W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-11.460N	089-24-11.280W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-14.460N	089-24-11.930W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-17.130N	089-24-16.070W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-20.080N	089-24-19.280W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-23.390N	089-24-20.280W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-27.790N	089-24-20.140W
(Temp)	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-32.050N	089-24-18.950W
	ADD	Professional Construction Services Temporary Lighted Danger Buoy, FL2.5s, WOR (Priv Maint)	CGD08 29-46-35.510N	089-24-16.340W
			CGD08	

	(Priv Maint)		
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-30.500N	090-13-36.150W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-31.590N	090-13-42.390W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-32.450N	090-13-34.390W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-33.540N	090-13-40.640W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-33.970N	090-13-36.640W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-35.490N	090-13-38.880W
DELETE	Parkway Pipeline North Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-09-35.490N	090-13-38.880W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-21.850N	090-14-37.660W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-23.390N	090-14-39.870W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-23.750N	090-14-35.860W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-24.950N	090-14-42.080W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-25.670N	090-14-34.070W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-26.870N	090-14-40.280W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-27.230N	090-14-36.280W
DELETE	Parkway Pipeline South Temporary Danger Light, FL2.5s, NW on pile, 7ft (Priv Maint)	CGD08 30-08-28.790N	090-14-38.490W

11385 28th Ed. 01-MAY-14 Last LNM: 09/16 NAD 83 10/16

ChartTitle: Intracoastal Waterway West Bay to Santa Rosa Sound

Main Panel 138 WEST BAY TO SANTA ROSA SOUND SIDE B. Page/Side: B

ADD	U. S. Coast Guard Base Buoy 7, Green can.	CGD08 30-23-36.768N	086-31-31.117W
-----	---	------------------------	----------------

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
27-21-43.631N	090-10-52.988W	GC-608	COIL TUBING UNIT (HOUMA DIST)	11340	JACKUP	UNREPORTED
29-19-51.579N	092-09-52.692W	VE-52	HERCULES 150	11340	JACKUP	UNREPORTED
29-00-05.541N	090-15-09.185W	ST-21	HERCULES 203	11340	JACKUP	UNREPORTED
27-45-50.855N	091-58-12.101W	GB-216	NOBLE PAUL ROMANO	11340	SEMI-SUBMERSIBLE	UNREPORTED
27-18-34.972N	093-34-10.092W	GB-668	OCEAN BLACKHAWK	11340	DRILLSHIP	UNREPORTED

Drill Rigs/Vessels Established

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
-----------------	------------------	--------------	--------------------	--------------	-------------	---------------

27-21-43.911N	090-10-52.829W	GC-608	COIL TUBING UNIT (HOUMA DIST)	11340	JACKUP	UNREPORTED
27-46-59.722N	092-01-12.580W	GB-215	NOBLE PAUL ROMANO	11340	SEMI-SUBMERSIBLE	UNREPORTED
26-54-45.602N	091-34-17.857W	WR-51	OCEAN BLACKHAWK	11340	DRILLSHIP	UNREPORTED
27-27-56.000N	090-33-59.000W	GC-521	OCEAN BLACKLION	11340	DRILLSHIP	UNREPORTED
26-50-54.152N	091-55-07.340W	KC-129	ROWAN RELIANCE	11340	DRILLSHIP	UNREPORTED
28-22-48.719N	090-46-28.179W	SS-259	WIRELINE UNIT (HOUMA DIST)	11340	N/A	UNREPORTED
27-13-25.935N	090-50-11.215W	GC-726	WIRELINE UNIT (HOUMA DIST)	11340	N/A	UNREPORTED
28-09-48.366N	090-21-31.655W	EW-826	WIRELINE UNIT (HOUMA DIST)	11340	N/A	UNREPORTED
28-24-54.583N	091-36-47.156W	EI-273	WIRELINE UNIT (L.C. DIST)	11340	SEMI-SUBMERSIBLE	UNREPORTED

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

FL – ST. ANDREW BAY – Old East Pass Harbor Channel

The following changes will be made the week of March 28, 2016.
 Change Old East Harbor Channel Buoy 8 (LLNR-4610) to Old East Harbor Channel Lighted Buoy 8 (LLNR-4610) in approximate position 30-23-30.097N/086-30-22.394W. Showing FL R 4s, Nominal Range 3NM, Red nun.
 Chart 11385

LNM: 08-16-01D

TX – GALVESTON BAY – Galveston-Freeport

The following changes will be made the week of March 21, 2016.
 Change Galveston-Freeport Channel Buoy 3 (LLNR-36110) to Galveston-Freeport Channel Light 3 (LLNR-36110) in approximate position 29-18-32.681N/094-50-16.238W, showing FL G 2.5s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 4 (LLNR-36115) to Galveston-Freeport Channel Light 4 (LLNR-36115) in approximate position 29-18-35.916N/094-50-16.117W, showing FL R 2.5s, Focal Height 17FT, Nominal Range 3NM, TR-TY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 5 (LLNR-36120) to Galveston-Freeport Channel Light 5 (LLNR-36120) in approximate position 29-18-27.045N/094-50-47.957W, showing FL G 4s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 6 (LLNR-36125) to Galveston-Freeport Channel Light 6 (LLNR-36125) in approximate position 29-18-29.943N/094-50-48.871W, showing FL R 4s, Focal Height 17FT, Nominal Range 3NM, TR-TY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 9 (LLNR-36150) to Galveston-Freeport Channel Light 9 (LLNR-36150) in approximate position 29-18-26.265N/094-51-21.148W, showing FL G 6s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 10 (LLNR-36155) to Galveston-Freeport Channel Light 10 (LLNR-36155) in approximate position 29-18-29.350N/094-51-20.570W, showing FL R 6s, Focal Height 17FT, Nominal Range 3NM, TR-TY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 14 (LLNR-36265) to Galveston-Freeport Channel Light 14 (LLNR-36265) in approximate position 29-18-31.309N/094-52.00.477W, showing FL R 4s, Focal Height 17FT, Nominal Range 3NM, TG-TY on pile, Ra ref.
 Change Galveston-Freeport Channel Buoy 15 (LLNR-36270) to Galveston-Freeport Channel Light 15 (LLNR-36270) in approximate position 29-18-29.190N/094-52-13.485W, showing FL Q, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.

Change Galveston-Freeport Channel Buoy 17 (LLNR-36275) to Galveston-Freeport Channel Light 17 (LLNR-36275) in approximate position 29-18-28.994N/094-52-22.864W, showing FL G 2.5s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.

Change Galveston-Freeport Channel Buoy 19 (LLNR-36280) to Galveston-Freeport Channel Light 19 (LLNR-36280) in approximate position 29-18-26.561N/094-52-32.489W, showing FL G 4s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.

Change Galveston-Freeport Channel Buoy 21 (LLNR-36285) to Galveston-Freeport Channel Light 21 (LLNR-36285) in approximate position 29-18-22.076N/094-52-39.642W, showing FL G 6s, Focal Height 17FT, Nominal Range 3NM, SG-SY on pile, Ra ref.

Chart 11324

LNLM: 08-16-03D

FL – WEST BAY TO SANTA ROSA SOUND – Choctawhatchee Bay

The following change will be made the week of March 21, 2016.

Change Choctawhatchee Bay Entrance DBN 5A (LLNR-4560) to Choctawhatchee Bay Entrance Buoy 5A (LLNR-4560) in approximate position 30-22-14.568N/086-30-55.952W, showing a Green can.

Chart 11385

LNLM: 08-16-04D

TX – MATAGORDA BAY – Matagorda Ship Channel

The following change will be made the week of March 21, 2016.

Establish Matagorda Ship Channel Light 21 (LLNR-27212) in approximate position 28-27-12.960N/096-21-52.441W, FL G 4s, Focal Height 17FT, Nominal Range 3NM, SG on pile, Ra ref.

Establish Matagorda Ship Channel Light 22 (LLNR-27213) in approximate position 28-27-16.800N/096-21-48.000W, FL R 4s, Focal Height 17FT, Nominal Range 3NM, TR on pile, Ra ref.

Chart 11317

LNLM: 08-16-05D

FL – APALACHICOLA BAY TO LAKE WIMICO – ST. George Island

The following changes will be made the week of March 28, 2016.

Change St. George Island Daybeacon 3 (LLNR-2840) to St. George Island Lighted Buoy 3 (LLNR-2840) in approximate position 29-37-17.483N/084-57-49.263W, FL G 2.5s, Nominal Range 3NM, showing a Green can.

Change St. George Island Daybeacon 4 (LLNR-2845) to St. George Island Lighted Buoy 4 (LLNR-2845) in approximate position 29-37-18.775N/084-57-45.672W, FL R 2.5s, Nominal Range 3NM, showing a Red nun.

Establish St. George Island Lighted Buoy 5 (LLNR-2842) in approximate position 29-37-23.090N/084-57-51.730W, FL G 4s, Nominal Range 3NM, showing a Green can.

Establish St. George Island Lighted Buoy 6 (LLNR-2846) in approximate position 29-37-23.840N/084-57-50.100W, FL R 4s, Nominal Range 3NM, showing a Red nun.

Charts: 11401 11402 11404

LNLM: 08-16-06D

LA – LAKE BORGNE AND APPROACHES – Chef Menteur Pass

The following change will be made the week of April 11, 2016

Establish Chef Menteur Pass Lighted Buoy 6 (LLNR-10827) in approximate position 30-06-02.730N/089-49-00.960W, FL R 4s, Nominal Range 3NM, showing a Red nun.

Charts: 11369 11371

LNLM: 08-16-08D

AL – MOBILE BAY – Mobile Channel

The following changes will be made the week of April 18, 2016.

Change Mobile Channel Light 59 (LLNR-6565) to Mobile Channel Lighted Buoy 59 (LLNR-6565) in approximate position 30-31-20.460N/088-01-24.512W showing OC G 4s, 4NM Nominal Range, Red nun.

Change Mobile Channel Light 55 (LLNR-6550) to Mobile Channel Lighted Buoy 55 (LLNR-6550) in approximate position 30-29-22.305N/088-01-10.486W showing FI G 4s, 4NM Nominal Range, Green can.

Change Mobile Channel Light 52 (LLNR-6525) to Mobile Channel Lighted Buoy 52 (LLNR-6525) in approximate position 30-27-53.028N/088-00-51.847W showing FI R 2.5s, 4NM Nominal Range, Red nun.

Change Mobile Channel Light 47 (LLNR-6485) to Mobile Channel Lighted Buoy 47 (LLNR-6485) in approximate position 30-26-14.872N/088-00-54.804W

showing FL G 2.5s, 4NM Nominal Range, Green can.
 Change Mobile Channel Light 42 (LLNR-6440) to Mobile Channel Lighted Buoy 42 (LLNR-6440) in approximate position 30-23-33.365N/088-01-02.614W showing FL R 4s, 4NM Nominal Range, Red nun.
 Change Mobile Channel Light 40 (LLNR-6430) to Mobile Channel Lighted Buoy 40 (LLNR-6430) in approximate position 30-22-42.601N/088-01-09.926W showing FL R 6s, 4NM Nominal Range, Red nun.
 Chart 11376

LNM: 08-16-10D

LA – LAKES PONTCHARTRAIN AND MAUREPAS – Bayou Bonfouca Channel

The following changes will be made the week of April 18, 2016.
 Change Bayou Bonfouca Channel Daybeacon 5 (LLNR-11045) to Bayou Bonfouca Channel Light 5 (LLNR 11045) in position 30-14-24.699N/089-52-04.782W, FL G 2.5s, Focal Height 17ft, Nominal Range 3NM, SG on pile, Ra ref.
 Change Bayou Bonfouca Channel Daybeacon 10 (LLNR-11060) to Bayou Bonfouca Channel Light 10 (LLNR 11060) in position 30-14-55.287N/089-51-55.764W, Q R, Focal Height 17ft, Nominal Range 3NM, TR on pile, Ra ref.
 Charts: 11369 11371

LNM: 08-16-09D

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

TX – REDFISH BAY TO MIDDLE GROUND – Corpus Christi – Port Isabel – Corpus Christi Baffin Bay

Discontinue Corpus Christi Baffin Bay Buoy 3 (LLNR-39735) in approximate position 27-42-04.752N/097-13-15.512W.
 Discontinue Corpus Christi Baffin Bay Buoy 7 (LLNR-39745) in approximate position 27-41-38.680N/097-13-22.502W.
 Discontinue Corpus Christi Baffin Bay Buoy 11 (LLNR-39755) in approximate position 27-41-16.226N/097-13-28.555W.
 Discontinue Corpus Christi Baffin Bay Buoy 12 (LLNR-39760) in approximate position 27-41-11.285N/097-13-32.762W.
 Discontinue Corpus Christi Baffin Bay Buoy 13 (LLNR-39765) in approximate position 27-40-48.939N/097-13-35.113W.
 Discontinue Corpus Christi Baffin Bay Buoy 19 (LLNR-39790) in approximate position 27-40-11.403N/097-13-45.271W.
 Discontinue Corpus Christi Baffin Bay Buoy 23 (LLNR-39800) in approximate position 27-39-40.068N/097-13-52.968W.
 Discontinue Corpus Christi Baffin Bay Buoy 27 (LLNR-39815) in approximate position 27-39-10.127N/097-14-00.860W.
 Discontinue Corpus Christi Baffin Bay Buoy 31 (LLNR-39825) in approximate position 27-38-41.132N/097-14-07.753W.
 Discontinue Corpus Christi Baffin Bay Buoy 35 (LLNR-39840) in approximate position 27-38-13.253N/097-14-18.205W.
 Establish Corpus Christi Baffin Bay Daybeacon 6 (LLNR-39760) in approximate position 27-41-18N/097-13-30W, showing TR-TY on pile, Ra ref.
 Establish Corpus Christi Baffin Bay Daybeacon 7 (LLNR-39765) in approximate position 27-41-02N/097-13-30W, showing SG-SY on pile, Ra ref.
 Change Corpus Christi Baffin Bay Buoy 5 (LLNR 39740) to Corpus Christi Baffin Bay Daybeacon 3 (LLNR 39740) in approximate position 27-41-52.120N/097-13-18.961W, showing SG-SY on pile, Ra ref.
 Change Corpus Christi Baffin Bay Buoy 21 (LLNR-39795) to Corpus Christi Baffin Bay Daybeacon 13 (LLNR-39795) in approximate position 27-39-55.125N/097-13-48.960W, showing SG-SY on pile, Ra ref.
 Change Corpus Christi Baffin Bay Buoy 29 (LLNR-39820) to Corpus Christi Baffin Bay Daybeacon 17 (LLNR-39820) in approximate position 27-38-53.223N/097-14-04.854W, showing SG-SY on pile, Ra ref.
 Renumber Corpus Christi Baffin Bay Light 9 (LLNR-39750) to Corpus Christi Baffin Bay Light 5 (LLNR-39750).

Renumber Corpus Christi Baffin Bay Buoy 14 (LLNR-39770) to Corpus Christi Baffin Bay Buoy 10 (LLNR-39770).
Renumber Corpus Christi Baffin Bay Buoy 15 (LLNR-39775) to Corpus Christi Baffin Bay Buoy 9 (LLNR-39775).
Renumber Corpus Christi Baffin Bay Light 17 (LLNR-39780) to Corpus Christi Baffin Bay Light 11 (LLNR-39780).
Renumber Corpus Christi Baffin Bay Daybeacon 18 (LLNR-39785) to Corpus Christi Baffin Bay Daybeacon 12 (LLNR-39785).
Renumber Corpus Christi Baffin Bay Light 25 (LLNR-39805) to Corpus Christi Baffin Bay Light 15 (LLNR-39805).
Renumber Corpus Christi Baffin Bay Daybeacon 26 (LLNR-39810) to Corpus Christi Baffin Bay Daybeacon 16 (LLNR-39810).
Renumber Corpus Christi Baffin Bay Light 33 (LLNR-39830) to Corpus Christi Baffin Bay Light 19 (LLNR-39830).
Renumber Corpus Christi Baffin Bay Daybeacon 34 (LLNR-39835) to Corpus Christi Baffin Bay Daybeacon 20 (LLNR-39835).
Comments will be taken until March 15, 2016.

Charts: 11308 11309

LNLM: 08-16-12D

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

FL - GULF OF MEXICO - PANAMA CITY - U.S. Navy Testing

Commencing on approximately March 20, 2016 and continuing until approximately March 28, 2016, the U.S. Navy will conduct inert underwater mine test operations. A survey will be conducted of a 1 mile square area, inert mine shapes will be deployed, surveyed and recovered. The center point of test field is in approximate position 29-44-57N 085-38-25W. Mariners are requested to remain clear a minimum 2 nautical mile radius of test area while operations are being conducted. U.S. Navy test support vessels will monitor VHF-FM Channel 16. Mariners may contact the U.S. Coast Guard Sector Mobile at (251) 441-5976, for additional information.

Charts: 1115A 11360

LNLM: 08-16

FL - GULF OF MEXICO - U.S. Air Force Munitions Testing

Commencing approximately March 14-17, 2016, from 8:00 a.m. until 12:30 p.m., each day, the U.S. Air Force will be conducting air-to-ground munitions releases approximately 20 miles south of Destin, Florida. The hazard area is bounded by the following approximate positions:

30-18-24N 086-40-06W,
30-18-24N 086-26-06W,
30-12-30N 086-18-30W,
29-57-00N 086-18-30W,
29-52-24N 086-26-06W,
29-52-24N 086-40-06W,
29-57-00N 086-47-42W and
30-12-30N 086-47-42W.

Mariners are required to remain clear of this hazard area during mission periods. Hot range advisories will be broadcast via VHF-FM 16 and via 2182 KHz by the Eglin Joint Test and Training Operations Control Center, call sign "Wolf Call". Points of contact are Eglin Joint Test and Training Operation Control Center (JTTOCC) at (850) 882-5800 or Billy Childress, 96 TW/SEU, at (850) 882-7343.

Charts: 1115A 11360

LNLM: 10-16

FL - GULF OF MEXICO - PANAMA CITY - ST. ANDREW BAY - U.S. Navy Testing

The U.S. Navy will be conducting manned dry submersible test operations in St. Andrew's Bay and the Gulf of Mexico through December 31, 2016. The manned dry submersible will operate on the surface, submerged, under tow on the surface and include dive operations. All U.S. Navy support vessels will monitor VHF-FM Channel 16. Mariners are requested to maintain 1 nautical mile distance from all U.S. Navy test operations. For further information mariners may contact the U.S. Coast Guard at (251) 441-5976.

Charts: 11360 11389 11392

LNLM: 01-16

FL - GULF OF MEXICO - Scientific Instrument Deployment

Continuing until approximately April 15, 2016, the University of Florida will deploy scientific instruments on the sea floor of the Gulf of Mexico, between Destin Inlet and Cape San Blas, Florida. The instruments are approximately 2.5 feet in height from the sea floor and will be placed in water depths greater than 15 feet. For additional information, mariners may contact the U.S. Coast Guard via VHF-FM Channel 16 or the COTP Mobile at (251) 441-5976.

Charts: 11360 11388 11389 11401

LNLM: 47-15

FL - GIWW - LAKE WIMICO - EAST BAY Mile 327.7 - Shoaling

A bank failure occurred north of Cape San Blas in the vicinity of GIWW, Mile 327.7, EHL, at the intersection of the GIWW with the Gulf County Canal, north of Port St. Joe, FL. The bank failure created extensive shoaling across the entire width of the channel. The deepest point in the GIWW in this area is approximately 5.5 feet and the deepest point in the Gulf County Canal in this area is approximately 2.5 feet. The COTP Mobile has restricted all traffic using the GIWW in this area to only that traffic with a 5-foot draft or less. Mariners are urged to exercise caution

FL - GIWW - LAKE WIMICO - EAST BAY Mile 327.7 - Shoaling

when transiting the area. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976

Chart 11393

LNM: 10-16

FL - GIWW - APALACHICOLA BAY - ST. GEORGE ISLAND CHANNEL - Dredge Operation - UPDATE

Continuing until approximately March 11, 2016, the Dredge KELLY L will be conducting dredging operations in the vicinity of St. George Island Channel, in Apalachicola Bay, FL. The dredged material will be transported and disposed of using floating and submerged pipeline. The Dredge KELLY L will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to exercise caution when transiting the area.

Charts: 11401 11404

LNM: 10-16

FL - APALACHICOLA-CHATTAHOOCHEE-FLINT - Lock Closure

Continuing until further notice, Walter F. George Lock, approximate Mile 181.5, is closed for repairs. Mariners can contact ACF Project Management Office at (334) 232-4542, for questions or concerns. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11401

LNM: 50-15

FL - CHOCTAWHATCHEE BAY - Unauthorized Aid to Navigation

The Florida Fish and Wildlife Conservation Commission has reported an unauthorized aid to navigation located in Choctawhatchee Bay near Grass Lake in approximate position 30-27-46.22N 086-25-53.32W. Mariners are requested to exercise extreme caution when navigating the area.

Chart 11385

LNM: 09-16

FL - CHOCTAWHATCHEE BAY - SANTA ROSA SOUND – Surface Craft Formation Operations

The U.S. Air Force will be conducting coordinated surface craft formation operations in either Choctawhatchee Bay, between the Destin Mid-Bay Bridge (State HWY 293) and the State HWY 331 Bridge or between 3-15 miles due south of the Destin Pass. This operation will include a large number of surface craft in formation traveling between the two bridges. The surface craft will be firing multiple distress signal flares as part of the operation. The mission is scheduled for March 14-17, 2016, between the hours of 2:00 p.m. and 5:00 p.m., each day. All mariners are requested to be aware of the noticed operation. Hot range advisories will be broadcast via VHF-FM 16 and via 2182 KHz by the Eglin Joint Test and Training Operations Control Center, call sign "Wolf Call". Points of contact are Eglin Joint Test and Training Operation Control Center (JTTOCC) at (850) 882-5800 or Josh Newton, 96TW/SEU, at (850) 882-7325.

Chart 11385

LNM: 10-16

FL - FIVE MILE (CINCO) BAYOU - Bridge Rehabilitation - UPDATE

The SR 85 Bridge across Five Mile Bayou (Cinco) Bayou, mile 0.7, near Fort Walton in Okaloosa County, Florida, bridge rehabilitation work continues, Monday through Saturday, from 7:00 a.m. until 5:00 p.m. The work consists of replacing steel bridge bearings and spall repairs to concrete beams, with a small amount of cathodic protection work on a couple of concrete piles. The navigation channel is located between Bent 9 and Bent 11 as indicated by the navigation lights for the safe passage of motor vessels. The work has started on the south side moving in a northerly direction, with the bridge having a total of 17 bents. Three barges will be placed on each side of the bents (totaling six) with a seventh barge on the end on the east side of the bent. Each bent will take approximately 10 days. The work is finishing on Bent 6. The work continues on Bents 7, 11, 14 and 15. Mariners should use caution while traveling the channel at Bent 11 as there will be reduction within the channel. The barges will be properly lit according to "Inland Navigational Rule of 1980." Mariners should avoid the area, travel through the navigation spans and urged to proceed at slowest safe speed with extreme caution. Anyone needing assistance should call these contact numbers (850) 377-2219 or (850) 408-1242. Superior Construction will be monitoring VHF-FM Channel 16. The project's estimated completion date of March 2016.

Charts: 11385 11388

LNM: 10-16

FL - CHOCTAWHATCHEE BAY - New Northbound Bridge Construction - Public Notification - UPDATE

This is an update on the construction of the new fixed span northbound bridge crossing the Choctawhatchee Bay (GIWW, Mile 250.3, EHL), U.S. 331, State Road 83, near City of Freeport, Walton County, Florida. For reference purposes, Pier 17 is immediately north of the main channel span and Pier 16 is immediately south of the main channel span. All construction is east of the existing Clyde B. Wells Bridge and the Choctawhatchee Bay Relief Bridge immediately adjacent to the existing bridge. The permanent navigational lighting still needs to be installed on both sides of the new extended fendering systems. Mariners are requested to use slowest safe speed while transiting the construction site of the bridge. The girders have all been placed and the barges may obstruct the channel to erect formwork and support the deck construction activities. There may be times when 75 feet of the channel may be blocked and the intermittent blockage can be removed with a 1-hour notice by calling the listed number. The M/V CAPTAIN BILL and M/V ALBERT PIKE will be monitoring VHF-FM Channel 16. An emergency contact number is (757) 284-0778. This bridge construction continues until approximately August 2016.

Charts: 11385 11388

LNM: 10-16

FL - CHOCTAWHATCHEE BAY - HOGTOWN BAYOU - Wreck - UPDATE

A sunken S/V has been reported in Hogtown Bayou, Florida in approximate position 30-24-00.0N 086-16-34.8W, in approximately 3 feet of water. Only portion of the wreck that is visible is the mast. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area.

Chart 11385

LNM: D8 071-15
10-16

FL - SANTA ROSA SOUND - Fireworks Display

The Portofino Island Resort will be conducting their 2016 Season of Fireworks display on multiple dates starting March 19, 2016 through December 31, 2016. Specific dates will be announced by Broadcast Notice to Mariners. Displays begin at 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a floating platform anchored 500 feet off the end of the resort's pier. Mariners are urged to remain a minimum of 200 yards from the floating platform due to hazards associated with fireworks. For up-to-date information, mariners may contact U.S. Coast Guard Sector Mobile

FL - SANTA ROSA SOUND - Fireworks Display

Waterways Management Branch at (251) 441-5976.

Chart 11385

LNM: 09-16

FL - GARNIERS BAYOU - Bridge Rehabilitation

The SR 85 Bridge across Garniers Bayou, mile 1.0, near Fort Walton in Okaloosa County, Florida is presently rehabilitating the bridge, working Monday through Saturday, from 7:00 a.m. until 5:00 p.m. The work consists of replacing steel bridge bearings and spall repairs to concrete beams, with a small amount of cathodic protection work on a couple of concrete piles. The navigation channel is located between Bent 13 and 14, as indicated by the navigation lights for the safe passage of motor vessels. Work continues on Bent 12 and should be completed by February 27, 2016. Mariners should avoid the area, travel through the navigation spans and are urged to proceed at slowest safe speed with extreme caution. Anyone needing assistance should call these contact numbers (850) 377-2219 or (850) 408-1242. Superior Construction will be monitoring VHF-FM Channel 16. The project has an estimated completion date of March 2016.

Charts: 11385 11388

LNM: 07-16

FL - SAULTSMAN BAYOU AND BASS HOLE COVE- Bridge RIP RAP Rehabilitation

Rehabilitation work has begun since February 23, 2016, on the US HWY 90 (SR 10) Bridge crossing the Saultsman Bayou and Bass Hole Cove, by placing Rip Rap at the base of the bridges. There will be equipment in the waterway and should not affect the navigation channels. Barges should be properly lighted according to the "Inland Navigation Rules of 1980". Radio equipment will be monitored and a contact number at the job site is (850) 375-9434. The project is to continue for 90 days with a completion date of May 22, 2016.

Charts: 11378 11382 11385

LNM: 08-16

FL - PENSACOLA BAY - Dredge Operation/Beach Replenishment

The Dredge R.S. WEEKS and attendant plant have completed dredging operations approximately 3.5 miles offshore Pensacola Beach, FL. Dredge equipment and pipeline will remain on site until approximately March 30, 2016, during the demobilization. Mariners are urged to exercise caution when transiting the area.

Chart 11382

LNM: 09-16

FL - GRANDE BAYOU - Bridge Demolition and New Bridge Construction - UPDATE

Demolition continues and the replacement of the new bridge construction has begun on the CR 292A (Sunset Ave.) crossing Grande Bayou, mile 0.9, in Warrington (near Pensacola), Escambia County, Florida. Spans 1 and 2 girder erection will occur through March 18, 2016. Work continues on Bents #3 and #4. A barge 80 feet by 80 feet has been placed to assist in the demolition of the old bridge moving in a westerly direction and at 50% complete. The crane barges are being used to set the girders, therefore, there are two lattice boom crawler crane barges used for the project, measuring (1) 60 feet by 60 feet and (2) 80 feet by 70 feet. Onsite Tug Boat "MISS AMORY" and Tug Boat #9027 will be secured using hydraulically operated spuds with the proper lighting prescribed by the "Inland Navigational Rules of 1980". The tugs will be monitoring VHF-FM Channel 16, during working hours. The project manager can be reached at (334)-319-7006. Mariners should use the marked navigation channel under Span #12, for transit at their slowest safe speed. This channel has a horizontal measurement of 34.5 feet and a vertical clearance of 7.4 feet. Phase I will continue until March 2016

Chart 11383

LNM: 10-16

FL - GULF OF MEXICO - CHOCTAWHATCHEE BAY - Military Exercise

On March 14-16, 2016, a Military Exercise will be taking place in Choctawhatchee Bay and the Gulf of Mexico south of Destin East Pass. The exercise will be between 7:30 a.m. and 5:00 p.m. each day. The exercise will consist of 35 vessels, some air traffic, and possible use of flares. The U.S. Air Force has established a surface danger area that mariners are prohibited from entering during the exercise. The surface danger area is an octagon shape within the following points: 30-18-24N, 086-40-06W; 30-12-30N, 086-47-42W, 29-56-60N, 086-47-42W; 29-52-24N, 086-40-06W; 29-52-24N, 086-26-06W; 29-57-00N, 086-18-30W; 30-12-30N, 086-18-30W; 30-18-24N, 086-26-06W. Mariners can contact the Air Force vessels on VHF-FM Channel 16 for further instruction. For further information mariners may contact the U.S. Coast Guard at VHF-FM Channel 16 or the COTP Mobile at (251) 441-5976.

Charts: 1115A 11006 11360 11388

LNM: 06-16

AL - DAUPHIN ISLAND - Dredge Operation - UPDATE

The Cutterhead Dredge C.R. McCASKILL has completed dredging operations approximately 4.5 miles offshore of Dauphine Island. Dredge equipment demobilization is expected to be completed approximately March 21, 2016. Mariners are urged to use caution while transiting the area.

Charts: 11377 11378

LNM: 10-16

AL - GIWW - ORANGE BEACH - Wharf Boat & Yacht Show

The Wharf Marina in Orange Beach, Alabama, will be conducting a boat & yacht show from March 17, 2016 through March 20, 2016. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 09-16

AL - MOBILE BAY - Dredge Operation

Continuing until approximately June 2, 2016, the Dredge COLUMBIA will be conducting dredging operations in the Mobile Bay Channel. Dredge material will be disposed of offshore. The Dredge COLUMBIA will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11376

LNM: 05-16

AL - MOBILE BAY - Pipe "Awash"

An awash pipe has been reported in Mobile Bay in approximate position 30-19-01.5N 087-57-56.6W. The obstruction is reportedly not marked.

AL - MOBILE BAY - Pipe "Awash"

Mariners are urged to use caution this area.

Charts: 11376 11377 11378

LNM: D8 012-16
09-16

AL - MOBILE SHIP CHANNEL - Dredge Operation

Continuing until approximately March 15, 2016, the Dredge HENRY A., will be dredging around the McDuffie Terminal in the Mobile Ship Channel. At times there will be an anchor barge located near the edge of the channel. The Dredge HENRY A., will be monitoring VHF-FM Channels 6 or 13. Mariners are requested to contact the Dredge HENRY A., at least 30-minutes in advance to have them move any equipment. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 08-16

AL - THEODORE SHIP CHANNEL - Staging of Dredge Equipment

Continuing until approximately March 20, 2016, Weeks Marine will stage tugs, barges and dredge pipeline in a turning basin off of the Theodore Ship Channel in approximate position 30-31-47.73N 088-07-12.75W. Dredge pipeline will be assembled and transported to the Dauphin Island project jobsite and then submerged from the borrow area to the beach-fill between the following approximate positions 30-10-50.00N 088-03-45.00W and 30-14-46.50N 088-04-57.00W, using the Theodore Ship Channel and the Mobile Bay Channel. Weeks Marine will monitor VHF-FM Channels 13, 16 or 67. Mariners are urged to exercise caution and transit the area at their slowest safe speed to minimize their wake.

Chart 11376

LNM: 09-16

AL - MOBILE RIVER - Dredge Operation

Continuing until approximately April 22, 2016, the Cutterhead Dredge MISSOURI H will be dredging in the vicinity of the Mobile River Channel. Dredged materials will be disposed of using submerged and floating pipeline. The Cutterhead Dredge MISSOURI H will monitor VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11376

LNM: 08-16

AL - ALABAMA RIVER - Dredge Operation

Commencing approximately March 10, 2016 and continuing until approximately March 17, 2016, the Dredge HENRY A., will be conducting maintenance dredging operations adjacent to the Mobile River on the east side of the channel at the Alabama Bulk Terminal. At times there will be an anchor barge located near the edge of the channel. The Dredge HENRY A., will be monitoring VHF-FM Channels 6 or 13. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Randy Stewart at (251) 895-1298 or Justin Tassin at (504) 782-0995.

Chart 11376

LNM: 09-16

AL - DAUPHIN ISLAND - Naval Testing - UPDATE

Commencing approximately March 28, 2016 and continuing until approximately April 16, 2016, the Naval Research Laboratory will deploy research equipment at 6 mooring locations. The planned locations of the moorings are in approximate positions:

Mooring (1), 30-10-28.16N 088-01-07.57W

Mooring (2), 30-10-57.00N 088-04-40.51W

Mooring (3), 30-12-03.49N 088-07-22.15W

Mooring (4), 30-07-46.13N 088-07-23.09W

Mooring (5), 30-03-06.80N 088-07-18.91W

Mooring (6), 29-58-40.01N 088-07-16.00W

Mooring (1) will extend 2 feet off bottom. Moorings (2) and (3) will extend with a line to just below the ocean surface. Moorings (4), (5), and (6) will extend with a line to 30-foot below surface. Nine inch in diameter white buoys with a flashing yellow 2.2s, light characteristic will be deployed to mark these subsurface moorings. Mariners are asked to not disturb these experiments and are urged to use caution when transiting the area.

Charts: 11376 11377 11378

LNM: 10-16

AL - TOMBIGBEE RIVER - Aids to Navigation

Several missing aids to navigation and sunken buoys have been reported between approximate Miles 60.0 and 85.0. Mariners are urged to use caution when transiting the area. For up-to-date information, mariners may contact the U.S. Coast Guard at (251) 441-5976.

LNM: 47-15

MS - RHODES BAYOU - MILE 0.10 - Bridge Removal and Replacement - Construction

Removal and replacement of the Dantzler St. Bridge over Rhodes Bayou, mile 0.10, Moss Point, Jackson County, Mississippi, will commence on November 9, 2015. The construction will proceed until completion on or around April 29, 2016. This removal and replacement will allow for safer roadway use and greater waterway use when completed. During construction, mariners are urged to use extreme caution in transiting the area.

Chart 11373

LNM: 45-15

MS - HORN ISLAND PASS - Petit Bois Island - Shoaling

Shoaling has been reported in the vicinity of Horn Island Pass at the tip of Petit Bois Island on the eastern side of the channel in the vicinity of Horn Island Pass Lighted Buoy 17 (LLNR-7945) and Horn Island Pass Lighted Buoy 18 (LLNR-7950). The shoal extends in the channel approximately 125 feet and is approximately 600 feet long. Mariners should exercise caution when transiting the area. Surveys of this area are available on the USACE website link:

<http://www.sam.usace.army.mil/Missions/CivilWorks/Navigation/HydrographicSurveys.aspx>. For up-to-date information, mariners can contact

MS - HORN ISLAND PASS - Petit Bois Island - Shoaling

the Mr. Steve Reid or Herb Bullock at (251) 957-6019.

Charts: 11373 11374 11375

LNM: 07-16

MS - DAVIS BAYOU - Dredge Operation

Commencing approximately April 4, 2016 and continuing until approximately May 4, 2016, the Dredge LIL OLLIE will be conducting dredging operations in an unnamed canal off of Davis Bayou. Dredging will be performed during daylight hours, 7-days a week. The dredge will be monitoring VHF-FM Channel 16. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Charts: 11372 11373

LNM: 10-16

MS - OCTAVIA BAYOU - Dredge Operation - UPDATE

Continuing until approximately May 20, 2016, the Cutterhead Dredges DADDY BO, PIGGY POO, SHADROC and MOR-THI will be conducting dredging operations in Octavia Bayou. Dredged material will be transported to and disposed of at a disposal site located at Greenwood Island. The dredge project will be working during daylight hours, 7-days a week. The dredges will monitor VHF-FM Channels 13 or 16. Mariners are urged to exercise caution when transiting the area. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11372

LNM: 10-16

LA - GULF OF MEXICO - Drilling Operations

Continuing until further notice, the M/V STENA FORTH will be conducting drilling operations at Tubular Bell, in the Mississippi Canyon Area, Block 725, in approximate position 28-14-42.4N 088-55-38.3W. Work will be conducted 24-hours a day, 7-days a week. The M/V STENA FORTH will be monitoring VHF-FM Channels 6 or 16. Mariners are urged to keep a wide berth and maintain a minimum CPA of 2 nautical miles.

Charts: 1115A 11360

LNM: 09-16

LA - GULF OF MEXICO - Naval Testing

Commencing approximately March 17, 2016 and continuing until March 27, 2016, the Naval Research Laboratory plans to deploy a total of 3 moorings (2 bottom mounted sub-surface moorings and 1 sub-surface line mooring) on the Mississippi shelf. The current planned locations of the moorings are in approximate positions:

29-16-58.87N 088-37-44.40W (in approximate water depth: 64 meters)

29-16-54.73N 088-30-25.20W (in approximate water depth: 69 meters)

29-02-44.16N 088-33-55.80W (in approximate water depth: 365 meters)

Moorings positions will be updated once the moorings are established. Moorings (1) and (2) will be BOPPERS (Bio-Optical Physical Pop-Up Environmental Reconnaissance System). These moorings will measure current velocities as well as bio-optical properties of the water column. The weighted trawl-resistant dome housing for these moorings rests at the seafloor; it is 2.2 meters in diameter and only 0.7 meters tall when not profiling. Naval Research Laboratory will be planning on profiling once every 3 hours (or 8 profiles per day) for the duration of the deployment. When not profiling, there is no surface or water-column expression; all instrumentation is winched back and stowed in the low-profile, trawl-resistant base. The profiler will be sent to the surface once per profile for satellite communications and the only surface expression is during the short (less than 5 minute) data transmission period. Mooring (3), which is offshore of (1) and (2) will be a line mooring that will consist of a sub-surface float 10 meters from the surface and will be weighed down by 2-3 railroad wheels at the sea-floor. Naval Research Laboratory are planning on deploying instruments along the length of this mooring with 3 ECO Pucks at 12, 28 and 50 meters below the surface, and these sensors will measure bio-optical properties. In addition, the Naval Research Laboratory will be attaching 10 SeaBird microcats at 10 meter intervals on the line mooring between 12 and 150 meters depth. These sensors will measure temperature, salinity and water pressure. This is not a profiling mooring and so the line will be continuously present in the water column, extending from the bottom to 10 meters below the surface. There will be no surface expression of this mooring at any time. Mariners transiting the area are urged to use caution.

Charts: 1115A 11360 11366

LNM: 05-16

LA - GULF OF MEXICO - Dredge Operation

Continuing until approximately December 15, 2016, Great Lakes Dredge & Dock Company will be conducting dredging operations and the placement of marsh fill and beach fill on the barrier island of Chenier Ronquille in the Gulf of Mexico for the Chenier Ronquille Barrier Island Restoration Project (BA-76). Sand and marsh fill will be dredged from a distance of one to four nautical miles offshore in designated borrow areas and will be hydraulically placed with a hydraulic dredge via pipeline. The Project is comprised of offshore borrow areas and the existing barrier island of Chenier Ronquille, in approximate positions:

29-20-00.30N 089-48-14.87W

29-19-55.93N 089-46-43.13W

29-16-49.46N 089-47-02.89W

29-17-03.85N 089-52-09.44W and

29-18-52.82N 089-50-44.58W

Small craft and survey vessels will be performing sporadic work in the Project Location beginning the second week of February 2016 and continuing through project completion. Mobilization of land-based equipment for primary dike construction will take place in April 2016 and will involve tug boats, followed by primary dike construction within the bounds of the Chenier Ronquille barrier island. Mobilization of dredge equipment and pipelines will begin in May of 2016 and will continue up to the start of dredging and will include tug boats, derrick barges, survey vessels, and various dredge support equipment. Dredge fill activities will begin in the Summer of 2016 and will take approximately four to five months to complete; equipment will include tug boats, derrick barges, survey vessels, and various dredge support equipment. Dredge equipment demobilization will occur after dredging has finished and is expected to take two months; equipment will include tug boats, derrick barges, survey vessels, and various dredge support equipment. For up-to-date information, mariners can contact Mr. Michael Greenwood, at (630) 928-4315 or MGreenwood@gldd.com.

Charts: 11340 11358 11364 11366

LNM: 06-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation - UPDATE

Continuing until approximately May 7, 2016, the Dredge NEWPORT will be dredging in the Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 10.5, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Dredge NEWPORT will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Heather Jennings, at (504) 862-1253.

Chart 11361

LNLM: 10-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation - UPDATE

The Hopper Dredge B.E. LINDHOLM and attendant plant has completed dredging operations from Head of Passes to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes Mile 0.0 to Mile 11.0 AHOP.

Chart 11361

LNLM: 10-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately June 30, 2016, the Cutterhead Dredge GD MORGAN will be dredging in the Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredged material will be deposited through a combination of floating and submerged pipelines into designated placement areas as directed by the USACE. Dredging will be performed 24-hours a day, 7days a week. The Cutterhead Dredge GD MORGAN will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11361

LNLM: 06-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately April 29, 2016, the Hopper Dredge TERRAPIN ISLAND will be dredging in the Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredged material will be deposited through a combination of floating and submerged pipelines into designated placement areas as directed by the USACE. Dredging will be performed 24-hours a day, 7days a week. The Hopper Dredge TERRAPIN ISLAND will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11361

LNLM: 07-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately March 31, 2016, the Hopper Dredge WHEELER will be dredging in the Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge WHEELER will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNLM: 08-16

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately April 30, 2016, the Cutterhead Dredge E.W. ELLEFSEN and attendant plant will be operating in the Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredged material will be transported to the bank using a combination of floating and submerged pipeline to placement sites as directed by the USACE. Dredging will be performed 24-hours a day, 7-days a week. The dredge and attendant plant will have all U.S. Coast Guard required lighting for night operations. The Cutterhead Dredge E.W. ELLEFSEN and attendant plant will monitor marine VHF-FM Channels 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNLM: 08-16

LA - EMPIRE WATERWAY - DOULLET CANAL - Lock Closure

Continuing until April 8, 2016, the Empire Lock located on the Doullut Canal, which opens into the Mississippi River near Mile 29.5, AHOP will be closed to navigation during construction to replace the lock's guide walls. No river traffic will be impeded. The lock will be impassable for the duration of demolition operations. The contractor will be working during daylight hours, 6:00 a.m. until 6:00 p.m., 7-days a week. Once demolition is complete, the lock may be passable at times. There will be one push boat, one safety boat, one spud barge and one material barge on site. Mariners can contact the contractor via VHF-FM Channels 13 or 67 or by phone at (850) 554-8662, before approaching to obtain current information about lock status and plan accordingly. All mariners are requested to use caution and transit the area at their slowest safe speed to minimize wake.

Charts: 11358 11364

LNLM: 07-16

LA - EMPIRE WATERWAY - Sector Gate Construction

Continuing until approximately July 25, 2016, a U.S. Government Contractor will be replacing the Empire Floodgates with a sector gate. Mariners are urged to use the bypass channel and transit at their slowest safe speed to minimize wake in the vicinity of the construction. For up-to-date information, mariners can contact USACE New Orleans; Bryan May, at (504) 862-1477.

Chart 11364

LNLM: 11-15

LA - EMPIRE WATERWAY - ADAMS BAY - Shoaling

Shoaling has been reported in the vicinity of the entrance of the Empire Jetties in approximate position 29-22-12.0N 089-36-00.0W. Shoaling is reportedly not marked. Mariners are urged to use caution when transiting within this area.

Charts: 11358 11364

LNLM: 07-16

LA - BAYOU DUPRE - Lock Closure

Continuing until further notice, the Bayou Dupre Lock will be closed to navigation.

Chart 11364

LNM: 51-15

LA - NEW ORLEANS - INNER HARBOR NAVIGATION CANAL - Temporary Deviation - Bridge Closure

The Commander, Eighth Coast Guard District has issued a temporary deviation from the regulation in 33 CFR 117.458(c), governing the operation of the Senator Ted Hickey bascule span bridge on Leon C. Simon Boulevard across the Inner Harbor Navigation Canal, Mile 4.6, at New Orleans, Orleans Parish, Louisiana. This deviation allows the Louisiana Department of Transportation and Development to close the bridge to navigation from 7:00 a.m. until 2:00 p.m. continuously on Sunday, April 3, 2016. The deviation will allow the draw of the bridge to remain in the closed-to-navigation position, 7:00 a.m. through 2:00 p.m., for the Endurance Festival event.

The vertical clearance of the bridge in the closed-to-navigation position is 46 feet above MHW. Vessels requiring less than 46 feet of clearance may transit beneath the bridge during operations but are urged to exercise caution when doing so. The draw will not be able to open for emergencies during this event. There is an alternate route available via the Rigolets Pass to vessel traffic. Mariners may wish to consider using alternate routes during this closure.

Charts: 11367 11368 11369

LNM: 07-16

LA - CHEF MENTEUR PASS - Drawbridge Operating Regulation - Temporary Deviation - Bridge Closure

The Commander, Eighth Coast Guard District has issued a temporary deviation from the regulation in 33 CFR 117.458(c) and 33 CFR 117.436, governing the operation of the Seabrook Highway/ Sen. Ted Hickey Bridge across Inner Harbor Navigation Canal, mile 4.6, in New Orleans, Orleans Parish, Louisiana, and the bridge at Chef Pass over Lake Catherine at Mile 2.8 respectively. These deviations allow the Louisiana Department of Transportation and Development to close the bridges to navigation on April 17, 2016, from 7:00 a.m. through 1:00 p.m. for the Chef Menteur Bridge and from 8:00 a.m. through 5:00 p.m. for the Ted Hickey Bridge. These closures are to facilitate the Ochsner Ironman 70.3 New Orleans Race event.

The vertical clearance of the bridge in the closed-to-navigation position is 46 feet above MHW. Vessels requiring less than 46 feet of clearance may transit beneath the bridge during operations but are urged to exercise caution when doing so. The vertical clearance of the US 90 swing-span bridge at Chef Menteur Pass over Lake Catherine is 11 feet above mean high water. The draw will not be able to open for emergencies. There is an alternate route available via the Rigolets Pass to vessel traffic. Mariners may wish to consider using alternate routes during this closure.

Charts: 11367 11368 11369

LNM: 07-16

LA - GIWW - INNER HARBOR NAVIGATION CANAL - Surge Barrier Complex Bypass Barge Gate

Continuing until approximately March 31, 2016, the GIWW Bypass (Barge) gate in the vicinity of Mile 15.5, EHL, will be closed for repairs to the chain and fairleads. The closure of the Bypass (Barge) Gate will not result in the closure of the GIWW. The main sector gate remains open to navigation. The closure of the Bypass (Barge) Gate will impact the velocities through the main channel sector gate. Mariners are urged to transit the area at their slowest safe speed to minimize wake in the vicinity of the structure and transit the area with caution.

Chart 11367

LNM: 02-16

LA - GIWW - INNER HARBOR NAVIGATION CANAL - Lock Closure - Maintenance - UPDATE

Mariners are advised that the repairs to the valve pit seals on the Inner Harbor Navigation Canal (IHNC) Lock, approximately 9.5 Miles, EHL, have been delayed until further notice.

Chart 11367

LNM: 10-16

LA - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately September 1, 2016, the Great Lakes Dredge and Dock Company will be conducting dredging operations on Lower Mississippi River, approximate Mile 28.0, to Mile 30.0, AHOP, LDB, across from Empire, LA. The Dredge FLORIDA and related floating plant will consist of (barges and tugboat). Mobilization of waterside equipment continues until approximately March 7, 2016.

Dredge Limit:

29-22-45.62N 089-34-41.52W

29-22-55.74N 089-34-22.69W

29-23-49.07N 089-35-44.71W

29-24-46.62N 089-36-09.28W

29-24-43.11N 089-36-24.33W

29-23-45.19N 089-35-54.23W

Mississippi River Crossing Submerged Pipeline Route:

29-23-16.41N 089-35-02.94W

29-23-00.75N 089-35-19.77W

Mississippi River East-bank Submerged Pipeline Route:

29-23-16.41N 089-35-02.94W

29-23-48.86N 089-35-40.34W

29-24-37.62N 089-36-03.15W

Empire, LA Land Pipeline Route:

29-22-58.75N 089-35-19.63W

29-22-28.22N 089-35-51.70W

Empire Waterway Submerged Pipeline Route:

29-22-28.22N 089-35-51.70W

29-21-44.94N 089-35-54.01W

29-19-32.76N 089-36-09.33W

29-16-10.56N 089-36-13.65W

Empire Waterway Navigation Crossing Locations:

LA - MISSISSIPPI RIVER - Dredge Operation

29-21-12.01N 089-35-40.53W
29-20-16.26N 089-35-35.25W
29-18-00.23N 089-35-53.02W
29-16-50.88N 089-36-02.61W
29-15-59.83N 089-36-15.54W
29-15-32.03N 089-36-21.53W

Booster Erin Location - Booster area #2, 29-21-44.94N 089-35-54.01W. Booster Pontchartrain Location - Booster area #4, 29-19-34.22N 089-36-08.28W. Booster Jessie Location - Booster area #5, 29-18-19.60N 089-35-55.05W. Booster Texas Junior Location - Booster area #6, 29-16-14.34N 089-36-12.84W. Dredging will be performed 24-hours a day, 7-days a week. Dredge material will be directly pumped by the dredge through submerged and floating pipeline, routed directly from the dredging areas to the designated reclamation area. The Dredge FLORIDA will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed after passing arrangements have been made. For up-to-date information, mariners can contact Brian Puckett, at (630) 300-4029.

Chart 11370

LNLM: 05-16

LA - MISSISSIPPI RIVER - Mile 95.7, AHOP - NEW ORLEANS HARBOR - Sandblasting/Painting

Until further notice, the new US 90 (Crescent City Connection/GNO) eastbound Bridge across the Mississippi River, Mile 95.7, AHOP, in Orleans and Jefferson Parishes, Louisiana will undergo sandblasting and painting to the underside of the bridge. Presently, work has begun and the containment system for the portions of the bridge outside of the navigation span on the right descending bank has been placed below the bridge. On or about February 22, 2016, the contractor will begin sandblasting within the main channel span, beginning from the right descending bank pier and moving towards the left descending bank pier. The contractor has divided the work into five (5) 300-foot sections within the navigable span and for the purposes of the project will be described as sections A, B, C, D, and E. During the project, the containment system throughout the project will reduce the vertical clearance by one foot at all times and by up to three feet in the lettered section that the contractor will be working within. The contractor will begin in Section A and will work for approximately two weeks before moving into Section B. While working within a section, the containment system may further reduce the published vertical clearance by a total of three feet. If a mariner needs the containment system raised to only the one foot reduction, they may do so with four hours notice by contacting the Vessel Traffic Service at (504) 365-2514.

The work schedule provided indicates that each section should take approximately two weeks to complete and the entire section within the main channel span should be completed by early May, weather permitting. The schedule will be updated as necessary. The published vertical clearance of the bridge is 150 feet above mean high water, elevation 20 feet (or 170 feet minus the Carrollton Gauge). The most accurate and up to date vertical clearance information for the bridge can be found on the NOAA website at:

<https://tidesandcurrents.noaa.gov/ports/ports.html?id=8761847&mode=airgap>.

YOU ARE REMINDED that this number has NOT BEEN adjusted to reflect the vertical clearance reduction caused by the containment system.

The information provided will be updated as new information becomes available. Mariners are advised to use extreme caution when traversing the project area. Mariners with questions should contact the Eighth Coast Guard Bridge Administration Branch at (504) 671-2128. Additional information may be provided as necessary by the contractor, Mr. Yianni Koullios, (330) 272-1806 with INTEC (contractor POC), or the New Orleans VTS (Algiers Point traffic control) (504) 365-2514.

Chart 11370

LNLM: 07-16

LA - LAKE PONTCHARTRAIN - Dredge Operation

Continuing until approximately March 18, 2016, the Dredge BORINQUEN and attendant plant will continue dredge operations in the vicinity of Milton Island and Lake Pontchartrain, St. Tammany Parish, LA. The work zone perimeter will be the area bound by the following approximate positions:

30-22-24N 090-13-55W,
30-23-12N 090-12-23W,
30-21-34N 090-13-11W and
30-22-23N 090-11-40W.

The dredge and attendant plant will operate 24-hours a day, 7-days a week. Mariners are cautioned to transit surrounding areas at minimum safe speeds and safe distances. The Dredge BORINQUEN and assisting tugs will be monitoring VHF-FM Channels 11 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11370

LNLM: 09-16

LA - MISSISSIPPI RIVER MILE 103.9, AHOP TO MILE 104.2, AHOP - Damage to Water Intake Barriers

Damage to water intake protection barriers have been reported on the Lower Mississippi River in the vicinity of Mile 103.9, AHOP, LDB, and Mile 104.2, AHOP, LDB. Protective barges have been placed in the vicinity of Mile 103.9, AHOP and Mile 104.2, AHOP, along the LDB, until the permanent water intake protection barriers can be repaired or replaced. Mariners are requested to use caution when transiting within the area. For additional information, mariners can contact Dev Jani at (504) 658-8713.

Chart 11370

LNLM: 06-16

LA - MISSISSIPPI RIVER - MILE 125.7, AHOP, LDB - Salvage Operations

Continuing until approximately April 30, 2016, salvage operations and construction will be taking place at the Motiva Norco dock located near Mile 125.7, AHOP, LDB, of the Lower Mississippi River. Operations will be conducted 7-days a week during daylight hours. The MV MISS ELIZA can be reached on VHF-FM Channels 67, 74 and 75 for sailing instructions. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution when transiting the area. The point of contact, Mr. Austin Bradshaw, can be contacted at (409) 284-0342 for additional information.

Chart 11370

LNLM: 06-16

LA - MISSISSIPPI RIVER - MILE 127.0, AHOP, LDB - Dive Operations

Continuing until approximately March 14, 2016, dive operations will be taking place at the Valero Dock, at approximate Mile 127.0, AHOP, LDB. Dive operations will be conducted during daylight hours only. The dive boat on-scene will monitor VHF-FM Channel 67, for sailing instructions. The point of contact, Mr. Timothy Long, can be reached, via phone at (504) 223-3802. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution when transiting the area.

Chart 11370

LNLM: 10-16

LA - MISSISSIPPI RIVER - MILE 169.5, AHOP - Subaqueous Stone Berms

Continuing until approximately April 1, 2016, a U.S. Government Contractor will be placing subaqueous stone along the Mississippi River, approximate Mile 169.5, AHOP, RDB. Work will be performed 7-days a week, from 6:00 a.m. to 6:00 p.m. The contractors floating plant will consist of the M/V PINE BLUFF, spud barges, tender boats and survey boats. The M/V PINE BLUFF will monitor VHF-FM Channels 67 and 88 or phone at (318) 452-5448. Mariners are urged to transit the area at their slowest safe speed to minimize their wake after passing arrangements have been made

Charts: 11367 11370

LNLM: 08-16

LA - MISSISSIPPI RIVER - MILE 185.0, AHOP, LDB - Subaqueous Stone Operation/Upper Bank Paving - UPDATE

Continuing until approximately May 1, 2016, the M/V MISS NINA will be laying subaqueous stone in the vicinity of Mile 185.0, AHOP, LDB. The work was delayed due to recent high water conditions. Work will be performed 7-days a week, during daylight hours only. The Contractors floating plant will consist of the M/V NINA, spud barges, tender boats and survey boats. A barge fleet will be established in close proximity to the worksite. The M/V MISS NINA will be monitoring VHF-FM Channels 16 or 67 or at (318) 452-0183. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The point of contact, Mr. Allen Crawford may be contacted at (337) 291-3001.

Chart 11370

LNLM: 10-16

LA - MISSISSIPPI RIVER - MILE 234.0, AHOP - MILE 151.0, AHOP - Dredge Operation

Continuing until approximately March 15, 2016, the Dustpan Dredge WALLACE McGEORGE will be working at the Mississippi River Deep Draft Crossings between Mile 234.0, AHOP and Mile 151.0, AHOP. The first dredging location will be at Belmont Crossing, at approximate Mile 152.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Dustpan Dredge WALLACE McGEORGE will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842.

Chart 11370

LNLM: 07-16

LA - MISSISSIPPI RIVER, MILE 234.0, AHOP - MILE 151.0, AHOP - Dredge Operation

Continuing until approximately March 22, 2016, the Dredge JADWIN is operating at the Mississippi River Deep Draft Crossings between Mile 234.0, AHOP and Mile 151.0, AHOP. The first dredging location will be in the vicinity of Mile 190.0, AHOP, at Alhambra Crossing. Dredging will be performed 24-hours a day, 7-days a week. The Dredge JADWIN will be monitoring VHF-FM Channels 16 or 67. Mariners are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings at (504) 862-1253.

Chart 11370

LNLM: 08-16

LA - BAYOU LAFOURCHE - Saltwater Control Structure

Continuing until approximately October 20, 2016, construction of the Bayou Lafourche Saltwater Control Structure will be taking place in approximate position 29-39-15.0N 090-32-31.0W. Mariners are urged to transit the area at the slowest safe speed to minimize wake and proceed with caution. The point of contact can be reached at (985) 237-5848.

Charts: 11352 11355

LNLM: 07-16

LA - BAYOU PEROT - Revetment Operation

Continuing until approximately November 30, 2016, Pontchartrain Partners L.L.C. will be conducting rock revetment operations in Bayou Perot/Little Lake in approximate position 29-34-17.97N 090-10-17.33W. Operations will be performed 24-hours a day, 7-days a week. The on-scene vessel M/V VULTURE will monitor VHF-FM Channel 9. For additional information, mariners can contact, Mr. Matt Karl, at (504) 343-9952. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution.

Charts: 11365 11367

LNLM: 50-15

LA - GIWW - HARVEY LOCK - Lock Closure

Continuing until approximately April 29, 2016, the Louisiana Department of Transportation and Development will make necessary repairs to the 4th Street Bridge, in Harvey, Louisiana, which is located adjacent to the Harvey Lock, on the GIWW. The repairs will result in the 4th Street Bridge being placed in the down position and cause closure of the GIWW at this location. Harvey Lock will be closed to navigation during this work. Algiers Lock can be used as an alternate route. For up-to-date information, mariners can contact the Lockmaster at Harvey Lock, Greg Desselles, at (504) 366-4683, the lock wall, (504) 366-5187 or the USACE New Orleans, Victor Landry, at (504) 862-2407.

Charts: 11367 11368 11369

LNLM: 08-16

LA - LAKE LERY - Marsh Creation and Restoration

Continuing until approximately April 26, 2016, Coastal Dredging Company, Inc. will be performing marsh creation and restoration operations in Lake Lery. The crew will be operating 24-hours a day, 7-days a week, along the south shoreline of Lake Lery, in Plaquemines Parish, Louisiana. The crew will be monitoring VHF-FM Channels 10 or 16. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact Tommy Kilbride, at (985) 641-6243.

Chart 11364

LNLM: 18-15

LA - BAYOU PETIT CAILLOU - Safety Zone

Continuing until approximately March 18, 2016, the COTP Morgan City has established a Safety Zone at the Boudreaux Canal flood gate along Bayou Petit Caillou. This area is closed to all marine traffic in order to allow for the reinstallation of the flood gate. Mariners can contact U.S. Coast Guard MSU Morgan City at (985) 380-5370, for additional information.

Charts: 11352 11357

LNM: 10-16

LA - DES ALLEMANDS BAYOU - Temporary Deviation from Operating Regulations

All interested parties are notified that a Temporary Deviation governing the operation of the Burlington Northern Santa Fe Railroad swing span bridge across the Des Allemands Bayou, mile 14.0, at Des Allemands, St. Charles and Lafourche Parishes, Louisiana has been issued by the Coast Guard. The deviation will allow the bridge to remain in the closed-to-navigation position continuously for 42 days effective from 6:00 a.m., February 21, 2016, through 11:59 p.m., April 1, 2016. This closure is necessary to replace the swing span on the bridge. The bridge will not be able to open for emergencies and there is no immediate alternate route for vessels to pass. The deviation is published in the Federal Register at <https://federalregister.gov/a/2016-02778>.

Chart 11352

LNM: 07-16

LA - ATCHAFALAYA RIVER - BAYOU CHENE - Bayou Chene Emergency Temporary Flood Control Structure Closure

The USACE, New Orleans District has approved an Emergency Temporary Flood Control Closure Structure at Bayou Chene to be maintained by the St. Mary Levee District. The closure structure consists of a lighted barge displaying seven (7) Flashing White Lights (FL2.5s) located at approximate position: 29-37-19.6N 091-05-24.0W. Bayou Chene shall remain closed in this location until further notice. Alternate navigation routes are required. Mariners having questions regarding navigation safety in or around Bayou Chene are requested to immediately contact the U.S. Coast Guard Vessel Traffic Service Morgan City at (985) 380-5334. The St. Mary Levee District may be contacted at (985) 380-5500. Mariners are requested to exercise extreme caution when navigating the area.

Charts: 11351 11354 11355

LNM: 08-16

LA - ATCHAFALAYA RIVER, MILE 142.0 TO MILE 143.0 - Shoaling

Shoaling has been reported between Mile 142.0 and Mile 143.0, on the Atchafalaya River. The shoaling is reported to be less than 15 feet at mean low water. The shoaling is reportedly not marked. Mariners are urged to proceed with caution when transiting the area.

Charts: 11351 11352 11354

LNM: 10-16

LA - OLD RIVER CONTROL STRUCTURE - Buoy Deployment

Continuing until further notice, buoys will be deployed and anchored at the Old River Control Structure with attachment of sonic receivers that will receive telemetry signals monitoring the movement of endangered sturgeon, which have been outfitted with internal sonic transmitters. Detections by these receivers will be used to evaluate the time and magnitude of Mississippi River sturgeon entrained through the ORCS and into the Atchafalaya River. This study is funded by the Mississippi Valley Division of the U.S. Army Corps of Engineers (USACE). In compliance with the U.S. Coast Guard guidelines and specifications, buoys will be painted yellow, labeled with all appropriate USACE markings, and reflective tape will be applied to the designated areas. Mariners are urged to stay at least 100 feet away from buoys at all times. For up-to-date information, mariners can contact Bradley R. Lewis, at (601) 634-3481 or cell (601) 631-3481.

Chart 11354

LNM: 11-15

LA - MORGAN CITY TO PORT ALLEN - High Water Condition

Continuing until further notice, the COTP Morgan City has implemented the high water towing limitations for vessels within Vessel Traffic Service Berwick Bay. Details of these limitations are set forth in Title 33, Code of Federal Regulations, Part 165.811 and the Vessel Traffic Service Berwick Bay user manual. For up-to-date information, mariners can contact MSU Morgan City, at (985) 380-5374.

Chart 11354

LNM: 09-16

LA - FRESHWATER BAYOU CANAL - Stone Placement

Continuing until approximately May 4, 2016, a state contractor will be placing stone on the existing shoreline protection on Freshwater Bayou Canal. Work will be performed between approximate Mile 3.0 to Mile 21.0, on the west bank of the canal. The work will be performed 7-days a week, during daylight hours only. The equipment will consist of a rig barge and various stone material barges. The M/V JAY GENE will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed after passing arrangements have been made. For up-to-date information, mariners can contact Lonnie Dunn, at (318) 729-7588 and Danny Moore, at (318) 729-7572.

Charts: 11349 11350

LNM: 52-15

LA - CALCASIEU RIVER - Dredge Operation

Continuing until approximately May 25, 2016, the Dredge INGENUITY will be conducting dredging operations between approximate Miles 15 and 36, including the A4 turning basin, Devils Elbow, Coon Island and Clooney Island Loop. Dredging will be performed 24-hours a day, 7-days a week. The Dredge INGENUITY will be monitoring VHF-FM Channels 13 or 16, for sailing instructions. There are numerous work and support vessels associated with operation, which include the M/V MS. PAULA, M/V COMMODORE and various work barges. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11339

LNM: 47-15

LA - CALCASIEU RIVER - BAYOU D'INDE - Dredge Operation

Commencing approximately April 1, 2016 and continuing until approximately June 30, 2016, the Dredge MCKENZIE will be conducting dredging operations along with the M/V JESSIE'S GIRL, 2 Hydraulic push boats, 1 (20-foot by 40-foot) A-Frame barge and an assortment of small crew boats with 15hp to 150hp motors. Rock unloading vessels will vary but will consist of tugs and material/hopper barges. Dredging operations will be conducted in Bayou d'Inde in approximate position 30-12-37.4N 093-18-11.8W. Dredging will be performed Monday through Saturday, from 7:00

LA - CALCASIEU RIVER - BAYOU D'INDE - Dredge Operation

a.m. until 7:00 p.m. Rock unloading will be intermittent during daylight hours only. The 18-inch hydraulic dredge discharge line will run along the northern shoreline of the bayou (outside of the navigable channel) to a marsh. The dredge line will have lights in compliance with U.S. Coast Guard regulations. Mariners need to be aware of rock unloading operations at Crumpler property. The Dredge MCKENZIE along with the M/V JESSIE'S GIRL will be monitoring VHF-FM Channels 9, 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11339

LNM: 09-16

LA - GIWW - BLACK BAYOU - Dewatering, Dredge and Rock Placement Operations

Continuing until approximately April 30, 2016, dewatering, dredging and rock placement operations will be underway in Black Bayou adjacent to the GIWW. Work will be performed 10-hours a day, 6-days a week. The M/V MISS COON will be monitoring VHF-FM Channels 7 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the manager at Tarpan Construction, Trudy Poret, at (318) 876-2127 (office) or (318) 359-7086 (cell).

Charts: 11339 11345 11347

LNM: 08-16

LA - GIWW - BLACK BAYOU - Safety Zone

The COTP Houston Galveston has established a Safety Zone on the GIWW, 1000 yards east and west of Black Bayou Bridge, located at Mile 238.0, WHL, in Lake Charles, LA. This Safety Zone is necessary to protect vessels, infrastructure and the environment from hazards posed by a damaged fendering wall and anticipated salvage operations. A one way traffic restriction has been imposed and is being monitored by U.S. Coast Guard personnel in Lake Charles, LA. Mariners can contact MSU Lake Charles at (337) 912-0073 or the Calcasieu Lock on VHF-FM Channel 14, for traffic direction and queue status. Mariners are urged to use caution when transiting the area.

Charts: 11339 11345 11347

LNM: 10-16

TX - SABINE PASS - Pier Construction

Continuing until approximately April 30, 2016, Manson Construction will be constructing a new pier at the Sabine Pass Port Authority in approximate position 29-44-13.4N 093-52-58.1W. The construction barge will be faced up to the property and held in place by two anchors extending approximately 200 feet from the barge and marked by 6-foot cylindrical anchor buoys. Work will be performed Monday through Friday, during daylight hours. Mariners are urged to exercise caution in the area. For up-to-date information about the event, mariners may contact Paul Horvath at (904) 821-0211.

Charts: 11341 11342

LNM: 49-15

TX - GIWW - SABINE NECHES WATERWAY - PORT ARTHUR - Bank Stabilization/Dredge Operation

Continuing until approximately April 26, 2016, Southern Contracting L.L.C. will be removing rip-rap and install sheet pilings at the USACE Port Arthur mooring on Pleasure Island. A barge will be working along the banks of the Sabine Neches Canal in the area. Mariners are urged to exercise caution in the area.

Chart 11342

LNM: 42-15

TX - LA - SABINE PASS AND LAKE CANAL - Bridge Maintenance

The dolphin repair project has begun on State Highway 87 at the Rainbow Bridge (mile 1.5) and the Veteran Bridge (mile 1.4) crossing the Sabine Neches Canal, Jefferson County, Texas. The project calls for 210-working days between the hours of 7:00 a.m. until 5:30 p.m. The work began on the downstream green side and working upstream before moving to the other side. No equipment will be positioned in the channel. Equipment used for the project will be placed outside of the channel and properly lighted at night. The contractor is McCarthy Building Companies, Inc. and can be contacted at (832) 593-5257. Mariners should exercise caution in this area.

Chart 11342

LNM: 06-16

TX - GIWW - ELLENDER TO GALVESTON BAY - Reduction in Clearance for Maintenance and Painting

The Highway 87 Bridge (West Port Arthur Bridge) across the GIWW, Mile 288.8, WHL, at Port Arthur, Texas will have a 3-foot reduction in clearance for maintenance and painting operations. The bridge provides a horizontal clearance of 125 feet for the full navigation channel width, 210 feet between fenders. The vertical clearance will be 69 feet instead of the published 72 feet. The reduction will run through the end of April 2016. All changes to this schedule and the reduction will be done by LNM and/or BNM. Mariners are urged to proceed with caution and use slowest safe speed when transiting the work area.

Charts: 11331 11342

LNM: 40-15

TX - GIWW - HIGH ISLAND - ROLLOVER PASS - Bridge Maintenance

All mariners are advised to take precaution while transiting under the High Island Bridge located in the GIWW at approximate Mile 319.0. Bridge repairs are scheduled to be conducted between January 19, 2016 and March 19, 2016, reducing vertical clearance from 73 feet to 69 feet. All mariners are urged to exercise caution while transiting through the area during that time. For more information, contact U.S. Coast Guard Sector Houston Galveston Command Center at (281) 464-4840.

Chart 11331

LNM: 03-16

TX - GIWW - GALVESTON BAY - Bridge Maintenance Closure

The Commander, Eighth Coast Guard District has issued a temporary deviation from the regulations in 33 CFR 117 for the Galveston Causeway Railroad bascule span bridge across the GIWW, Mile 357.2, WHL, in Galveston, Galveston County, Texas. The bascule span will be closed to navigation from 7:00 a.m. until 11:00 a.m. and then again from 1:00 p.m. until 5:00 p.m., daily, beginning March 7 through March 11, 2016. All vessels in the queue will be passed at the scheduled opening times. The temporary deviation will allow for cable lubing and other scheduled maintenance. Vessels that do not regularly require an opening may pass at any time at minimum safe speed. In the event of an emergency, the

TX - GIWW - GALVESTON BAY - Bridge Maintenance Closure

bridge can be returned to service.

Charts: 11322 11323 11324

LNM: 07-16

TX - GALVESTON BAY - Dredge Operation

Continuing until further notice, the Dredge TEXAS CUTTER will be conducting dredge operations in the vicinity of Pier 33 and working east to the cruise terminals in the Port of Galveston. The Dredge TEXAS CUTTER will be set up parallel to the channel and will be transporting dredge material to Pelican Island via dredge pipeline. The Dredge TEXAS CUTTER will monitor VHF-FM Channels 13, 23 or 72. For up-to-date information, mariners can contact Callan Marine Pipeline at (409) 489-4216. Mariners are urged to exercise caution in the area.

Charts: 11326 11327

LNM: 08-16

TX - CLEAR CREEK CHANNEL - Visible Pile

A visible pile has been reported near Clear Creek Channel in approximate position 29-33-17.3N 095-04-17.7W. The obstruction is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11326

LNM: D8 013-16
10-16

TX - CLEAR CREEK CHANNEL - Visible Pile

A visible pile has been reported near Clear Creek Channel in approximate position 29-33-12.7N 095-04-14.8W. The obstruction is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11326

LNM: D8 014-16
10-16

TX - CLEAR CREEK CHANNEL - Visible Pile

A visible pile has been reported near Clear Creek Channel in approximate position 29-33-13.6N 095-04-13.9W. The obstruction is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11326

LNM: D8 015-16
10-16

TX - HOUSTON SHIP CHANNEL/BARBOURS CUT - Dredge Operation

Continuing until approximately April 1, 2016, the Bucket Dredge WEEKS 6401 and attendant plant will be conducting dredging operations in the vicinity of Barboours Cut Terminal, Dock 8, in Laporte, TX. Dredging will be performed 24-hours a day, 7-days a week. The dredge and attendant plant will be lighted at night according to U.S. Coast Guard regulations. The Bucket Dredge WEEKS 6401 will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11328

LNM: 08-16

TX - FREEPORT CHANNEL - Dredge Operation

Continuing until approximately May 10, 2016, Weeks Marine, Inc. Dredge CAPTAIN FRANK and attendant plant will be operating in the vicinity of Freeport LNG Dock 2 Basin, Brazoria County TX. The work zone is located in the following approximate positions:

28-56-18.71N 095-18-43.07W,
28-56-27.61N 095-18-32.18W,
28-56-14.80N 095-18-27.36W and
28-56-10.23N 095-18-33.55W.

Dredged Material will be transported by barges/scows to the Freeport New Work ODMDS in the Gulf of Mexico, located in the following approximate positions:

28-52-13.14N 095-14-59.25W,
28-50-54.94N 095-13-29.51W,
28-49-30.68N 095-14-42.31W and
28-50-48.69N 095-16-33.11W.

Dredging will be performed 24-hours a day, 7-days a week. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations. The Dredge CAPTAIN FRANK and tugs will be monitoring VHF-FM Channels 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Miquel A. Cruz, at (985) 875-2500 or macruz@weeksmarine.com.

Charts: 11321 11322 11330

LNM: 02-16

TX - BRAZOS RIVER - Floodgate Advisory - UPDATE

Continuing until approximately April 29, 2016, J&S Contractors will be working at the Brazos River floodgates making repairs to the the east and west floodgates. This work may require closures during the designated periods of work, Monday through Friday. Gate closures are not expected to be in effect during weekends and federal holidays. Work will be conducted from 7:00 a.m. until 5:00 p.m., Monday through Friday. For up-to-date information, mariners are urged to contact the Lockmaster at (979) 233-1251, to confirm the closure time so as to minimize their delay. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution when transiting the area.

Chart 11322

LNM: 10-16

TX - GIWW - MILE 360.0 - MILE 368.0 WHL - Dredge Operation

Continuing until approximately March 11, 2016, the Dredge MIKE HOOKS will be conducting dredging operations in the GIWW between approximate Mile 360.0, WHL and Mile 368.0, WHL. Work will be conducted 24-hours a day, 7-days a week. The Dredge MIKE HOOKS requests

TX - GIWW - MILE 360.0 - MILE 368.0 WHL - Dredge Operation

single-wide tows and a 20-minute notice for all vessels passing the dredge for the duration of the dredging project. The Dredge MIKE HOOKS will monitor VHF-FM Channel 87A. The project manager can be reached at (337) 436-6693. Contact the U.S. Coast Guard Houston Sector Command Center at (281) 464-4840, to report any incidents in this area. Mariners are urged to exercise caution in the area.

Chart 11322

LNM: 08-16

TX - GIWW - COLORADO RIVER LOCKS - Lock Closure

Continuing until April 29, 2016, the USACE will be working at the Colorado River Locks, diving on all sector gates, inspecting and working on both the east and west locks. This work may require closures during designated periods of work, Monday through Friday, from 7:00 a.m. until 5:00 p.m. Gate closures are not expected to be in effect during weekends and federal holidays. For up-to-date information, mariners are urged to contact the Lockmaster at (979) 863-7842, to confirm the closure time so as to minimize their delay. The lockmaster will be knowledgeable of the exact closure time's 24-hours in advance of closure. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution when transiting the area.

Chart 11319

LNM: 08-16

TX - VICTORIA BARGE CANAL - Final Rule regarding Drawbridge Operating Regulations - Remote Operation

The Commander, Eighth Coast Guard District has issued a Final Rule for the regulation in 33 CFR 117 governing the operation of the Union Pacific Railroad vertical lift span bridge across the Victoria Barge Canal, mile 29.4 near Bloomington, Texas. Mariners will notice no change, as the Final Rule is the same as the Interim Rule previously published. This rule was effective as of March 4, 2016. This Final Rule as published in the Federal Register on March 4, 2016, [81 FR 43,] modifies the existing rules and will allow the draw of the bridge to open as follows: The bridge owner has posted signage regarding the operation of the bridge at two miles, at one mile, and at one-half mile from the bridge in each direction. To facilitate the continued smooth operation of the bridge, mariners should exchange opening requests using the following method:

1. When a vessel with AIS equipment onboard approaches the two-mile post, the vessel may continue to transit the waterway but must tune their radiotelephone to VHF-FM Channel 13 and receive passing instructions from the railroad dispatcher. The dispatcher must contact the vessel promptly to provide passing instruction to insure the continued safe transit of the vessel. Vessels without AIS equipment or vessels with AIS who would prefer to call via telephone, may call the railroad dispatcher at (800) 262-4691 to arrange passing instructions.
2. When any vessel approaches the one-mile post, the railroad dispatcher should have either cleared the vessel through the bridge or given an indication that a train is in the block and the vessel will be cleared as soon as practicable. If the vessel has not yet spoken with the railroad dispatcher, the vessel should immediately call the railroad dispatcher via telephone at (800) 262-4691.
3. When any vessel reaches the one-half mile post and has not communicated with the railroad dispatcher nor been cleared to proceed, the vessel should stop and contact either the railroad dispatcher at (800)-262-4691 or the Port of Victoria emergency contact at (361) 570-8855. This rule was effective March 4, 2016.

Chart 11315

LNM: 10-16

TX - COPANO BAY - New Bridge Replacement and Demolition of Old Bridge

Scheduled demolition continues from 6:00 a.m. until 6:00 p.m., in an easterly direction. Span #70 and #71, located at the navigation channel on the SH 35 Bridge crossing Copano Bay, mile 0.0, located near Rockport, Aransas County, Texas. Installation of the new fender system to begin immediately pending weather conditions. This will require being in the channel occasionally. Barges will be traveling from the removal site on a daily basis carrying removed spans, caps, columns, and tie beams. Removal of caps, columns and tie beams continue on Span #134, moving north. Divers will be present to retrieve any falling debris. Substructure concrete is beginning at Bent #11 and moving north toward Bent #24. Presently, driving 54 inch cylinder piles at Bent #28 thru #40 moving towards the channel. Lead Tug will be monitoring VHF-FM Channel 69 or (631) 557-1359. Project contact is William Brothers Construction Inc., at (228) 243- 0493 or (409) 739-9590. New construction has started on the northbound bridge extending until 2018. Mariners should exercise extreme caution when transiting the area.

Charts: 11313 11314

LNM: 09-16

TX - CORPUS CHRISTI SHIP - LAQUINTA CHANNEL - Dredge Operation

Continuing until approximately January 25, 2017, the Great Lakes Dredge and Dock Company will be conducting dredging operations in Corpus Christi La Quinta Channel, between the Voestalpine docks on the west side and the Sherwin aluminum docks on the east side, between approximate positions 27-52-45.87N 097-16-30.30W and 27-52-37.58N 097-15-47.68W. The Dredge CALIFORNIA and related floating plant will consist of (barges and tugboat). Mobilization of waterside equipment begins November 24, 2015. The Dredge CALIFORNIA will be monitoring VHF-FM Channels 13 or 16. Dredging will be performed 24-hours a day, 7-days a week, and will be shutting down July 5, 2016. Operations will resume September 2016, and will complete in January 2017. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed after passing arrangements have been made.

Charts: 11308 11309

LNM: 45-15

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Dredge Operation

Continuing until approximately April 30, 2016, the Dredge DILIGENCE will be conducting dredging operations in the Tule Lake Turning Basin, Corpus Christi Ship Channel area. Dredging will be on the north shoreline of the Tule Lake Turning Basin, for the construction of Oil Dock 14. Work will be conducted 24-hours a day, 7-days a week. The Dredge DILIGENCE will monitor VHF-FM Channel 65. For up-to-date information, mariners can contact the Project manager, Mr. David Guillot, at (361) 648-0811. Mariners are urged to transit the area at their slowest safe speed to minimize their wake.

Chart 11311

LNM: 41-15

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Terminal Construction

Continuing until approximately November 7, 2016, Orion Construction will conduct pile driving and construction operations in the Port of Corpus Christi. The project site is at the old American Smelting Refining Company, approximately 0.6 miles west of the old lift bridge on the south bank of Tule Lake Channel. The contractors floating plant will consist of the Crane Barges STAR 303 and GEORGE JOHNSON. Work will be conducted 10-hours a day, 5-days a week. The crane and dive crews will install a new ship terminal as well as 4 breasting dolphins and 6 mooring dolphins. The

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Terminal Construction

construction crew will monitor VHF-FM Channels 16 or 69. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.

Chart 11311

LNLM: 41-15

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4663.01	U. S. Coast Guard Base Buoy 7	30-23-36.768N 086-31-31.117W				Green can.	10/16
*	*	*	*	*	*	*	*
12030	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-31-53.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.01	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-15.000N 089-32-04.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.02	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-18.000N 089-32-15.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.03	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-32-26.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.04	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-23.000N 089-32-37.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.05	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-32-47.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*
12030.06	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-28.000N 089-32-58.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
*	*	*	*	*	*	*	*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12030.07	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-33-05.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
	*						
12030.08	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-33-12.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
	*						
12030.09	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-33-16.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
	*						
12030.11	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-03.000N 089-33-21.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
	*						
12030.12	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-27-54.000N 089-33-25.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid. 10/16
	*						
12030.13	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-11.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.14	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-23.000N 089-33-08.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.15	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-17.000N 089-33-18.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12030.16	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-25.000N 089-33-14.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.17	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-23.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.18	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-18.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.19	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-55.000N 089-33-28.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.21	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-52.000N 089-33-23.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.22	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-48.000N 089-33-28.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.23	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-06.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.24	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-29.000N 089-33-08.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12030.25	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-20.000N 089-33-11.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.26	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-22.000N 089-33-15.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.27	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-10.000N 089-33-16.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.28	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-12.000N 089-33-21.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.29	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-02.000N 089-33-20.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.31	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-01.000N 089-33-26.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.32	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-57.000N 089-33-21.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.33	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-47.000N 089-33-26.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
12030.34	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-49.000N 089-33-31.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
22970 35630	SABINE-NECHES CANAL M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W	29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.	10/16
	*							
23510	ENTERPRISE PRODUCTS MOORING DOLPHIN LIGHT	30-02-10.410N 094-02-03.758W	Fl G 2.5s			Marks mooring dolphin.	Private Aid.	10/16
*	*	*	*	*	*	*	*	
34960	Bayou Villars Daybeacon 2	29-44-20.548N 090-08-33.706W				TR on pile.	Ra Ref	10/16
	*							
34965	Bayou Perot Entrance Crossing Daybeacon 2	29-41-15.200N 090-11-15.828W				TR-TY on pile.	Ra ref.	10/16
	*							
35630 22970	SABINE-NECHES CANAL M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W	29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.	10/16
	*							
36985	WEST BAY (TEXAS) LIGHT 15	29-10-32.766N 095-05-49.915W	Fl G 2.5s	17	3	SG-SY on pile.		10/16
	*							
37005	CHOCOLATE BAY A RANGE FRONT LIGHT	29-10-25.726N 095-06-44.466W	Q W	15		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.	10/16
	*							
37005.1	CHOCOLATE BAY A RANGE FRONT LIGHT PASSING LIGHT	29-10-25.726N 095-06-44.466W	Fl R 2.5s	10	3		On same structure as Chocolate Bay A Range Front Light.	10/16
	*							
37085	CHOCOLATE BAYOU CHANNEL LIGHT 5	29-10-09.694N 095-08-12.381W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37085	Chocolate Bayou Channel Buoy 5						Remove from list.	10/16
	*						*	
37100	CHOCOLATE BAYOU CHANNEL LIGHT 6	29-10-09.156N 095-08-09.090W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
37100	Chocolate Bayou Channel Buoy 6						Remove from list.	10/16
							*	
37115	CHOCOLATE BAYOU CHANNEL LIGHT 9	29-10-38.256N 095-08-20.764W	Q G	17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37115	Chocolate Bayou Channel Buoy 9						Remove from list.	10/16
							*	
37130	CHOCOLATE BAYOU CHANNEL LIGHT 10	29-10-39.981N 095-08-18.460W	Q R	17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37130	Chocolate Bayou Channel Buoy 10						Remove from list.	10/16
							*	
37135	CHOCOLATE BAYOU CHANNEL LIGHT 12	29-10-49.649N 095-08-24.797W	FI R 4s	17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37135	Chocolate Bayou Channel Buoy 12						Remove from list.	10/16
							*	
37140	CHOCOLATE BAYOU CHANNEL LIGHT 13	29-10-47.348N 095-08-26.300W	FI G 4s	17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37140	Chocolate Bayou Channel Buoy 13						Remove from list.	10/16
							*	
37145	CHOCOLATE BAYOU CHANNEL LIGHT 15	29-11-03.351N 095-08-39.339W	FI G 2.5s	17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37145	Chocolate Bayou Channel Buoy 15						Remove from list.	10/16
							*	
37150	CHOCOLATE BAYOU CHANNEL LIGHT 16	29-11-04.350N 095-08-37.216W	FI R 2.5s	17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37150	Chocolate Bayou Channel Buoy 16						Remove from list.	10/16
							*	
37155	CHOCOLATE BAYOU CHANNEL LIGHT 17	29-11-19.078N 095-08-53.074W	FI G 6s	17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37155	Chocolate Bayou Channel Buoy 17						Remove from list.	10/16
							*	
37160	CHOCOLATE BAYOU CHANNEL LIGHT 18	29-11-20.572N 095-08-51.277W	FI R 6s	17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	
37160	Chocolate Bayou Channel Buoy 18						Remove from list.	10/16
							*	
37195	Chocolate Bayou Channel Buoy 25	29-11-50.340N 095-09-32.305W				Green can.		10/16
		*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37205	Chocolate Bayou Channel Buoy 27	29-11-53.115N 095-09-49.138W				Green can.	10/16

*

ENCLOSURES

Operation Phoenix Marine Event

Enclosed is the schedule with dates and locations for the Operation Phoenix paddle board marine event.

LNM: 09-16

Commander, Eighth Coast Guard District
 Hale Boggs Federal Building, Room 1230
 500 Poydras Street
 New Orleans, LA 70130-3310
 Telephone (504) 671-2327
 (Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)
 (Nights, Weekends, Holidays) (504) 589-6225
 RADM Callahan

LANDING/STAGE DATE

Corpus Christi, TX - March 5, 2016 (Sat)

Galveston, TX - March 12, 2016 (Sat)

New Orleans, LA - March 26, 2016 (Sat)

Fort Walton Beach, FL - April 2, 2016 (Sat)

Tampa/MacDill AFB, FL - April 16, 2016 (Sat)

Key West, FL - April 30, 2016 (Sat)

Cocoa Beach, FL - May 14, 2016 (Sat)

Savannah/Tybee Island, GA - May 28, 2016 (Sat)

Charleston, SC - June 4, 2016 (Sat)

Camp Lejeune/Jacksonville, NC - June 11, 2016 (Sat)

VA Beach/Dam Neck, VA - June 18, 2016 (Sat)

Arlington/Washington DC - June 25, 2016 (Sat)

Philadelphia, PA - July 9, 2016 (Sat)

Sea Bright, NJ to the

Statue of Liberty NYC Harbor - July 23, 2016 (Sat)

	Location	Daily Mileage	Total Mileage	Dpt Date	
0	Corpus Christi, TX	0	0	3/05 (Sat)	
1	Goose Island State Park, TX	41	41	3/06	
2	Port O Connor, TX	43	84	3/07	
3	Matagorda, TX	32	116	3/08	
4	Bay City, TX	21	137	3/09	
5	Surfside Beach, TX	26	163	3/10	
6					
7					
8					
9	Galveston, TX	47	210	3/11-3/12 (Sat)	210
10	Anahuac National Wildlife Refuge, TX	32	242	3/13	
11	Port Arthur, TX	32	274	3/14	
12	Orange, TX	24	298	3/15	
13	Cameron Prairie NA Wildlife Refuge, LA	45	343	3/16	
14	White Lake Wetlands Conservation Area, LA	35	378	3/17	
15	Glencoe, LA	52	430	3/18	
16	Morgan City, LA	40	470	3/19	
17	Houma, LA	30	500	3/20	
18	LaRose, LA	26	526	3/21	
19					
20					
21					
22	New Orleans, LA	37	563	3/22-3/26 (Sat)	353
23	LA/MS Border pearl lake	37	600	3/27	
24	Biloxi, MS	46	646	3/28	
25	Coden, AL	41	687	3/29	
26	Gulf Shores/Orange Beach, AL	40	727	3/30	
27	Pensacola Beach, FL	31	758	3/31	
28					
29					
30					
31	Fort Walton Beach (Eglin AFB), FL	31	789	4/01-4/02 (Sat)	226
32	Rosemary Beach, FL	41	830	4/03	
33	Mexico Beach, FL	48	878	4/04	
34	Apalachicola, FL	46	924	4/05	
35	Bald Point State Park, FL	42	966	4/06	
36	Econfina, FL	36	1002	4/07	
37	Steinhatchee, FL	42	1044	4/08	
38	Suwanee, FL	31	1075	4/09	
39	Yankeetown, FL	42	1117	4/10	
40	Hernando Beach, FL	41	1158	4/11	
41	Clearwater, FL	38	1196	4/12	
42					
43					
44					
45	MacDill AFB, FL	40	1236	4/13-4/16 (Sat)	447

46	Longboat Key, FL	40	1276	4/17	
47	Manasota Key, FL	40	1316	4/18	
48	Sanibel, FL	43	1359	4/19	
49	Marco Island, FL	43	1402	4/20	
50	N Everglades National Park, FL	40	1442	4/21	
51	S Everglades National Park, FL	50	1492	4/22	
52	Duck Key, FL	39	1531	4/23	
53	Sugarloaf Key, FL	42	1573	4/24	
54					
55					
56	Key West, FL	20	1593	4/25-4/30 (Sat)	357
57	Marathon Key, FL	45	1638	5/01	
58	Plantation Key, FL	43	1681	5/02	
59	Biscayne National Park, FL	41	1722	5/03	
60	Ft Lauderdale, FL	42	1762	5/04	
61	West Palm Beach, FL	44	1806	5/05	
62	Jensen Beach, FL	40	1846	5/06	
63	Wabasso Beach, FL	37	1883	5/07	
64					
65					
66					
67	Cocoa Beach, FL	40	1923	5/08-5/14 (Sat)	330
68	Canaveral National Seashore	38	1951	5/15	
69	Daytona Beach, FL	33	1984	5/16	
70	Crescent Beach, FL	40	2024	5/17	
71	Jacksonville Beach, FL	36	2060	5/18	
72	Cumberland Island, FL	39	2099	5/19	
73	Sapelo Island Wildlife Manage Area, GA	41	2140	5/20	
74	Wassaw National Wildlife Sanctuary, GA3	8	2178	5/21	
75					
76					
77					
78	Tybee Island, GA	12	2190	5/22-5/28 (Sat)	267
79	Hunting Island, SC	40	2230	5/29	
80	Morris Island, SC	40	2270	5/30	
81					
82					
83					
84	Charleston, SC	8	2278	5/31-6/04 (Sat)	88
85	Cape Island, SC	40	2318	6/05	
86	Pawleys Island, SC	35	2353	6/06	
87	North Myrtle Beach, SC	37	2390	6/07	
88	Caswell Beach, NC	38	2428	6/08	
89	Wrightsville Beach, NC	35	2463	6/09	
90					
91					
92					
93	Camp Lejeune, NC	40	2503	6/10-6/11 (Sat)	225

94	Fort Macon State Park, NC	35	2538	6/12	
95	Core Sound, NC	40	2578	6/13	
96	Hatteras Island, NC	46	2624	6/14	
97	Roanoke Island, NC	40	2664	6/15	
98	Corolla, NC	45	2709	6/16	
99					
100					
101					
102	Dam Neck, VA	30	2739	6/17-6/18 (Sat)	236
103	Hampton, VA	30	2769	6/19	
104	Gwynn Island, VA	38	2807	6/20	
105	Lewisetta, MD	43	2850	6/21	
106	Dahlgren, MD	40	2890	6/22	
107	Quantico, MD	40	2930	6/23	
108					
109					
110					
111	Arlington, VA	28	2958	6/24-6/25 (Sat)	219
112	Smallwood State Park, MD	30	2988	6/26	
113	Cobb Island, MD	44	3032	6/27	
114	Point Lookout State Park	34	3066	6/28	
115	Dares Beach, MD	40	3106	6/29	
116	Gibson Island, MD	38	3144	6/30	
117	Elk Neck State Park	40	3188	7/01	
118	New Castle, DE	31	3219	7/02	
119					
120					
121					
122	Philadelphia, PA	27	3246	7/03-7/09 (Sat)	288
123	Elsinboro, NJ	35	3281	7/10	
124	Heislerville Wildlife Management Area	40	3321	7/11	
125	Stone Harbor, NJ	40	3361	7/12	
126	Atlantic City, NJ	30	3391	7/13	
127	Island Beach State Park	37	3428	7/14	
128	Sea Bright, NJ	38	3466	7/15	
129					
130					
131					
132	Statue of Liberty, NY	24	3490	7/16-7/23 (Sat)	244

Avg – 35m/day

Consider one day each planned event/rally + 12 days

How many historical weather days to expect? If 20% = 18 days.

Total overage days = 30 days.

Equals 102 Travel Days and 30 Overage Days (Rally or Weather)